

SOURCE CODING APLIKASI

HomeController.php
<?php

```
namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;
use App\Models\Campaign\Campaign;
use App\Models\Campaign\CampaignCategory;
use App\Repositories\Frontend\Campaign\CampaignRepository;

/**
 * Class HomeController.
 */
class HomeController extends Controller
{
    protected $campaignRepo;
    public function __construct(CampaignRepository $campaignRepo)
    {
        $this->campaignRepo = $campaignRepo;
    }
    /**
     * @return \Illuminate\View\View
     */
    public function index()
    {
        $campaigns = $this->campaignRepo->getActive();
        $categories = CampaignCategory::whereNotNull('priority')-
>orderBy('priority', 'asc')->get();
        return view('frontend.index', compact('campaigns',
'categories'));
    }
}
```

PageController.php

```
<?php
```

```
namespace App\Http\Controllers\Frontend;
```

```
use App\Http\Controllers\Controller;
```

```
/**
```

```
 * Class PageController.
```

```
 */
```

```
class PageController extends Controller
```

```
{
```

```
    /**
```

```
     * @return \Illuminate\View\View
```

```
     */
```

```
    public function privacy()
```

```
    {
```

```
        return view('frontend.pages.privacy');
```

```
    }
```

```
    /**
```

```
     * @return \Illuminate\View\View
```

```
     */
```

```
    public function about_us()
```

```
    {
```

```
        return view('frontend.pages.about_us');
```

```
    }
```

```
    /**
```

```
     * @return \Illuminate\View\View
```

```
     */
```

```
    public function mission()
```

```
    {
```

```
        return view('frontend.pages.mission');
```

```
    }
```

```
}
```

ReportController.php
<?php

```
namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;
use App\Models\Campaign\Campaign;
use App\Repositories\Backend\Accounting\AccountingRepository;
use App\Repositories\Frontend\Campaign\CampaignRepository;

/**
 * Class ReportController.
 */
class ReportController extends Controller
{
    protected $accountingRepo;
    public function __construct(AccountingRepository $accountingRepo)
    {
        $this->accountingRepo = $accountingRepo;
    }
    /**
     * @return \Illuminate\View\View
     */
    public function index()
    {
        $reports = $this->accountingRepo->orderBy('created_at', 'desc')->get();
        return view('frontend.report.index', compact('reports'));
    }
}
```

```

ContactController.php
<?php

namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;
use App\Http\Requests\Frontend>Contact\SendContactRequest;
use App\Mail\Frontend>Contact\SendContact;
use Illuminate\Support\Facades\Mail;

/**
 * Class ContactController.
 */
class ContactController extends Controller
{
    /**
     * @return \Illuminate\View\View
     */
    public function index()
    {
        return view('frontend.contact');
    }

    /**
     * @param SendContactRequest $request
     *
     * @return mixed
     */
    public function send(SendContactRequest $request)
    {
        Mail::send(new SendContact($request));

        return redirect()->back()-
>withFlashSuccess(__('alerts.frontend.contact.sent'));
    }
}

```

```

DonationController.php
<?php

namespace App\Http\Controllers\Frontend\Donation;

use App\Http\Controllers\Controller;
use App\Repositories\Frontend\Donation\DonationRepository;
use Carbon\Carbon;

/**
 * Class DonationController.
 */
class DonationController extends Controller
{
    protected $donationRepo;
    public function __construct(DonationRepository $donationRepo)
    {
        $this->donationRepo = $donationRepo;
    }
    /**
     * @return \Illuminate\Contracts\View\Factory|\Illuminate\View\View
     */
    public function index()
    {
        $donations = $this->donationRepo->getOwnDonation();
        return view('frontend.user.donation.donation',
compact('donations'));
    }

    public function show()
    {
        $donations = $this->donationRepo->get();
        return view('frontend.user.donation.show',
compact('donations'));
    }
}

```

```

CampaignController.php
<?php

namespace App\Http\Controllers\Frontend\Campaign;

use App\Http\Controllers\Controller;
use App\Repositories\Frontend\Campaign\CampaignRepository;
use App\Repositories\Frontend\Donation\DonationRepository;
use Carbon\Carbon;
use Illuminate\Http\Request;

/**
 * Class CampaignController.
 */
class CampaignController extends Controller
{
    protected $campaignRepo;
    protected $donationRepo;
    public function __construct(CampaignRepository $campaignRepo,
    DonationRepository $donationRepo)
    {
        $this->campaignRepo = $campaignRepo;
        $this->donationRepo = $donationRepo;
    }
    /**
     * @return \Illuminate\Contracts\View\Factory|\Illuminate\View\View
     */
    public function index(Request $request)
    {
        if($request->category) {
            $campaigns = $this->campaignRepo->getActive()-
>where('category', $request->category);
        } else {
            $campaigns = $this->campaignRepo->getActive();
        }
        return view('frontend.campaign.campaign', compact('campaigns'));
    }

    public function show(Request $request, $slug)
    {
        $campaign = $this->campaignRepo->getBySlug($slug);
        $mydonation = ($request->mydonation) ? $this->donationRepo-
>getById($request->mydonation) : null;
        return view('frontend.campaign.show', compact('campaign',
'mydonation'));
    }

    public function donation($slug)
    {
        $campaign = $this->campaignRepo->getBySlug($slug);
        if($campaign->isCampaignEnd())
            return redirect(route('frontend.campaign.show', $campaign-
>slug))->withFlashDanger('Donasi telah tutup');
        return view('frontend.campaign.donation', compact('campaign'));
    }
}

```

```

    public function payment_method(Request $request, $slug)
    {
        $donation = $request->only('donor_name', 'donor_phone', 'amount',
        'is_anonymous', 'notes');

        $donation['user_id'] = auth()->check() ? auth()->user()->id :
null;
        $donation['status'] = 0;

        $campaign = $this->campaignRepo->getBySlug($slug);
        if($request->don_id === null) {
            $donation = $this->campaignRepo->submitDonation($campaign,
$donation);
        } else {
            $donation = $this->donationRepo->getById($request->don_id);
        }

        if(env('PAYMENT_MIDTRANS_ACTIVE')) {
            \Midtrans\Config::$serverKey = 'SB-Mid-server-
ZsSGw3CyCuCKDSAT4nikULZh';
            \Midtrans\Config::$isProduction = false;
            \Midtrans\Config::$isSanitized = true;
            \Midtrans\Config::$is3ds = true;
            $params = array(
                'transaction_details' => array(
                    'order_id' => $donation->id,
                    'gross_amount' => $donation->amount,
                )
            );
            $snapToken = \Midtrans\Snap::getSnapToken($params);
        } else {
            $snapToken = '';
        }

        return view('frontend.campaign.payment-method',
compact('campaign', 'donation', 'snapToken'));
    }

    public function payment_select_method(Request $request, $slug)
    {
        $donation = $request->only('donor_name', 'donor_phone', 'amount',
        'is_anonymous', 'notes');

        $donation['user_id'] = auth()->check() ? auth()->user()->id :
null;
        $donation['status'] = 0;

        $campaign = $this->campaignRepo->getBySlug($slug);
        if($request->don_id === null) {
            $donation = $this->campaignRepo->submitDonation($campaign,
$donation);
        } else {
            $donation = $this->donationRepo->getById($request->don_id);
        }
    }

```

```

        $snapToken = '';

        return view('frontend.campaign.payment-select-method',
compact('campaign','donation','snapToken'));
    }

    public function payment_thirdparty_submit(Request $request)
    {
        if($request->donation_id) {
            $donation = $this->donationRepo->getById($request->donation_id);
            $tp = $this->donationRepo->submitThirdParty($donation, $request-
>thirdparty_data);
            if(!$tp) {
                return response()->json(['status' => false, 'message' =>
'terjadi kesalahan silahkan refresh browser anda', 'redirect' => '']);
            }
            return response()->json(['status' => true, 'message' =>
'berhasil', 'redirect' =>
route('frontend.campaign.payment_upload_success', $request-
>donation_id)]);
        }
        return abort(404);
    }

    public function payment_info()
    {
        $campaigns = $this->campaignRepo->get();
        return view('frontend.campaign.payment-info',
compact('campaigns'));
    }

    public function payment_upload()
    {
        $path = request()->file('file')->store('public/payment_upload');
        $data = [
            'status' => 'success',
            'path' => $path,
        ];
        return response()->json($data);
    }

    public function payment_upload_submit(Request $request, $donationId)
    {
        $data = [];

        $donation = $this->donationRepo->getById($donationId);
        $payment = [
            'proof_of_payment' => $request->proof_of_payment,
            'payment_type' => $request->payment_type,
            'status_history' => 1 ,
        ];

        $this->donationRepo->submitUpload($donation, $payment);

        return redirect(route('frontend.campaign.payment_upload_success',
$donationId));
    }

```



```
    }

    public function payment_upload_success(Request $request,
$donationId)
    {
        $donation = $this->donationRepo->getById($donationId);

        $campaigns = $this->campaignRepo->orderBy('created_at', 'desc')-
>limit(6)->get();
        return view('frontend.campaign.payment-upload-success',
compact('donation','campaigns'));
    }
}
```

```

Campaign.php
<?php

namespace App\Models\Campaign;

use Carbon\Carbon;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\SoftDeletes;
use Illuminate\Support\Facades\Storage;

class Campaign extends Model
{
    use SoftDeletes;
    protected $fillable = [
        'author_id',
        'title',
        'slug',
        'short_description',
        'target_donation',
        'end_campaign_at',
        'thumbnail',
        'is_verified',
        'category',
    ];

    public function stories()
    {
        return $this->hasMany('App\Models\Campaign\CampaignStory');
    }

    public function author()
    {
        return $this->hasOne('App\Models\Auth\User', 'id', 'author_id')->withTrashed();
    }

    public function donation()
    {
        return $this->hasMany('App\Models\Donation\Donation');
    }

    public function updates()
    {
        return $this->hasMany('App\Models\Campaign\CampaignUpdate');
    }

    // methods
    public function totalDonation()
    {
        $total = 0;
        foreach ($this->donation as $key => $donation) {
            // if donation verified
            if($donation->status == 2) $total += $donation->amount;
        }
        return $total;
    }
}

```

```

public function countDonation()
{
    $count = 0;
    foreach ($this->donation as $key => $donation) {
        // if donation verified
        if($donation->status == 2) $count++;
    }
    return $count;
}

public function percentage()
{
    if($this->totalDonation() == 0) return 0;
    $percent = round(($this->totalDonation() / $this->target_donation)
* 100, 1);
    return $percent > 100 ? 100 : $percent;
}

public function lastStory()
{
    return $this->stories()->orderBy('created_at', 'desc')->first();
}

public function latestDonation()
{
    return $this->donation()->where('status', 2)-
>orderBy('created_at', 'desc')->get();
}

public function isCampaignEnd()
{
    if($this->percentage() >= 100) {
        return true;
    }
    if(Carbon::parse($this->end_campaign_at)->lessThan(Carbon::now()))
{
        return true;
    }

    return false;
}

public function isSelesai()
{
    return $this->isCampaignEnd() ? ' <span class="text-gray-
500">[SELESAI]</span>' : '';
}

// attribute
public function getEndCampaignAtAttribute($endDate)
{
    return Carbon::parse($endDate);
}

public function getRestOfDayAttribute()

```

```

    {
        $now = Carbon::now();
        return Carbon::parse($this->end_campaign_at)->diffInDays($now);;
    }

    public function getThumbnailUrlAttribute()
    {
        return ($this->thumbnail) ? Storage::url($this->thumbnail) :
asset('img/frontend/default.jpg');
    }

    public function getShareWhatsappAttribute()
    {
        $share = 'https://wa.me/?text=' . $this->title . ', ' .
route('frontend.campaign.show', $this->slug . '%0D' . $this-
>short_description );
        return utf8_encode($share);
    }

    public function getShareFacebookAttribute()
    {
        $share = 'https://www.facebook.com/sharer/sharer.php?u=' .
route('frontend.campaign.show', $this->slug);
        return utf8_encode($share);
    }

    public function getShareTwitterAttribute()
    {
        $share = 'https://twitter.com/intent/tweet?text=' . $this->title .
', ' . route('frontend.campaign.show', $this->slug . '%0D' . $this-
>short_description );
        return utf8_encode($share);
    }
}

```

Donation.php
<?php

```
namespace App\Models\Donation;
```

```
use Carbon\Carbon;  
use Illuminate\Database\Eloquent\Model;  
use Illuminate\Support\Facades\Storage;
```

```
class Donation extends Model  
{
```

```
    protected $fillable = [  
        'campaign_id',  
        'user_id',  
        'amount',  
        'notes',  
        'is_anonymous',  
        'status',  
        'donor_name',  
        'donor_phone',  
    ];
```

```
    // relation
```

```
    public function campaign()  
    {  
        return $this->belongsTo('App\Models\Campaign\Campaign',  
'campaign_id', 'id')->withTrashed();  
    }
```

```
    public function donor()  
    {  
        return $this->hasOne('App\Models\Auth\User', 'id', 'user_id')->  
>withTrashed();  
    }
```

```
    public function payment()  
    {  
        return $this->hasMany('App\Models\Donation\DonationPayment');  
    }
```

```
    public function thirdparty()  
    {  
        return $this->hasOne('App\Models\Donation\DonationMidtrans');  
    }
```

```
    // attribute
```

```
    public function getCreatedAtFormattedAttribute()  
    {  
        return Carbon::parse($this->created_at)->format('d/m/Y');  
    }
```

```
    public function getStatusButtonAdminAttribute()  
    {
```

```
        switch ($this->status) {  
            case 0:
```

```

        return '<button type="button" class="btn-verifikasi-admin btn
btn-info btn-sm" data-action="0">Menunggu</button>';
        break;
        case 1:
            $payment = $this->payment()->orderBy('created_at', 'desc')-
>first();
            return '<button type="button" class="btn btn-verifikasi-admin
btn-warning btn-sm"
                data-toggle="modal"
                data-action="1"
                data-id="' . str_replace("'", '', $this->id) . '"
                data-name="' . str_replace("'", '', $this-
>donor_name) . '"
                data-phone="' . str_replace("'", '', $this-
>donor_phone) . '"
                data-amount="' . str_replace("'", '', rupiah($this-
>amount)) . '"
                data-date="' . str_replace("'", '',
convert_to_local($this->created_at)) . '"
                data-image="' . str_replace("'", '',
Storage::url($payment->proof_of_payment)) . '"
                data-anonim="' . str_replace("'", '', $this-
>is_anonymous) . '"
                >
                Butuh Verifikasi
            </button>';
            break;
        case 2:
            $payment = $this->payment()->orderBy('created_at', 'desc')-
>first();
            return '<button type="button" class="btn btn-verifikasi-admin
btn-success btn-sm"
                data-toggle="modal"
                data-action="2"
                data-id="' . str_replace("'", '', $this->id) . '"
                data-name="' . str_replace("'", '', $this-
>donor_name) . '"
                data-phone="' . str_replace("'", '', $this-
>donor_phone) . '"
                data-amount="' . str_replace("'", '', rupiah($this-
>amount)) . '"
                data-date="' . str_replace("'", '',
convert_to_local($this->created_at)) . '"
                data-image="' . str_replace("'", '',
Storage::url($payment->proof_of_payment)) . '"
                data-anonim="' . str_replace("'", '', $this-
>is_anonymous) . '"
                >
                Berhasil
            </button>';
            break;
        case 3:
            $payment = $this->payment()->orderBy('created_at', 'desc')-
>first();
            return '<button type="button" class="btn btn-verifikasi-admin
btn-danger btn-sm"

```



```
// // methods
public function latest()
{
    return $this->model->orderBy('created_at', 'desc')->get();
}
}
```



```
Accounting.php
<?php

namespace App\Models\Accounting;

use Illuminate\Database\Eloquent\Model;

class Accounting extends Model
{
    protected $fillable = [
        'amount',
        'notes',
        'type',
        'saldo',
        'created_by',
        'updated_by',
        'deleted_by',
    ];

    public function getTypeForHumansAttribute()
    {
        return ($this->type == 1) ? '<span class="badge badge-
success">Pemasukan</span>' : '<span class="badge badge-
danger">Pengeluaran</span>';
    }
}
```

```

Index.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.general.home'))

@section('content')
<section class="section-banner">
  <div class="glide glide-banner">
    <div class="glide__track" data-glide-el="track">
      <ul class="glide__slides">
        @if(!empty($appsetting['bannerhome']))
          @foreach ($appsetting['bannerhome'] as $bannerhome)
            <li class="glide__slide">
              <div class="flex justify-center bg-gray-200">
                <div class="container">
                  <div class="m-0 p-0 bg-cover bg-center"
style="background-image:url({{ \Storage::url($bannerhome->image) }});
height: 60vh; max-height:460px;">
                    <div class="h-full" style="background: rgba(0, 150,
136, 0.5);"></div>
                    <div class="container mx-auto" style="margin-top: -
290px; height: 60vh; max-height: 460px;">
                      <div class="max-w-xl object-center mx-auto text-
center">
                        <div class="banner-description text-white text-
xl">{!! $bannerhome->content !!</div>
                      </div>
                    </div>
                  </div>
                </div>
              </li>
            @endforeach
          @else
            <li class="glide__slide">
              <div class="flex justify-center bg-gray-200">
                <div class="container">
                  <div class="m-0 p-0 bg-cover bg-center" style="background-
image:url('/img/frontend/kegiatan-pakis-1.jpg'); height: 60vh; max-
height:460px;">
                    <div class="h-full" style="background: rgba(0, 150, 136,
0.5);"></div>
                    <div class="container mx-auto" style="margin-top: -
290px; height: 60vh; max-height: 460px;">
                      <div class="max-w-xl object-center mx-auto text-
center">
                        <div class="banner-description text-white text-
xl">Komunitas Pakis</div>
                      </div>
                    </div>
                  </div>
                </div>
              </li>
            @endif
          </ul>

```

```

</div>
<div class="text-center" data-glide-el="controls[nav]">
  @if(!empty($appsetting['bannerhome']))
    @foreach ($appsetting['bannerhome'] as $key => $bannerhome)
      <button class="focus:outline-none" data-glide-dir="{ $key
    }}"> <i class="far fa-window-minimize fa-2x"></i> </button>
    @endforeach
  @else
    <button class="focus:outline-none" data-glide-dir="2"> <i
class="far fa-window-minimize fa-2x"></i> </button>
  @endif
</div>
</div>
</section>
<section class="section-mission">
  <div class="container mx-auto flex flex-col md:flex-row px-4 pt-12 pb-
20">
    @foreach ($categories as $category)
      <div class="w-full flex flex-col items-center py-4 md:px-4">name }"
class="w-2/3 h-24">
      <a href="{ route('frontend.campaign', ['category' => $category-
>id]) }" >
        <h3 class="text-red-400 text-xl py-2 font-semibold">
          {{ $category->name }}
        </h3>
      </a>
      <p class="text-gray-700 text-center">
        {{ $category->description }}
      </p>
    </div>
    @empty
      <div class="w-full flex flex-col items-center py-4 md:px-4">
      <h3 class="text-red-400 text-xl py-2 font-semibold">
        Pendidikan
      </h3>
      <p class="text-gray-700 text-center">
        Pemberian beasiswa disertai kegiatan pembinaan berkala untuk
siswa dari keluarga kurang mampu.
      </p>
    </div>
    <div class="w-full flex flex-col items-center py-4 md:px-4">
      <h3 class="text-red-400 text-xl py-2 font-semibold">
        Ekonomi
      </h3>
      <p class="text-gray-700 text-center">
        Memberdayakan masyarakat berbasis potensi daerah untuk
mendorong kemandirian umat.
      </p>
    </div>

```

```

        <div class="w-full flex flex-col items-center py-4 md:px-4">
        <h3 class="text-red-400 text-xl py-2 font-semibold">
            Sosial
        </h3>
        <p class="text-gray-700 text-center">
            Merespon cepat permasalahan masyarakat sesuai dengan
kebutuhannya.
        </p>
        </div>
        @endforelse
    </div>
</section>
<section class="section-campaign bg-gray-200 py-5">
    <h3 class="text-center text-2xl my-5">Bantu Mereka</h3>
    <div class="container mx-auto grid grid-rows lg:grid-cols-3 gap-4">
        @foreach($campaigns as $campaign)
            <div class="mb-3">
                @include('frontend.includes.campaign-card', ['campaign' =>
$campaign, 'for' => 'frontpage'])
            </div>
        @endforeach
    </div>
</section>
<section class="section-testimonial py-10">
    <h3 class="text-center text-2xl mt-5">Testimonials</h3>
    <p class="text-center">Kata mereka tentang Komunitas Pakis</p>
    <div class="glide glide-testimoni mt-5">
        <div class="glide__track" data-glide-el="track">
            <ul class="glide__slides">
                @if(!empty($appsetting['testimoni']))
                    @foreach ($appsetting['testimoni'] as $testimoni)
                        <li class="glide__slide">
                            <div class="flex justify-center">
                                <div class="max-w-sm lg:max-w-full lg:flex">
                                    <div class="lg:h-48 lg:w-48 h-32 w-32 relative mb-4">
                                        <div class="w-full">
                                            
                                        </div>
                                    </div>
                                    <div class="bg-white rounded-b lg:rounded-b-none
lg:rounded-r p-4 flex flex-col justify-between leading-normal">
                                        <div class="mb-8">
                                            <div class="text-gray-900 font-bold text-xl mb-2">{{
$testimoni->name }}</div>
                                            <p class="text-gray-700 text-base" style="max-width:
620px;">{{ $testimoni->content }}</p>
                                        </div>
                                    </div>
                                </div>
                            </li>
                        @endforeach
                    @else

```

```

<li class="glide__slide">
  <div class="flex justify-center">
    <div class="max-w-sm lg:max-w-full lg:flex">
      <div class="w-48 h-48 relative mb-4">
        <div class="group w-full h-full rounded-full overflow-
hidden shadow-inner text-center bg-purple table cursor-pointer">
          <span class="hidden group-hover:table-cell text-white
font-bold align-middle">KR</span>
          
        </div>
      </div>
    </div>
    <div class="bg-white rounded-b lg:rounded-b-none
lg:rounded-r p-4 flex flex-col justify-between leading-normal">
      <div class="mb-8">
        <div class="text-gray-900 font-bold text-xl mb-
2">Ridwan Malik</div>
        <p class="text-gray-700 text-base">Saya adalah Tenaga
Kerja di luar negeri mendapat info dari teman facebook tentang Peduli
Kasih Insan Sejati.</p>
        <p class="text-gray-700 text-base">Disini saya bisa
menyisihkan sebagian rezeki saya untuk didonasikan dan disalurkan ke
orang yang membutuhkan.</p>
      </div>
    </div>
  </div>
</li>
<li class="glide__slide">
  <div class="flex justify-center">
    <div class="max-w-sm lg:max-w-full lg:flex">
      <div class="w-48 h-48 relative mb-4">
        <div class="group w-full h-full rounded-full overflow-
hidden shadow-inner text-center bg-purple table cursor-pointer">
          <span class="hidden group-hover:table-cell text-white
font-bold align-middle">KR</span>
          
        </div>
      </div>
    </div>
    <div class="bg-white rounded-b lg:rounded-b-none
lg:rounded-r p-4 flex flex-col justify-between leading-normal">
      <div class="mb-8">
        <div class="text-gray-900 font-bold text-xl mb-
2">Ridwan Malik</div>
        <p class="text-gray-700 text-base">Apresiasi yang
sangat besar dari saya untuk Komunitas Pakis.</p>
        <p class="text-gray-700 text-base">Telah memberi saya
kepercayaan diri dan keyakinan yang kuat bahwa uang yang saya sumbangkan
akan diberikan kepada orang yang tepat dan untuk tindakan yang
benar.</p>
        <p class="text-gray-700 text-base">Terima kasih
Komunitas Pakis.</p>
      </div>
    </div>
  </li>

```

```

        </div>
    </div>
</div>
</li>
@endif
</ul>
</div>
<div class="text-center" data-glide-el="controls[nav]">
    @if(!empty($appsetting['testimoni']))
        @foreach ($appsetting['testimoni'] as $key => $testimoni)
            <button class="focus:outline-none" data-glide-dir="{ $key
}}"> <i class="far fa-window-minimize fa-2x"></i> </button>
        @endforeach
    @else
        <button class="focus:outline-none" data-glide-dir="=1"> <i
class="far fa-window-minimize fa-2x"></i> </button>
        <button class="focus:outline-none" data-glide-dir="=2"> <i
class="far fa-window-minimize fa-2x"></i> </button>
    @endif

</div>
</div>
</section>
<!-- footer -->
@include('frontend.includes.footer')
@endsection

```

```

Contact.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' .
__('labels.frontend.contact.box_title'))

@section('content')
    <div class="row justify-content-center">
        <div class="col col-sm-8 align-self-center">
            <div class="card">
                <div class="card-header">
                    <strong>
                        @lang('labels.frontend.contact.box_title')
                    </strong>
                </div><!--card-header-->

                <div class="card-body">
                    {{ html()->form('POST',
route('frontend.contact.send'))->open() }}
                    <div class="row">
                        <div class="col">
                            <div class="form-group">
                                {{ html()-
>label(__('validation.attributes.frontend.name'))->for('name') }}

                                {{ html()->text('name',
optional(auth()->user()->name)
                                    ->class('form-control')
                                    -
>placeholder(__('validation.attributes.frontend.name'))
                                    ->attribute('maxlength', 191)
                                    ->required()
                                    ->autofocus() }}
                            </div><!--form-group-->
                        </div><!--col-->
                    </div><!--row-->

                    <div class="row">
                        <div class="col">
                            <div class="form-group">
                                {{ html()-
>label(__('validation.attributes.frontend.email'))->for('email') }}

                                {{ html()->email('email',
optional(auth()->user()->email)
                                    ->class('form-control')
                                    -
>placeholder(__('validation.attributes.frontend.email'))
                                    ->attribute('maxlength', 191)
                                    ->required() }}
                            </div><!--form-group-->
                        </div><!--col-->
                    </div><!--row-->

                    <div class="row">
                        <div class="col">

```

```

        <div class="form-group">
            {{ html()-
>label(__('validation.attributes.frontend.phone'))->for('phone') }}
                {{ html()->text('phone')
                    ->class('form-control')
                    -
>placeholder(__('validation.attributes.frontend.phone'))
                    ->attribute('maxlength', 191)
                    ->required() }}
            </div><!--form-group-->
        </div><!--col-->
    </div><!--row-->

    <div class="row">
        <div class="col">
            <div class="form-group">
                {{ html()-
>label(__('validation.attributes.frontend.message'))->for('message') }}
                    {{ html()->textarea('message')
                        ->class('form-control')
                        -
>placeholder(__('validation.attributes.frontend.message'))
                            ->attribute('rows', 3)
                            ->required() }}
                </div><!--form-group-->
            </div><!--col-->
        </div><!--row-->

        @if(config('access.captcha.contact'))
            <div class="row">
                <div class="col">
                    @captcha
                    {{ html()->hidden('captcha_status',
'true') }}
                </div><!--col-->
            </div><!--row-->
        @endif

        <div class="row">
            <div class="col">
                <div class="form-group mb-0 clearfix">
                    {{
form_submit(__('labels.frontend.contact.button')) }}
                </div><!--form-group-->
            </div><!--col-->
        </div><!--row-->
        {{ html()->form()->close() }}
    </div><!--card-body-->
</div><!--card-->
</div><!--col-->
</div><!--row-->
@endsection

@push('after-scripts')

```



```
@if(config('access.captcha.contact'))
    @captchaScripts
@endif
@endpush
```

```
Campaign.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.frontend.dashboard'))

@section('content')
<div class="container mx-auto mt-10">
  <h1 class="text-2xl font-bold">Bantu Mereka</h1>
  <div class="text-lg mb-4">Salurkan bantuan anda kepada yang
mempbutuhkan</div>
  <div class="flex">
    <div class="lg:w-3/4 w-full">
      @foreach($campaigns as $campaign)
        <div class="mb-3">
          @include('frontend.includes.campaign-card', ['campaign' =>
$campaign, 'for' => 'frontpage'])
        </div>
      @endforeach
    </div>
  </div>
</div>
@endsection
```

```

Donation.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.frontend.dashboard'))

@section('content')
<div class="bg-gray-100">
  <div class="max-w-2xl mx-auto pt-10 bg-white">
    <h1 class="text-center font-bold text-xl mb-5">Masukkan Nominal
    Donasi</h1>
    <div class="flex flex-col justify-center mx-4">
      <div class="pilih-nominal w-full rounded border-gray-300 border
      hover:border-teal-400 hover:text-teal-400 overflow-hidden shadow-sm px-4
      py-2 mb-3" data-nominal="10000">
        <span class="block font-bold text-lg mb-1">Rp. 10.000</span>
        <span class="block text-xs text-gray-700 bg-gray-200 px-2 py-1
        rounded">Minimal Donasi</span>
      </div>
      <div class="pilih-nominal w-full rounded border-gray-300 border
      hover:border-teal-400 hover:text-teal-400 overflow-hidden shadow-sm px-4
      py-4 mb-3" data-nominal="20000">
        <span class="block font-bold text-lg mb-1">Rp. 20.000</span>
      </div>
      <div class="pilih-nominal w-full rounded border-gray-300 border
      hover:border-teal-400 hover:text-teal-400 overflow-hidden shadow-sm px-4
      py-4 mb-3" data-nominal="50000">
        <span class="block font-bold text-lg mb-1">Rp. 50.000</span>
      </div>
      <div class="pilih-nominal w-full rounded border-gray-300 border
      hover:border-teal-400 hover:text-teal-400 overflow-hidden shadow-sm px-4
      py-4 mb-3" data-nominal="100000">
        <span class="block font-bold text-lg mb-1">Rp. 100.000</span>
      </div>
      <div class="w-full rounded border-gray-300 border hover:border-
      teal-400 overflow-hidden shadow-sm px-4 py-4 mb-3">
        <span class="block mb-1">Nominal donasi lainnya</span>
        <div class="flex flex-row justify-between w-full rounded bg-
        gray-200 py-3">
          <span class="font-bold text-xl mx-4">Rp.</span>
          <input id="donasi-nominal" type="text" class="w-full bg-
          transparent text-right font-bold text-xl outline-none mx-4"
          placeholder="" autofocus>
        </div>
      </div>
    </div>
    <div class="text-center my-2"><a href="{{
    route('frontend.auth.login')}}" class="text-teal-400">Masuk</a> atau
    lengkapi data dibawah ini</div>
    <input id="donasi-fullname" type="text" class="w-full bg-gray-200
    rounded p-3 my-2" placeholder="Nama Lengkap" value="{{ auth()->check() ?
    auth()->user()->fullname : '' }}">
    <input id="donasi-phone" type="text" class="w-full bg-gray-200
    rounded p-3 my-2" placeholder="Nomor Ponsel" value="{{ auth()->check() ?
    auth()->user()->phone : '' }}">
  </div>
</div>

```

```

        <div class="flex flex-row justify-between mt-4 mb-2">
          <div class="text-gray-700">Sembunyikan nama (donasi
anonim)</div>
          <div class="flex flex-col justify-between h-16">
            <span class="tw-switch tw-switch-off border rounded-full
border-gray-400 flex items-center cursor-pointer w-12">
              <span class="rounded-full border w-6 h-6 border-gray-400
shadow-inner bg-white shadow">
                </span>
              </span>
            </div>
          </div>
          <input id="donasi-anonim" type="hidden" value="0">

          <textarea id="donasi-note" class="w-full p-3 border rounded h-24"
placeholder="Tulis doa atau dukungan disini" maxlength="140"></textarea>
          <div class="text-gray-500 text-xs">Maksimal 140 karakter</div>
          <button id="next-to-payment" class="bg-teal-400 hover:bg-teal-600
text-white font-bold py-2 px-4 my-4 rounded-sm">LANJUTKAN
PEMBAYARAN</button>
          <div id="generated-form"></div>
        </div>
      </div>
    @endsection

    @push('after-scripts')
    <script>
      $('#pilih-nominal').click(function() {
        let donasi = $(this).attr('data-nominal')
        donasi = formatRupiah(donasi)
        $('#donasi-nominal').val(donasi)
      })

      $('#next-to-payment').click(function() {
        let donasiFullname = $('#donasi-fullname').val()
        let donasiPhone = $('#donasi-phone').val()
        let donasiNominal = $('#donasi-nominal').val()
        let donasiAnonim = $('#donasi-anonim').val()
        let donasiNote = $('#donasi-note').val()
        donasiNominal = donasiNominal.replace(/\.\/g, '')
        if (!donasiFullname) {
          Swal.fire('Nama lengkap tidak boleh kosong')
          return
        }
        if (!donasiPhone) {
          Swal.fire('Nomor HP tidak boleh kosong')
          return
        }
        if (!donasiNominal) {
          Swal.fire('Nominal donasi tidak boleh kosong')
          return
        }
        if (donasiNominal < 10000) {
          Swal.fire('Minimal donasi Rp 10.000')
        }
      })
    </script>
  </div>
</div>

```

```

        return
    }

    let genForm = "\n<form action='" + `{{
route('frontend.campaign.payment_method', $campaign->slug) }}` + "'
method='POST' style='display:none'>\n" +
        "<input type='hidden' name='donor_name' value='" +
donasiFullname + "'>\n" +
        "<input type='hidden' name='donor_phone' value='" +
donasiPhone + "'>\n" +
        "<input type='hidden' name='amount' value='" +
donasiNominal + "'>\n" +
        "<input type='hidden' name='is_anonymous' value='" +
donasiAnonim + "'>\n" +
        "<input type='hidden' name='notes' value='" + donasiNote
+ "'>\n" +
        "<input type='hidden' name='_token' value='" +
$('meta[name="csrf-token"]').attr('content') + "'>\n" +
        '</form>\n';
    $('#generated-form').html('')
    $('#generated-form').html(genForm)

    $('#generated-form').find('form').submit()
})

$('.tw-switch').click(function() {
    if ($(this).hasClass('tw-switch-off')) {
        // to on
        $('#donasi-anonim').val(1)
        $(this).addClass('bg-teal-400')
        $(this).addClass('justify-end')
        $(this).addClass('tw-switch-off')
        $(this).removeClass('tw-switch-off')
    } else {
        // to off
        $('#donasi-anonim').val(0)
        $(this).addClass('tw-switch-off')
        $(this).removeClass('bg-teal-400')
        $(this).removeClass('justify-end')
        $(this).removeClass('tw-switch-on')
    }
})

$('#donasi-nominal').on('input change', function() {
    let target = $(this).val()
    target = formatRupiah(target)
    $(this).val(target)
})

function formatRupiah(angka, prefix){
    var number_string = angka.replace(/[^,\d]/g, '').toString(),
        split          = number_string.split(','),
        sisa            = split[0].length % 3,
        rupiah          = split[0].substr(0, sisa),
        ribuan          = split[0].substr(sisa).match(/\d{3}/gi);

```

```
// tambahkan titik jika yang di input sudah menjadi angka ribuan
if(ribuan){
  separator = sisa ? '.' : '';
  rupiah += separator + ribuan.join('.');
}

rupiah = split[1] != undefined ? rupiah + ',' + split[1] : rupiah;
return prefix == undefined ? rupiah : (rupiah ? 'Rp. ' + rupiah :
'');
}
</script>
@endpush
```

```

Show.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.frontend.dashboard'))

@section('content')
<div class="container mx-auto lg:mt-10 mb-24 lg:mb-0">
  <div class="flex">
    <div class="w-full lg:w-2/3 shadow-lg">
      <div class="campaign-info">
        @include('frontend.campaign.includes.info', ['campaign' =>
$campaign, 'for' => 'frontpage'])
      </div>
      <div class="campaign-author">
        @include('frontend.campaign.includes.author')
      </div>
      <div class="tabs border-b">
        <ul class="flex">
          <li class="mr-3">
            <a class="inline-block pb-5 text-gray-500 text-lg py-1 px-3
border-b border-teal-500 text-teal-500 font-bold"
href="#story">Cerita</a>
          </li>
          <li class="mr-3">
            <a class="inline-block pb-5 text-gray-500 text-lg py-1 px-3"
href="#update">Kabar Terbaru</a>
          </li>
          <li class="mr-3">
            <a class="inline-block pb-5 text-gray-500 text-lg py-1 px-3"
href="#donatur">Donasi</a>
          </li>
        </ul>
      </div>
      <div class="tab-content">
        <div class="campaign-story" data-target="story">
          @include('frontend.campaign.includes.story')
        </div>
        <div class="campaign-update hidden" data-target="update">
          @include('frontend.campaign.includes.update')
        </div>
        <div class="campaign-donatur hidden" data-target="donatur">
          @include('frontend.campaign.includes.donatur')
        </div>
      </div>
    </div>
    <div class="fixed left-0 bottom-0 w-full shadow-2xl lg:shadow-sm
lg:relative lg:w-1/3 lg:px-6">
      <div class="w-full relative z-0 rounded-lg shadow-lg">
        <div class="bg-gray-200 lg:bg-white text-black rounded-lg
shadow-inner shadow-lg overflow-hidden">
          <div class="block text-left text-sm sm:text-md max-w-sm mx-
auto mt-2 text-black px-8 lg:px-6">
            <h1 class="hidden lg:block text-lg font-medium uppercase p-3
pb-0 mb-3 text-center tracking-wide">
              {{ $campaign->title }} {!! $campaign->isSelesai() !!}
            </h1>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

        <div class="hidden lg:block progress-donation">
            <div class="w-full bg-gray-400">
                <div class="bg-red-400 text-xs leading-none pt-1 text-center text-white" style="width: {{ $campaign->percentage() }}%"></div>
            </div>
        </div>
        <div class="hidden lg:block mt-2">
            <div class="flex justify-between">
                <div class="text-gray-700 text-left">
                    <p class="text-sm">Terkumpul</p>
                    <p class="text-sm font-semibold">Rp {{ rupiah($campaign->totalDonation()) }}</p>
                </div>
                <div class="text-gray-700 text-right">
                    @if($campaign->isCampaignEnd())
                        <p class="text-sm">Telah Selesai</p>
                    @else
                        <p class="text-sm">Sisa hari</p>
                        <p class="font-semibold">{{ $campaign->rest_of_day }}</p>
                    @endif
                </div>
            </div>
        </div>
        <div class="hidden lg:block flex flex-wrap mt-3 px-6">
            <ul>
                <li class="flex items-center">
                    <span class="text-gray-700 ml-3">Inisiator</span>
                </li>
                <li class="flex items-center">
                    <div class="rounded-full p-2 fill-current text-green-700">
                        <svg class="w-6 h-6 align-middle" width="24" height="24" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">
                            <path d="M22 11.08V12a10 10 0 1 1-5.93-9.14"></path>
                            <polyline points="22 4 12 14.01 9 11.01"></polyline>
                        </svg>
                    </div>
                    <span class="text-gray-700 text-lg ml-3">{{ $campaign->author->full_name }}</span>
                </li>
            </ul>
        </div>

        <div class="flex justify-between mb-3 mx-5">
            <div class="block w-1/3 text-center p-1 uppercase">
                <button type="button" class="modal-open mt-3 text-sm lg:text-base font-semibold bg-teal-400 w-full text-white rounded-lg px-2 py-3 block shadow-xl hover:bg-teal-500 outline-none focus:outline-none">
                    <i class="fa fa-share-alt text-base"></i>
                    BAGIKAN
                </button>
            </div>
            <div class="block w-2/3 text-center p-1 uppercase">

```



```
    <a href="{{ route('frontend.campaign.donation', $campaign-
>slug) }}" class="mt-3 text-sm lg:text-base font-semibold bg-red-400 w-
full text-white rounded-lg px-6 py-3 block shadow-xl hover:bg-red-500
outline-none focus:outline-none">
```

```
        DONASI SEKARANG
```

```
    </a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!--Modal-->
```

```
<div class="modal opacity-0 pointer-events-none fixed w-full h-full
top-0 left-0 flex items-center justify-center">
```

```
<div class="modal-overlay absolute w-full h-full bg-gray-900
opacity-50"></div>
```

```
<div class="modal-container bg-white w-11/12 md:max-w-md mx-auto
rounded shadow-lg z-50 overflow-y-auto">
```

```
<div class="modal-close absolute top-0 right-0 cursor-pointer flex
flex-col items-center mt-4 mr-4 text-white text-sm z-50">
```

```
<svg class="fill-current text-white"
```

```
xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0
18 18">
```

```
<path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53
7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06
9z"></path>
```

```
</svg>
```

```
<span class="text-sm">(Esc)</span>
```

```
</div>
```

```
<!-- Add margin if you want to see some of the overlay behind the
modal-->
```

```
<div class="modal-content py-4 text-left px-6">
```

```
<!--Title-->
```

```
<div class="flex justify-between items-center pb-3">
```

```
<p class="text-2xl font-bold">Bagikan ke Sosial Media</p>
```

```
<div class="modal-close cursor-pointer z-50">
```

```
<svg class="fill-current text-black"
```

```
xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0
18 18">
```

```
<path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53
7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06
9z"></path>
```

```
</svg>
```

```
</div>
```

```
</div>
```

```
<!--Body-->
```

```
<div class="flex flex-row justify-center pb-5">
```

```

        <a href="{{ $campaign->share_whatsapp }}" target="_blank"
class="w-24 mt-3 text-sm lg:text-base font-semibold bg-green-400 text-
white px-2 py-3 block shadow-xl hover:bg-green-500 outline-none
focus:outline-none">
        <div class="ml-1 w-10 h-10 text-xl "><i class="fab fa-
whatsapp"></i></div>
        WhatsApp
    </a>
    <a href="{{ $campaign->share_facebook }}" target="_blank"
class="w-24 mt-3 text-sm lg:text-base font-semibold bg-blue-700 text-
white px-2 py-3 block shadow-xl hover:bg-blue-800 outline-none
focus:outline-none">
        <div class="ml-1 w-10 h-10 text-xl "><i class="fab fa-
facebook"></i></div>
        Facebook
    </a>
    <a href="{{ $campaign->share_twitter }}" target="_blank"
class="w-24 mt-3 text-sm lg:text-base font-semibold bg-blue-300 text-
white px-2 py-3 block shadow-xl hover:bg-blue-400 outline-none
focus:outline-none">
        <div class="ml-1 w-10 h-10 text-xl "><i class="fab fa-
twitter"></i></div>
        Twitter
    </a>
</div>
</div>
</div>
@endsection

```

```

@push('after-scripts')
<script>
    var openmodal = document.querySelectorAll('.modal-open')
    for (var i = 0; i < openmodal.length; i++) {
        openmodal[i].addEventListener('click', function(event){
            event.preventDefault()
            toggleModal()
        })
    }

    const overlay = document.querySelector('.modal-overlay')
    overlay.addEventListener('click', toggleModal)

    var closemodal = document.querySelectorAll('.modal-close')
    for (var i = 0; i < closemodal.length; i++) {
        closemodal[i].addEventListener('click', toggleModal)
    }

    document.onkeydown = function(evt) {
        evt = evt || window.event
        var isEscape = false
        if ("key" in evt) {
            isEscape = (evt.key === "Escape" || evt.key === "Esc")
        } else {
            isEscape = (evt.keyCode === 27)
        }
    }
</script>

```

```

    }
    if (isEscape && document.body.classList.contains('modal-active')) {
      toggleModal()
    }
  };

function toggleModal () {
  const body = document.querySelector('body')
  const modal = document.querySelector('.modal')
  modal.classList.toggle('opacity-0')
  modal.classList.toggle('pointer-events-none')
  body.classList.toggle('modal-active')
}

$('.tabs').find('a').click(function() {
  var activeto = this.hash.substr(1)

  $('.tab-content').children().each(function() {
    var target = $(this).attr('data-target')
    if(target == activeto) {
      $(this).removeClass('hidden')
      var tab = $('.tabs').find('a[href="#" + activeto + "']')
      $('.tabs').find('a').removeClass('border-b border-teal-500 text-teal-500 font-bold')
      tab.addClass('border-b border-teal-500 text-teal-500 font-bold')
    } else if($(this).hasClass('hidden') == false) {
      $(this).addClass('hidden')
    }
  })
})

</script>
@endpush

```

```

Payment-method.blade.php
@extends('frontend.layouts.app')

@section('content')
<div class="bg-gray-100">
  <div class="min-h-screen max-w-2xl mx-auto px-2 lg:px-4 pt-10 bg-white text-gray-700">
    <h1 class="text-center font-bold text-xl mb-5">Cara Pembayaran Donasi</h1>
    <p class="text-center text-sm mb-1">Jumlah donasi anda</p>
    <div class="flex justify-center">
      <div class="font-bold bg-yellow-300 p-4 rounded text-xl">Rp {{ @rupiah($donation->amount) }}</div>
    </div>
    <section id="payment-select-method" class="shadow">
      <article class="open-method border-b" data-verify="manual">
        <div class="border-l-2 bg-grey-500 has-border-teal-400">
          <header class="open-method-header flex justify-between items-center p-5 pl-8 pr-8 cursor-pointer select-none">
            <span class="has-text-teal-400 font-thin text-xl">
              Pembayaran Verifikasi Manual
            </span>
          </header>
          <div class="rounded-full border border has-border-teal-400 w-7 h-7 flex items-center justify-center has-bg-teal-400">
            <!-- icon by feathericons.com -->
            <svg aria-hidden="true" data-reactid="281" fill="none" height="24" stroke="white" stroke-linecap="round" stroke-linejoin="round" stroke-width="2" viewBox="0 0 24 24" width="24" xmlns="http://www.w3.org/2000/svg">
              <polyline points="18 15 12 9 6 15"></polyline>
            </svg>
          </div>
        </div>
      </article>
      <div class="psm-body hidden">
        <div class="pl-8 pr-8 pb-5 text-gray-900">
          <p class="my-3">Silahkan lakukan pembayaran donasi ke rekening berikut:</p>

```

```

<div class="w-full flex flex-col lg:flex-row">
  <div class="w-full lg:w-1/2 p-5">
    
  </div>
  <div class="w-full lg:w-1/2 self-center text-center">
    <strong>BANK BRI cabang Sampung Ponorogo</strong>
    <p>a.n. PEDULI KASIH INSAN SEJATI</p>
    <p>nomor rekening: <strong class="tracking-
wider">649601016106536</strong></p>
  </div>
</div>

<p class="mt-5">Lakukan konfirmasi setelah melakukan
pembayaran dengan mengupload foto/screenshot struk transfer</p>

<div class="block flex text-center p-8 uppercase">
  <a href="#" class="modal-open mt-3 text-md font-semibold
bg-teal-400 w-full text-white rounded-lg px-6 py-3 block shadow-xl
hover:bg-teal-500 outline-none focus:outline-none">
    KONFIRMASI
  </a>
</div>
</div>
</div>
</div>
</div>
</article>
<article class="open-method border-b" data-verify="otomatis">
  <div class="border-l-2 bg-grey-500 has-border-teal-400">
    <header class="open-method-header flex justify-between items-
center p-5 pl-8 pr-8 cursor-pointer select-none">
      <span class="has-text-teal-400 font-thin text-xl">
        Pembayaran Verifikasi Otomatis
      </span>
    </div>
    <div class="rounded-full border border has-border-teal-400
w-7 h-7 flex items-center justify-center has-bg-teal-400">
      <!-- icon by feathericons.com -->

```

```

        <svg aria-hidden="true" data-reactid="281" fill="none"
height="24" stroke="white" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" viewBox="0 0 24 24" width="24"
xmlns="http://www.w3.org/2000/svg">
            <polyline points="18 15 12 9 6 15"></polyline>
        </svg>
    </div>
</header>
<div class="psm-body hidden">
    <div class="pl-8 pr-8 pb-5 text-gray-900">
        <div id="pay-button" class="w-full rounded border-gray-300
border overflow-hidden cursor-pointer shadow-sm px-4 py-2 mb-5">
            <div class="flex flex-row mt-3">
                
                
                
                
            </div>
        </div>
        <p class="text-gray-600 text-xs">*) Menggunakan pembayarn
verifikasi otomatis akan ada biaya tambahan administrasi.</p>
    </div>
</div>
</div>
</article>
</section>
</div>
</div>
<!-- modal -->

```

```

<!--Modal-->

<div class="modal opacity-0 pointer-events-none fixed w-full h-full top-0 left-0 flex items-center justify-center">

  <div class="modal-overlay absolute w-full h-full bg-gray-900 opacity-50"></div>

  <div class="modal-container bg-white w-11/12 md:max-w-md mx-auto rounded shadow-lg z-50 overflow-y-auto">

    <div class="modal-close absolute top-0 right-0 cursor-pointer flex flex-col items-center mt-4 mr-4 text-white text-sm z-50">

      <svg class="fill-current text-white"
xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0 18 18">

        <path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53 7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06 9z">

        </path>

      </svg>

      <span class="text-sm">(Esc)</span>

    </div>

    <!-- Add margin if you want to see some of the overlay behind the modal-->

    <form action="{{ route('frontend.campaign.payment_upload_submit', $donation->id) }}" method="post">

      @csrf

      <div id="form-hidden">

      </div>

      <div class="modal-content py-4 text-left px-6">

        <!--Title-->

        <div class="flex justify-between items-center pb-3">

          <p class="text-2xl font-bold">Konfirmasi</p>

          <div class="modal-close cursor-pointer z-50">

            <svg class="fill-current text-black"
xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0 18 18">

```

```

        <path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53
7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06 9z">
        </path>
    </svg>
</div>
</div>

<!--Body-->
<p>Upload bukti pembayaran disini</p>
<div id="uploadZone" class="dropzone"></div>

<div class="flex justify-end pt-2">
    <button id="btn-konfirmasi" class="px-4 bg-gray-500 p-3
rounded-lg text-white hover:bg-gray-400" disabled>SIMPAN</button>
</div>

</div>
</form>
</div>
</div>
@endsection

@push('after-styles')
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/dropzone/5.7.0/dropzone.min
.css" />
<style>
    #uploadZone .dz-image-preview {
        left: 27%;
    }

    .open-method.om-active .has-border-teal-400 {
        border-color: #4fd1c5;
    }

```



```

.open-method.om-active .has-text-teal-400 {
  color: #4fd1c5;
}

.open-method.om-active .has-bg-teal-400 {
  background-color: #4fd1c5;
}
</style>
@endpush
@push('after-scripts')
<script
src="https://cdnjs.cloudflare.com/ajax/libs/dropzone/5.7.0/min/dropzone.
min.js"></script>
@if(env('PAYMENT_MIDTRANS_ACTIVE'))
  <script src="https://app.sandbox.midtrans.com/snap/snap.js" data-
client-key="SB-Mid-client-pu5Ml7aEO5UK-UuP"></script>
  <script type="text/javascript">
    document.getElementById('pay-button').onclick = function() {
      // SnapToken acquired from previous step
      snap.pay('<?=$snapToken ?>', {
        onSuccess: function(result) {
          console.log('onSuccess', result);
          window.location = `{{
route('frontend.campaign.payment_upload_success', $donation->id) }}`
        },
        onPending: function(result) {
          console.log('onPending', result);
          window.location = `{{
route('frontend.campaign.payment_upload_success', $donation->id) }}`
        },
        onError: function(result) {
          console.log('onError', result);
          alert('terjadi kesalahan')
        }
      });
    }
  </script>
</if>
</push>
</endpush>

```

```

    };
</script>
@else
<script>
    document.getElementById('pay-button').onclick = function() {
        Swal.fire('Mohon maaf','Metode pembayaran terverifikasi otomatis
<br> masih dalam pengembangan', 'warning')
    }
</script>
@endif

<script>
    $('.not-ready').click(function() {
        Swal.fire('Menu masih dalam pengembangan')
    })
    $("#div#uploadZone").dropzone({
        url: "{{ route('frontend.campaign.payment_upload', $campaign->slug)
    }}",
        addRemoveLinks: true,
        sending: function(file, xhr, formData) {
            formData.append("_token", "{{ csrf_token() }}");
        },
        maxFiles: 1,
        maxfilesexceeded: function(file) {
            this.removeAllFiles();
            this.addFile(file);
        },
        success: function(file, resp) {
            $('#btn-konfirmasi').removeClass('bg-gray-500')
            $('#btn-konfirmasi').removeClass('hover:bg-gray-400')
            $('#btn-konfirmasi').addClass('bg-teal-500')
            $('#btn-konfirmasi').addClass('hover:teal-gray-400')
            $('#btn-konfirmasi').removeAttr('disabled')
        }
    });

```

```

        $('#form-hidden').append('<input type="hidden"
name="proof_of_payment" value="' + resp.path + '" />')

        $('#form-hidden').append('<input type="hidden" name="payment_type"
value="direct_transfer" />')

        alert('Upload berhasil! klik simpan untuk melanjutkan')

        $('#uploadZone').after('<strong>Klik SIMPAN untuk
konfirmasi</strong>')

        // Swal.fire({
        //   title: 'Upload Berhasil',
        //   icon: 'success'
        // })
    }
});

$('.open-method-header').click(function() {

    let openMethodClass = $(this).parents('.open-method')

    let iconActive = '<svg aria-hidden="true" class="" data-
reactid="266" fill="none" height="24" stroke="#606F7B" stroke-
linecap="round" stroke-linejoin="round" stroke-width="2" viewBox="0 0 24
24" width="24" xmlns="http://www.w3.org/2000/svg"><polyline points="6 9
12 15 18 9"></polyline></svg>'

    let iconNonActive = '<svg aria-hidden="true" data-reactid="281"
fill="none" height="24" stroke="white" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" viewBox="0 0 24 24" width="24"
xmlns="http://www.w3.org/2000/svg"><polyline points="18 15 12 9 6
15"></polyline></svg>'

    if (openMethodClass.find('.psm-body').hasClass('hidden')) {

        openMethodClass.addClass('om-active')

        openMethodClass.find('.psm-body').parent().find('.rounded-
full').html(iconActive)

        openMethodClass.find('.psm-body').slideDown("normal", function() {

            $(this).removeClass('hidden')

            $(this).show()

        })

        let psmSibling = openMethodClass.siblings('.open-
method').find('.psm-body')

        if (psmSibling.hasClass('hidden') == false) {

```

```

        openMethodClass.siblings('.open-method').removeClass('om-
active')
        psmSibling.parent().find('.rounded-full').html(iconNonActive)
        psmSibling.slideUp("normal", function() {
            $(this).addClass('hidden')
            $(this).hide()
        })
    }
} else {
    console.log('else');

    openMethodClass.removeClass('om-active')
    openMethodClass.find('.psm-body').parent().find('.rounded-
full').html(iconNonActive)
    openMethodClass.find('.psm-body').slideUp("normal", function() {
        $(this).addClass('hidden')
        $(this).hide()
    })

}
})
</script>

```

```

<script>
    var openmodal = document.querySelectorAll('.modal-open')
    for (var i = 0; i < openmodal.length; i++) {
        openmodal[i].addEventListener('click', function(event) {
            event.preventDefault()
            toggleModal()
        })
    }

    const overlay = document.querySelector('.modal-overlay')
    overlay.addEventListener('click', toggleModal)

```

```
var closemodal = document.querySelectorAll('.modal-close')
for (var i = 0; i < closemodal.length; i++) {
  closemodal[i].addEventListener('click', toggleModal)
}

document.onkeydown = function(evt) {
  evt = evt || window.event
  var isEscape = false
  if ("key" in evt) {
    isEscape = (evt.key === "Escape" || evt.key === "Esc")
  } else {
    isEscape = (evt.keyCode === 27)
  }
  if (isEscape && document.body.classList.contains('modal-active')) {
    toggleModal()
  }
};

function toggleModal() {
  const body = document.querySelector('body')
  const modal = document.querySelector('.modal')
  modal.classList.toggle('opacity-0')
  modal.classList.toggle('pointer-events-none')
  body.classList.toggle('modal-active')
}
</script>
@endpush
```

SCREENSHOT APLIKASI



Bantu Mereka

Salurkan bantuan anda kepada yang membutuhkan



Bantu Meringankan Penderitaan Mas Awang

Super Admin

Terkumpul
Rp 0

Sisa hari
5



Perduli Mbah Sodi [SELESAI]

Super Admin

Terkumpul
Rp 1.100.000

Telah Selesai



Program Pemberian Kebutuhan Pokok Panti Asuhan [SELESAI]

Super Admin

Terkumpul
Rp 200.000

Telah Selesai

Laporan Keuangan

Show 10 entries

Search:

| # | Tanggal | Catatan | Pemasukan | Pengeluaran | Saldo |
|----|---------------|--|-----------|-------------|-----------|
| 1 | 30 April 2020 | donasi dari "Trisna" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 40.000 | - | 40.000 |
| 2 | 30 April 2020 | donasi dari "Rania" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 140.000 |
| 3 | 30 April 2020 | donasi dari "Vina" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 50.000 | - | 190.000 |
| 4 | 30 April 2020 | donasi dari "Budi" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 350.000 | - | 540.000 |
| 5 | 30 April 2020 | donasi dari "Anonim" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 115.000 | - | 655.000 |
| 6 | 30 April 2020 | donasi dari "Anonim" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 755.000 |
| 7 | 30 April 2020 | donasi dari "Ellisia kumalasari" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 855.000 |
| 8 | 30 April 2020 | donasi dari "Adi Fajaryanto" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 955.000 |
| 9 | 30 April 2020 | donasi dari "Sri Bandiyah" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 1.055.000 |
| 10 | 30 April 2020 | donasi dari "Hazel" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 1.155.000 |

Showing 1 to 10 of 58 entries

Previous 1 2 3 4 5 6 Next

*) Laporan diperbarui secara berkala

KOMUNITAS PAKIS [Tentang Kami](#) [Visi Misi](#) [Laporan Keuangan](#) [Donasi Sekarang](#) [Menu Donatur](#)

Riwayat Donasi

- Bantu Meringankan Penderitaan Mas Awang (100.000) 24 July 2020 Menunggu Verifikasi Admin
- Bantu Saudara Kita Yang Terdampak CORONA (100.000) 30 April 2020 Gagal
- Bantu Saudara Kita Yang Terdampak CORONA (100.000) 30 April 2020 Berhasil

Galang Bantuan

Profile

Donasi Anda

Keluar

BERI JUDUL KAMPANYE ANDA

Contoh: Bantu Mewujudkan Impian Anak Yatim

Judul maksimal 50 karakter

LINK CAMPAIGN

komunitaspakis.or.id/campaign/

KATEGORI

Pilih Kategori

TARGET DANA TERKUMPUL Rp. 1.000.000

SAMPAI KAPAN GALANG DANAMU BERLANGSUNG? Pilih Tanggal Selesai

TULISKAN KISAH PENGALANGAN DANA ANDA

Paragraph **B** *I*