

Purwarupa Aplikasi Crowdfunding PAKIS (Peduli Kasih Insan Sejati)

by Mohammad Bhanu Setyawan, Adi Fajaryanto Cobantoro, Ellisia
Kumalasari, Moch Zain Nur Rasyid

Submission date: 22-Dec-2022 03:11PM (UTC+0700)

Submission ID: 1985795211

File name: 18._Deskripsi_CROWFAUNDING.pdf (911.08K)

Word count: 6079

Character count: 46172

SOURCE CODING APLIKASI

HomeController.php

<?php

namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;

use App\Models\Campaign\Campaign;

use App\Models\Campaign\CampaignCategory;

use App\Repositories\Frontend\Campaign\CampaignRepository;

/**

* Class HomeController.

*/

class HomeController extends Controller

{

protected \$campaignRepo;

public function __construct(CampaignRepository \$campaignRepo)

{

 \$this->campaignRepo = \$campaignRepo;

}

/**

* @return \Illuminate\View\View

*/

public function index()

{

 \$campaigns = \$this->campaignRepo->getActive();

 \$categories = CampaignCategory::whereNotNull('priority')->

orderBy('priority', 'asc')->get();

 return view('frontend.index', compact('campaigns',
 'categories'));

}

}

```
PageController.php
<?php

namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;

/**
 * Class PageController.
 */
class PageController extends Controller
{
    /**
     * @return \Illuminate\View\View
     */
    public function privacy()
    {
        return view('frontend.pages.privacy');
    }

    /**
     * @return \Illuminate\View\View
     */
    public function about_us()
    {
        return view('frontend.pages.about_us');
    }

    /**
     * @return \Illuminate\View\View
     */
    public function mission()
    {
        return view('frontend.pages.mission');
    }
}
```

```

ReportController.php
<?php

namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;
use App\Models\Campaign\Campaign;
use App\Repositories\Backend\Accounting\AccountingRepository;
use App\Repositories\Frontend\Campaign\CampaignRepository;

/**
 * Class ReportController.
 */
class ReportController extends Controller
{
    protected $accountingRepo;
    public function __construct(AccountingRepository $accountingRepo)
    {
        $this->accountingRepo = $accountingRepo;
    }
    /**
     * @return \Illuminate\View\View
     */
    public function index()
    {
        $reports = $this->accountingRepo->orderBy('created_at', 'desc')->get();
        return view('frontend.report.index', compact('reports'));
    }
}

```

```
ContactController.php
<?php

namespace App\Http\Controllers\Frontend;

use App\Http\Controllers\Controller;
use App\Http\Requests\Frontend>Contact\SendContactRequest;
use App\Mail\Frontend>Contact\SendContact;
use Illuminate\Support\Facades\Mail;

/**
 * Class ContactController.
 */
class ContactController extends Controller
{
    /**
     * @return \Illuminate\View\View
     */
    public function index()
    {
        return view('frontend.contact');
    }

    /**
     * @param SendContactRequest $request
     * @return mixed
     */
    public function send(SendContactRequest $request)
    {
        Mail::send(new SendContact($request));

        return redirect()->back()-
>withFlashSuccess(__('alerts.frontend.contact.sent'));
    }
}
```

```

DonationController.php
<?php

namespace App\Http\Controllers\Frontend\Donation;

use App\Http\Controllers\Controller;
use App\Repositories\Frontend\Donation\DonationRepository;
use Carbon\Carbon;

/**
 * Class DonationController.
 */
class DonationController extends Controller
{
    protected $donationRepo;
    public function __construct(DonationRepository $donationRepo)
    {
        $this->donationRepo = $donationRepo;
    }
    /**
     * @return \Illuminate\Contracts\View\Factory|\Illuminate\View\View
     */
    public function index()
    {
        $donations = $this->donationRepo->getOwnDonation();
        return view('frontend.user.donation.donation',
compact('donations'));
    }

    public function show()
    {
        $donations = $this->donationRepo->get();
        return view('frontend.user.donation.show',
compact('donations'));
    }
}

```

```

CampaignController.php
<?php

namespace App\Http\Controllers\Frontend\Campaign;

use App\Http\Controllers\Controller;
use App\Repositories\Frontend\Campaign\CampaignRepository;
use App\Repositories\Frontend\Donation\DonationRepository;
use Carbon\Carbon;
use Illuminate\Http\Request;

/**
 * Class CampaignController.
 */
class CampaignController extends Controller
{
    protected $campaignRepo;
    protected $donationRepo;
    public function __construct(CampaignRepository $campaignRepo,
    DonationRepository $donationRepo)
    {
        $this->campaignRepo = $campaignRepo;
        $this->donationRepo = $donationRepo;
    }
    /**
     * @return \Illuminate\Contracts\View\Factory|\Illuminate\View\View
     */
    public function index(Request $request)
    {
        if($request->category) {
            $campaigns = $this->campaignRepo->getActive()-
where('category', $request->category);
        } else {
            $campaigns = $this->campaignRepo->getActive();
        }
        return view('frontend.campaign.campaign', compact('campaigns'));
    }

    public function show(Request $request, $slug)
    {
        $campaign = $this->campaignRepo->getBySlug($slug);
        $mydonation = ($request->mydonation) ? $this->donationRepo-
>getId($request->mydonation) : null;
        return view('frontend.campaign.show', compact('campaign',
'mydonation'));
    }

    public function donation($slug)
    {
        $campaign = $this->campaignRepo->getBySlug($slug);
        if($campaign->isCampaignEnd())
            return redirect(route('frontend.campaign.show', $campaign-
>slug))->withFlashDanger('Donasi telah tutup');
        return view('frontend.campaign.donation', compact('campaign'));
    }
}

```

```

        public function payment_method(Request $request, $slug)
        {
            $donation = $request->only('donor_name', 'donor_phone', 'amount',
            'is_anonymous', 'notes');

            $donation['user_id'] = auth()->check() ? auth()->user()->id :
null;
            $donation['status'] = 0;

            $campaign = $this->campaignRepo->getBySlug($slug);
            if($request->don_id === null) {
                $donation = $this->campaignRepo->submitDonation($campaign,
$donation);
            } else {
                $donation = $this->donationRepo->getById($request->don_id);
            }

            if(env('PAYMENT_MIDTRANS_ACTIVE')) {
                \Midtrans\Config::$serverKey = 'SB-Mid-server-
ZsSGw3CyCuCKDSAT4nikULZh';
                \Midtrans\Config::$isProduction = false;
                \Midtrans\Config::$isSanitized = true;
                \Midtrans\Config::$is3ds = true;
                $params = array(
                    'transaction_details' => array(
                        'order_id' => $donation->id,
                        'gross_amount' => $donation->amount,
                    )
                );
                $snapToken = \Midtrans\Snap::getSnapToken($params);
            } else {
                $snapToken = '';
            }

            return view('frontend.campaign.payment-method',
compact('campaign', 'donation', 'snapToken'));
        }

        public function payment_select_method(Request $request, $slug)
        {
            $donation = $request->only('donor_name', 'donor_phone', 'amount',
            'is_anonymous', 'notes');

            $donation['user_id'] = auth()->check() ? auth()->user()->id :
null;
            $donation['status'] = 0;

            $campaign = $this->campaignRepo->getBySlug($slug);
            if($request->don_id === null) {
                $donation = $this->campaignRepo->submitDonation($campaign,
$donation);
            } else {
                $donation = $this->donationRepo->getById($request->don_id);
            }
        }

```

```

        $snapToken = '';

        return view('frontend.campaign.payment-select-method',
compact('campaign','donation','snapToken'));
    }

    public function payment_thirdparty_submit(Request $request)
    {
        if($request->donation_id) {
            $donation = $this->donationRepo->getById($request->donation_id);
            $tp = $this->donationRepo->submitThirdParty($donation, $request-
>thirdparty_data);
            if(!$tp) {
                return response()->json(['status' => false, 'message' =>
'terjadi kesalahan silahkan refresh browser anda', 'redirect' => '']);
            }
            return response()->json(['status' => true, 'message' =>
'berhasil', 'redirect' =>
route('frontend.campaign.payment_upload_success', $request-
>donation_id)]);
        }
        return abort(404);
    }

    public function payment_info()
    {
        $campaigns = $this->campaignRepo->get();
        return view('frontend.campaign.payment-info',
compact('campaigns'));
    }

    public function payment_upload()
    {
        $path = request()->file('file')->store('public/payment_upload');
        $data = [
            'status' => 'success',
            'path' => $path,
        ];
        return response()->json($data);
    }

    public function payment_upload_submit(Request $request, $donationId)
    {
        $data = [];

        $donation = $this->donationRepo->getById($donationId);
        $payment = [
            'proof_of_payment' => $request->proof_of_payment,
            'payment_type' => $request->payment_type,
            'status_history' => 1 ,
        ];

        $this->donationRepo->submitUpload($donation, $payment);

        return redirect(route('frontend.campaign.payment_upload_success',
$donationId));
    }

```

```
    }  
    public function payment_upload_success(Request $request,  
$donationId)  
    {  
        $donation = $this->donationRepo->getById($donationId);  
  
        $campaigns = $this->campaignRepo->orderBy('created_at', 'desc')->  
limit(6)->get();  
        return view('frontend.campaign.payment-upload-success',  
compact('donation', 'campaigns'));  
    }  
}
```

```

Campaign.php
<?php

namespace App\Models\Campaign;

use Carbon\Carbon;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\SoftDeletes;
use Illuminate\Support\Facades\Storage;

class Campaign extends Model
{
    use SoftDeletes;
    protected $fillable = [
        'author_id',
        'title',
        'slug',
        'short_description',
        'target_donation',
        'end_campaign_at',
        'thumbnail',
        'is_verified',
        'category',
    ];

    public function stories()
    {
        return $this->hasMany('App\Models\Campaign\CampaignStory');
    }

    public function author()
    {
        return $this->hasOne('App\Models\Auth\User', 'id', 'author_id')-
        >withTrashed();
    }

    public function donation()
    {
        return $this->hasMany('App\Models\Donation\Donation');
    }

    public function updates()
    {
        return $this->hasMany('App\Models\Campaign\CampaignUpdate');
    }

    // methods
    public function totalDonation()
    {
        $total = 0;
        foreach ($this->donation as $key => $donation) {
            // if donation verified
            if($donation->status == 2) $total += $donation->amount;
        }
        return $total;
    }
}

```

```

public function countDonation()
{
    $count = 0;
    foreach ($this->donation as $key => $donation) {
        // if donation verified
        if($donation->status == 2) $count++;
    }
    return $count;
}

public function percentage()
{
    if($this->totalDonation() == 0) return 0;
    $percent = round(($this->totalDonation() / $this->target_donation)
* 100, 1);
    return $percent > 100 ? 100 : $percent;
}

public function lastStory()
{
    return $this->stories()->orderBy('created_at', 'desc')->first();
}

public function latestDonation()
{
    return $this->donation()->where('status', 2)-
>orderBy('created_at', 'desc')->get();
}

public function isCampaignEnd()
{
    if($this->percentage() >= 100) {
        return true;
    }
    if(Carbon::parse($this->end_campaign_at)->lessThan(Carbon::now()))
{
        return true;
    }

    return false;
}

public function isSelesai()
{
    return $this->isCampaignEnd() ? ' <span class="text-gray-
500">[SELESAI]</span>' : '';
}

// attribute
public function getEndCampaignAtAttribute($endDate)
{
    return Carbon::parse($endDate);
}

public function getRestOfDayAttribute()

```

```

    {
        $now = Carbon::now();
        return Carbon::parse($this->end_campaign_at)->diffInDays($now);;
    }

    public function getThumbnailUrlAttribute()
    {
        return ($this->thumbnail) ? Storage::url($this->thumbnail) :
asset('img/frontend/default.jpg');
    }

    public function getShareWhatsappAttribute()
    {
        $share = 'https://wa.me/?text=' . $this->title . ', ' .
route('frontend.campaign.show', $this->slug . '%0D' . $this-
>short_description );
        return utf8_encode($share);
    }

    public function getShareFacebookAttribute()
    {
        $share = 'https://www.facebook.com/sharer/sharer.php?u=' .
route('frontend.campaign.show', $this->slug);
        return utf8_encode($share);
    }

    public function getShareTwitterAttribute()
    {
        $share = 'https://twitter.com/intent/tweet?text=' . $this->title .
', ' . route('frontend.campaign.show', $this->slug . '%0D' . $this-
>short_description );
        return utf8_encode($share);
    }
}

```

```

Donation.php
<?php

namespace App\Models\Donation;

use Carbon\Carbon;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\Storage;

class Donation extends Model
{
    protected $fillable = [
        'campaign_id',
        'user_id',
        'amount',
        'notes',
        'is_anonymous',
        'status',
        'donor_name',
        'donor_phone',
    ];

    // relation
    public function campaign()
    {
        return $this->belongsTo('App\Models\Campaign\Campaign',
            'campaign_id', 'id')->withTrashed();
    }

    public function donor()
    {
        return $this->hasOne('App\Models\Auth\User', 'id', 'user_id')->withTrashed();
    }

    public function payment()
    {
        return $this->hasMany('App\Models\Donation\DonationPayment');
    }

    public function thirdparty()
    {
        return $this->hasOne('App\Models\Donation\DonationMidtrans');
    }

    // attribute
    public function getCreatedAtFormattedAttribute()
    {
        return Carbon::parse($this->created_at)->format('d/m/Y');
    }

    public function getStatusButtonAdminAttribute()
    {
        switch ($this->status) {
            case 0:

```

```

        return '<button type="button" class="btn-verifikasi-admin btn
btn-info btn-sm" data-action="0">Menunggu</button>';
        break;
        case 1:
            $payment = $this->payment()->orderBy('created_at', 'desc')-
>first();
            return '<button type="button" class="btn btn-verifikasi-admin
btn-warning btn-sm"
                data-toggle="modal"
                data-action="1"
                data-id="' . str_replace(' ', '', $this->id) . "'
                data-name="' . str_replace(' ', '', $this-
>donor_name) . "'
                data-phone="' . str_replace(' ', '', $this-
>donor_phone) . "'
                data-amount="' . str_replace(' ', '', rupiah($this-
>amount)) . "'
                data-date="' . str_replace(' ', '',
convert_to_local($this->created_at)) . "'
                data-image="' . str_replace(' ', '',
Storage::url($payment->proof_of_payment)) . "'
                data-anonim="' . str_replace(' ', '', $this-
>is_anonymous) . "'
                >
                Butuh Verifikasi
            </button>';
            break;
        case 2:
            $payment = $this->payment()->orderBy('created_at', 'desc')-
>first();
            return '<button type="button" class="btn btn-verifikasi-admin
btn-success btn-sm"
                data-toggle="modal"
                data-action="2"
                data-id="' . str_replace(' ', '', $this->id) . "'
                data-name="' . str_replace(' ', '', $this-
>donor_name) . "'
                data-phone="' . str_replace(' ', '', $this-
>donor_phone) . "'
                data-amount="' . str_replace(' ', '', rupiah($this-
>amount)) . "'
                data-date="' . str_replace(' ', '',
convert_to_local($this->created_at)) . "'
                data-image="' . str_replace(' ', '',
Storage::url($payment->proof_of_payment)) . "'
                data-anonim="' . str_replace(' ', '', $this-
>is_anonymous) . "'
                >
                Berhasil
            </button>';
            break;
        case 3:
            $payment = $this->payment()->orderBy('created_at', 'desc')-
>first();
            return '<button type="button" class="btn btn-verifikasi-admin
btn-danger btn-sm"

```

```

        data-toggle="modal"
        data-action="3"
        data-id="" . str_replace('','',$this->id) . ""
        data-name="" . str_replace('','',$this-
>donor_name) . ""
        data-phone="" . str_replace('','',$this-
>donor_phone) . ""
        data-amount="" . str_replace('','',$this-
>amount)) . ""
        data-date="" . str_replace('','',$this-
convert_to_local($this->created_at)) . ""
        data-image="" . str_replace('','',$this-
Storage::url($payment->proof_of_payment)) . ""
        data-anonim="" . str_replace('','',$this-
>is_anonymous) . ""
    >
    <Gagal
    </button>';
    break;

    default:
    return '<button type="button" class="btn-verifikasi-admin btn
btn-info btn-sm" data-action="0">Menunggu</button>';
    break;
    }
}

public function getStatusButtonUserAttribute()
{
    switch ($this->status) {
        case 0:
            return '<button class="btn btn-info btn-sm" data-
toggle="modal">Menunggu</button>';
            break;
        case 1:
            return '<button class="btn btn-warning btn-sm" data-
toggle="modal" data-action="1" data-target="#modalVerifikasi">Butuh
Verifikasi</button>';
            break;
        case 2:
            return '<button class="btn btn-success btn-sm" data-
toggle="modal" data-action="0" data-
target="#modalVerifikasi">Berhasil</button>';
            break;
        case 3:
            return '<button class="btn btn-success btn-sm" data-
toggle="modal" data-action="0" data-
target="#modalVerifikasi">Berhasil</button>';
            break;
        default:
            return '<button class="btn btn-info btn-sm" data-
toggle="modal">Menunggu</button>';
            break;
    }
}

```

```
// // methods
public function latest()
{
    return $this->model->orderBy('created_at', 'desc')->get();
}
}
```

```
Accounting.php
<?php

namespace App\Models\Accounting;

use Illuminate\Database\Eloquent\Model;

class Accounting extends Model
{
    protected $fillable = [
        'amount',
        'notes',
        'type',
        'saldo',
        'created_by',
        'updated_by',
        'deleted_by',
    ];

    public function getTypeForHumansAttribute()
    {
        return ($this->type == 1) ? '<span class="badge badge-
success">Pemasukan</span>' : '<span class="badge badge-
danger">Pengeluaran</span>';
    }
}
```

```

Index.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.general.home'))

@section('content')
<section class="section-banner">
  <div class="glide glide-banner">
    <div class="glide__track" data-glide-el="track">
      <ul class="glide__slides">
        @if(!empty($appsetting['bannerhome']))
          @foreach ($appsetting['bannerhome'] as $bannerhome)
            <li class="glide__slide">
              <div class="flex justify-center bg-gray-200">
                <div class="container">
                  <div class="m-0 p-0 bg-cover bg-center"
style="background-image:url({{ \Storage::url($bannerhome->image) }});
height: 60vh; max-height:460px;">
                    <div class="h-full" style="background: rgba(0, 150,
136, 0.5);"></div>
                    <div class="container mx-auto" style="margin-top: -
290px; height: 60vh; max-height: 460px;">
                      <div class="max-w-xl object-center mx-auto text-
center">
                        <div class="banner-description text-white text-
xl">{!! $bannerhome->content !!</div>
                      </div>
                    </div>
                  </div>
                </div>
              </li>
            @endforeach
          @else
            <li class="glide__slide">
              <div class="flex justify-center bg-gray-200">
                <div class="container">
                  <div class="m-0 p-0 bg-cover bg-center" style="background-
image:url('/img/frontend/kegiatan-pakis-1.jpg'); height: 60vh; max-
height:460px;">
                    <div class="h-full" style="background: rgba(0, 150, 136,
0.5);"></div>
                    <div class="container mx-auto" style="margin-top: -
290px; height: 60vh; max-height: 460px;">
                      <div class="max-w-xl object-center mx-auto text-
center">
                        <div class="banner-description text-white text-
xl">Komunitas Pakis</div>
                      </div>
                    </div>
                  </div>
                </div>
              </li>
            @endif
          </ul>

```

```

</div>
<div class="text-center" data-glide-el="controls[nav]">
  @if(!empty($appsetting['bannerhome']))
    @foreach ($appsetting['bannerhome'] as $key => $bannerhome)
      <button class="focus:outline-none" data-glide-dir="{{ $key
    }}"> <i class="far fa-window-minimize fa-2x"></i> </button>
    @endforeach
  @else
    <button class="focus:outline-none" data-glide-dir="2"> <i
class="far fa-window-minimize fa-2x"></i> </button>
  @endif
</div>
</div>
</section>
<section class="section-mission">
  <div class="container mx-auto flex flex-col md:flex-row px-4 pt-12 pb-
20">
    @forelse ($categories as $category)
      <div class="w-full flex flex-col items-center py-4 md:px-4">name }}"
class="w-2/3 h-24">
        <a href="{{ route('frontend.campaign', ['category' => $category-
>id]) }}">
          <h3 class="text-red-400 text-xl py-2 font-semibold">
            {{ $category->name }}
          </h3>
        </a>
        <p class="text-gray-700 text-center">
          {{ $category->description }}
        </p>
      </div>
      @empty
        <div class="w-full flex flex-col items-center py-4 md:px-4">
          <h3 class="text-red-400 text-xl py-2 font-semibold">
            Pendidikan
          </h3>
          <p class="text-gray-700 text-center">
            Pemberian beasiswa disertai kegiatan pembinaan berkala untuk
siswa dari keluarga kurang mampu.
          </p>
        </div>
        <div class="w-full flex flex-col items-center py-4 md:px-4">
          <h3 class="text-red-400 text-xl py-2 font-semibold">
            Ekonomi
          </h3>
          <p class="text-gray-700 text-center">
            Memberdayakan masyarakat berbasis potensi daerah untuk
mendorong kemandirian umat.
          </p>
        </div>
      </div>
    </div>
  </section>

```

```

        <div class="w-full flex flex-col items-center py-4 md:px-4">
        <h3 class="text-red-400 text-xl py-2 font-semibold">
            Sosial
        </h3>
        <p class="text-gray-700 text-center">
            Merespon cepat permasalahan masyarakat sesuai dengan
kebutuhannya.
        </p>
        </div>
        @endforelse
    </div>
</section>
<section class="section-campaign bg-gray-200 py-5">
    <h3 class="text-center text-2xl my-5">Bantu Mereka</h3>
    <div class="container mx-auto grid grid-rows lg:grid-cols-3 gap-4">
        @foreach($campaigns as $campaign)
            <div class="mb-3">
                @include('frontend.includes.campaign-card', ['campaign' =>
$campaign, 'for' => 'frontpage'])
            </div>
        @endforeach
    </div>
</section>
<section class="section-testimonial py-10">
    <h3 class="text-center text-2xl mt-5">Testimonials</h3>
    <p class="text-center">Kata mereka tentang Komunitas Pakis</p>
    <div class="glide glide-testimoni mt-5">
        <div class="glide__track" data-glide-el="track">
            <ul class="glide__slides">
                @if(!empty($appsetting['testimoni']))
                    @foreach ($appsetting['testimoni'] as $testimoni)
                        <li class="glide__slide">
                            <div class="flex justify-center">
                                <div class="max-w-sm lg:max-w-full lg:flex">
                                    <div class="lg:h-48 lg:w-48 h-32 w-32 relative mb-4">
                                        <div class="w-full">
                                            
                                        </div>
                                    </div>
                                    <div class="bg-white rounded-b lg:rounded-b-none
lg:rounded-r p-4 flex flex-col justify-between leading-normal">
                                        <div class="mb-8">
                                            <div class="text-gray-900 font-bold text-xl mb-2">{{
$testimoni->name }}</div>
                                            <p class="text-gray-700 text-base" style="max-width:
620px;">{{ $testimoni->content }}</p>
                                        </div>
                                    </div>
                                </div>
                            </li>
                        @endforeach
                    @else

```

```

<li class="glide__slide">
  <div class="flex justify-center">
    <div class="max-w-sm lg:max-w-full lg:flex">
      <div class="w-48 h-48 relative mb-4">
        <div class="group w-full h-full rounded-full overflow-
hidden shadow-inner text-center bg-purple table cursor-pointer">
          <span class="hidden group-hover:table-cell text-white
font-bold align-middle">KR</span>
          
        </div>
      </div>
      <div class="bg-white rounded-b lg:rounded-b-none
lg:rounded-r p-4 flex flex-col justify-between leading-normal">
        <div class="mb-8">
          <div class="text-gray-900 font-bold text-xl mb-
2">Ridwan Malik</div>
          <p class="text-gray-700 text-base">Saya adalah Tenaga
Kerja di luar negeri mendapat info dari teman facebook tentang Peduli
Kasih Insan Sejati.</p>
          <p class="text-gray-700 text-base">Disini saya bisa
menyisihkan sebagian rezeki saya untuk didonasikan dan disalurkan ke
orang yang membutuhkan.</p>
        </div>
      </div>
    </div>
  </div>
</li>
<li class="glide__slide">
  <div class="flex justify-center">
    <div class="max-w-sm lg:max-w-full lg:flex">
      <div class="w-48 h-48 relative mb-4">
        <div class="group w-full h-full rounded-full overflow-
hidden shadow-inner text-center bg-purple table cursor-pointer">
          <span class="hidden group-hover:table-cell text-white
font-bold align-middle">KR</span>
          
        </div>
      </div>
      <div class="bg-white rounded-b lg:rounded-b-none
lg:rounded-r p-4 flex flex-col justify-between leading-normal">
        <div class="mb-8">
          <div class="text-gray-900 font-bold text-xl mb-
2">Ridwan Malik</div>
          <p class="text-gray-700 text-base">Apresiasi yang
sangat besar dari saya untuk Komunitas Pakis.</p>
          <p class="text-gray-700 text-base">Telah memberi saya
kepercayaan diri dan keyakinan yang kuat bahwa uang yang saya sumbangkan
akan diberikan kepada orang yang tepat dan untuk tindakan yang
benar.</p>
          <p class="text-gray-700 text-base">Terima kasih
Komunitas Pakis.</p>
        </div>
      </div>
    </div>
  </div>
</li>

```

```

        </div>
    </div>
</div>
</li>
@endif
</ul>
</div>
<div class="text-center" data-glide-el="controls[nav]">
    @if(!empty($appsetting['testimoni']))
        @foreach ($appsetting['testimoni'] as $key => $testimoni)
            <button class="focus:outline-none" data-glide-dir="{{ $key
}}"> <i class="far fa-window-minimize fa-2x"></i> </button>
        @endforeach
    @else
        <button class="focus:outline-none" data-glide-dir="=1"> <i
class="far fa-window-minimize fa-2x"></i> </button>
        <button class="focus:outline-none" data-glide-dir="=2"> <i
class="far fa-window-minimize fa-2x"></i> </button>
    @endif

</div>
</div>
</section>
<!-- footer -->
@include('frontend.includes.footer')
@endsection

```

```

Contact.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' .
    __('labels.frontend.contact.box_title'))

@section('content')
    <div class="row justify-content-center">
        <div class="col col-sm-8 align-self-center">
            <div class="card">
                <div class="card-header">
                    <strong>
                        @lang('labels.frontend.contact.box_title')
                    </strong>
                </div><!--card-header-->

                <div class="card-body">
                    {{ html()->form('POST',
route('frontend.contact.send'))->open() }}
                    <div class="row">
                        <div class="col">
                            <div class="form-group">
                                {{ html()-
>label(__('validation.attributes.frontend.name'))->for('name') }}

                                {{ html()->text('name',
optional(auth()->user()->name)
                                ->class('form-control')
                                -
>placeholder(__('validation.attributes.frontend.name'))
                                ->attribute('maxlength', 191)
                                ->required()
                                ->autofocus() }}
                            </div><!--form-group-->
                        </div><!--col-->
                    </div><!--row-->

                    <div class="row">
                        <div class="col">
                            <div class="form-group">
                                {{ html()-
>label(__('validation.attributes.frontend.email'))->for('email') }}

                                {{ html()->email('email',
optional(auth()->user()->email)
                                ->class('form-control')
                                -
>placeholder(__('validation.attributes.frontend.email'))
                                ->attribute('maxlength', 191)
                                ->required() }}
                            </div><!--form-group-->
                        </div><!--col-->
                    </div><!--row-->

                    <div class="row">
                        <div class="col">

```

```

        <div class="form-group">
            {{ html()-
>label(__('validation.attributes.frontend.phone'))->for('phone') }}

                {{ html()->text('phone')
                    ->class('form-control')
                    -
>placeholder(__('validation.attributes.frontend.phone'))
                    ->attribute('maxlength', 191)
                    ->required() }}
            </div><!--form-group-->
        </div><!--col-->
    </div><!--row-->

    <div class="row">
        <div class="col">
            <div class="form-group">
                {{ html()-
>label(__('validation.attributes.frontend.message'))->for('message') }}

                    {{ html()->textarea('message')
                        ->class('form-control')
                        -
>placeholder(__('validation.attributes.frontend.message'))
                        ->attribute('rows', 3)
                        ->required() }}
                </div><!--form-group-->
            </div><!--col-->
        </div><!--row-->

        @if(config('access.captcha.contact'))
            <div class="row">
                <div class="col">
                    @captcha
                    {{ html()->hidden('captcha_status',
'true') }}

                </div><!--col-->
            </div><!--row-->
        @endif

        <div class="row">
            <div class="col">
                <div class="form-group mb-0 clearfix">
                    {{
form_submit(__('labels.frontend.contact.button')) }}
                </div><!--form-group-->
            </div><!--col-->
        </div><!--row-->
        {{ html()->form()->close() }}
    </div><!--card-body-->
</div><!--card-->
</div><!--col-->
</div><!--row-->
@endsection

@push('after-scripts')

```

```
        @if(config('access.captcha.contact'))
            @captchaScripts
        @endif
    @endpush
```

```
Campaign.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.frontend.dashboard'))

@section('content')
<div class="container mx-auto mt-10">
  <h1 class="text-2xl font-bold">Bantu Mereka</h1>
  <div class="text-lg mb-4">Salurkan bantuan anda kepada yang
  membutuhkan</div>
  <div class="flex">
    <div class="lg:w-3/4 w-full">
      @foreach($campaigns as $campaign)
        <div class="mb-3">
          @include('frontend.includes.campaign-card', ['campaign' =>
            $campaign, 'for' => 'frontpage'])
        </div>
      @endforeach
    </div>
  </div>
</div>
@endsection
```

```

Donation.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.frontend.dashboard'))

@section('content')


# Masukkan Nominal Donasi</h1> Rp. 10.000</span> Rp. 20.000</span> Rp. 50.000</span> Rp. 100.000</span> @if(auth()->check() == false)


```

```
<div class="flex flex-row justify-between mt-4 mb-2">  
  <div class="text-gray-700">Sembunyikan nama (donasi  
anonim)</div>  
  <div class="flex flex-col justify-between h-16">  
    <span class="tw-switch tw-switch-off border rounded-full  
border-gray-400 flex items-center cursor-pointer w-12">  
      <span class="rounded-full border w-6 h-6 border-gray-400  
shadow-inner bg-white shadow">  
        </span>  
      </span>  
    </div>  
  </div>  
  <input id="donasi-anonim" type="hidden" value="0">  
  
  <textarea id="donasi-note" class="w-full p-3 border rounded h-24"  
placeholder="Tulis doa atau dukungan disini" maxlength="140"></textarea>  
  <div class="text-gray-500 text-xs">Maksimal 140 karakter</div>  
  <button id="next-to-payment" class="bg-teal-400 hover:bg-teal-600  
text-white font-bold py-2 px-4 my-4 rounded-sm">LANJUTKAN  
PEMBAYARAN</button>  
  
  <div id="generated-form"></div>  
</div>  
</div>  
@endsection  
  
@push('after-scripts')  
<script>  
  $(''.pilih-nominal').click(function() {  
    let donasi = $(this).attr('data-nominal')  
    donasi = formatRupiah(donasi)  
    $('#donasi-nominal').val(donasi)  
  })  
  
  $('#next-to-payment').click(function() {  
    let donasiFullname = $('#donasi-fullname').val()  
    let donasiPhone = $('#donasi-phone').val()  
    let donasiNominal = $('#donasi-nominal').val()  
    let donasiAnonim = $('#donasi-anonim').val()  
    let donasiNote = $('#donasi-note').val()  
    donasiNominal = donasiNominal.replace(/\.\/g, '')  
    if (!donasiFullname) {  
      Swal.fire('Nama lengkap tidak boleh kosong')  
      return  
    }  
    if (!donasiPhone) {  
      Swal.fire('Nomor HP tidak boleh kosong')  
      return  
    }  
    if (!donasiNominal) {  
      Swal.fire('Nominal donasi tidak boleh kosong')  
      return  
    }  
    if (donasiNominal < 10000) {  
      Swal.fire('Minimal donasi Rp 10.000')    }  
  })  
</script>  
</push>
```

```

        return
    }

    let genForm = "\n<form action='" + `${
route('frontend.campaign.payment_method', $campaign->slug) }`} + "'
method='POST' style='display:none'>\n" +
        "<input type='hidden' name='donor_name' value='" +
donasiFullname + "'>\n" +
        "<input type='hidden' name='donor_phone' value='" +
donasiPhone + "'>\n" +
        "<input type='hidden' name='amount' value='" +
donasiNominal + "'>\n" +
        "<input type='hidden' name='is_anonymous' value='" +
donasiAnonim + "'>\n" +
        "<input type='hidden' name='notes' value='" + donasiNote
+ "'>\n" +
        "<input type='hidden' name='_token' value='" +
$('meta[name="csrf-token"]').attr('content') + "'>\n" +
        '</form>\n';
    $('#generated-form').html('')
    $('#generated-form').html(genForm)

    $('#generated-form').find('form').submit()
})

$('.tw-switch').click(function() {
    if ($(this).hasClass('tw-switch-off')) {
        // to on
        $('#donasi-anonim').val(1)
        $(this).addClass('bg-teal-400')
        $(this).addClass('justify-end')
        $(this).addClass('tw-switch-off')
        $(this).removeClass('tw-switch-off')
    } else {
        // to off
        $('#donasi-anonim').val(0)
        $(this).addClass('tw-switch-off')
        $(this).removeClass('bg-teal-400')
        $(this).removeClass('justify-end')
        $(this).removeClass('tw-switch-on')
    }
})

$('#donasi-nominal').on('input change', function() {
    let target = $(this).val()
    target = formatRupiah(target)
    $(this).val(target)
})

function formatRupiah(angka, prefix){
    var number_string = angka.replace(/[,|\d]/g, '').toString(),
        split          = number_string.split(','),
        sisa            = split[0].length % 3,
        rupiah          = split[0].substr(0, sisa),
        ribuan          = split[0].substr(sisa).match(/\d{3}/gi);

```

```
// tambahkan titik jika yang di input sudah menjadi angka ribuan
if(ribuan){
    separator = sisa ? '.' : '';
    rupiah += separator + ribuan.join('.');
}

rupiah = split[1] != undefined ? rupiah + ',' + split[1] : rupiah;
return prefix == undefined ? rupiah : (rupiah ? 'Rp. ' + rupiah :
'');
}
</script>
@endpush
```

```

Show.blade.php
@extends('frontend.layouts.app')

@section('title', app_name() . ' | ' . __('navs.frontend.dashboard'))

@section('content')


@include('frontend.campaign.includes.info', ['campaign' =>
$campaign, 'for' => 'frontpage'])



@include('frontend.campaign.includes.author')



-



@include('frontend.campaign.includes.story')



@include('frontend.campaign.includes.update')



@include('frontend.campaign.includes.donatur')



# {{ $campaign->title }} {!! $campaign->isSelesai() !!}


```

```

        <div class="hidden lg:block progress-donation">
            <div class="w-full bg-gray-400">
                <div class="bg-red-400 text-xs leading-none pt-1 text-center text-white" style="width: {{ $campaign->percentage() }}%"></div>
            </div>
        </div>
        <div class="hidden lg:block mt-2">
            <div class="flex justify-between">
                <div class="text-gray-700 text-left">
                    <p class="text-sm">Terkumpul</p>
                    <p class="text-sm font-semibold">Rp {{
rupiah($campaign->totalDonation()) }}</p>
                </div>
                <div class="text-gray-700 text-right">
                    @if($campaign->isCampaignEnd())
                        <p class="text-sm">Telah Selesai</p>
                    @else
                        <p class="text-sm">Sisa hari</p>
                        <p class="font-semibold">{{ $campaign->rest_of_day
}}</p>
                    @endif
                </div>
            </div>
        </div>
        <div class="hidden lg:block flex flex-wrap mt-3 px-6">
            <ul>
                <li class="flex items-center">
                    <span class="text-gray-700 ml-3">Inisiator</span>
                </li>
                <li class="flex items-center">
                    <div class="rounded-full p-2 fill-current text-green-
700">
                        <svg class="w-6 h-6 align-middle" width="24"
height="24" viewBox="0 0 24 24" fill="none" stroke="currentColor"
stroke-width="2" stroke-linecap="round" stroke-linejoin="round">
                            <path d="M22 11.08V12a10 10 0 1 1 -5.93 -9.14"></path>
                            <polyline points="22 4 12 14.01 9 11.01"></polyline>
                        </svg>
                    <span class="text-gray-700 text-lg ml-3">{{ $campaign-
>author->full_name }}</span>
                </li>
            </ul>
        </div>

        <div class="flex justify-between mb-3 mx-5">
            <div class="block w-1/3 text-center p-1 uppercase">
                <button type="button" class="modal-open mt-3 text-sm
lg:text-base font-semibold bg-teal-400 w-full text-white rounded-lg px-2
py-3 block shadow-xl hover:bg-teal-500 outline-none focus:outline-none">
                    <i class="fa fa-share-alt text-base"></i>
                    BAGIKAN
                </button>
            </div>
            <div class="block w-2/3 text-center p-1 uppercase">

```

```

<a href="{{ route('frontend.campaign.donation', $campaign-
>slug) }}" class="mt-3 text-sm lg:text-base font-semibold bg-red-400 w-
full text-white rounded-lg px-6 py-3 block shadow-xl hover:bg-red-500
outline-none focus:outline-none">
    DONASI SEKARANG
</a>
</div>
</div>
</div>
</div>
</div>
</div>
<!--Modal-->
<div class="modal opacity-0 pointer-events-none fixed w-full h-full
top-0 left-0 flex items-center justify-center">
    <div class="modal-overlay absolute w-full h-full bg-gray-900
opacity-50"></div>

    <div class="modal-container bg-white w-11/12 md:max-w-md mx-auto
rounded shadow-lg z-50 overflow-y-auto">

        <div class="modal-close absolute top-0 right-0 cursor-pointer flex
flex-col items-center mt-4 mr-4 text-white text-sm z-50">
            <svg class="fill-current text-white"
xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0
18 18">
                <path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53
7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06
9z"></path>
            </svg>
            <span class="text-sm">(Esc)</span>
        </div>

        <!-- Add margin if you want to see some of the overlay behind the
modal-->
        <div class="modal-content py-4 text-left px-6">
            <!--Title-->
            <div class="flex justify-between items-center pb-3">
                <p class="text-2xl font-bold">Bagikan ke Sosial Media</p>
                <div class="modal-close cursor-pointer z-50">
                    <svg class="fill-current text-black"
xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0
18 18">
                        <path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53
7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06
9z"></path>
                    </svg>
                </div>
            </div>

            <!--Body-->
            <div class="flex flex-row justify-center pb-5">

```

```

        <a href="{{ $campaign->share_whatsapp }}" target="_blank"
class="w-24 mt-3 text-sm lg:text-base font-semibold bg-green-400 text-
white px-2 py-3 block shadow-xl hover:bg-green-500 outline-none
focus:outline-none">
            <div class="ml-1 w-10 h-10 text-xl "><i class="fab fa-
whatsapp"></i></div>
            WhatsApp
        </a>
        <a href="{{ $campaign->share_facebook }}" target="_blank"
class="w-24 mt-3 text-sm lg:text-base font-semibold bg-blue-700 text-
white px-2 py-3 block shadow-xl hover:bg-blue-800 outline-none
focus:outline-none">
            <div class="ml-1 w-10 h-10 text-xl "><i class="fab fa-
facebook"></i></div>
            Facebook
        </a>
        <a href="{{ $campaign->share_twitter }}" target="_blank"
class="w-24 mt-3 text-sm lg:text-base font-semibold bg-blue-300 text-
white px-2 py-3 block shadow-xl hover:bg-blue-400 outline-none
focus:outline-none">
            <div class="ml-1 w-10 h-10 text-xl "><i class="fab fa-
twitter"></i></div>
            Twitter
        </a>
    </div>
</div>
</div>
@endsection

```

```
@push('after-scripts')
```

```

<script>
    var openmodal = document.querySelectorAll('.modal-open')
    for (var i = 0; i < openmodal.length; i++) {
        openmodal[i].addEventListener('click', function(event){
            event.preventDefault()
            toggleModal()
        })
    }

    const overlay = document.querySelector('.modal-overlay')
    overlay.addEventListener('click', toggleModal)

    var closemodal = document.querySelectorAll('.modal-close')
    for (var i = 0; i < closemodal.length; i++) {
        closemodal[i].addEventListener('click', toggleModal)
    }

    document.onkeydown = function(evt) {
        evt = evt || window.event
        var isEscape = false
        if ("key" in evt) {
            isEscape = (evt.key === "Escape" || evt.key === "Esc")
        } else {
            isEscape = (evt.keyCode === 27)
        }
    }

```

```

    }
    if (isEscape && document.body.classList.contains('modal-active')) {
      toggleModal()
    }
  };

function toggleModal () {
  const body = document.querySelector('body')
  const modal = document.querySelector('.modal')
  modal.classList.toggle('opacity-0')
  modal.classList.toggle('pointer-events-none')
  body.classList.toggle('modal-active')
}

$('.tabs').find('a').click(function() {
  var activeto = this.hash.substr(1)

  $('.tab-content').children().each(function() {
    var target = $(this).attr('data-target')
    if(target == activeto) {
      $(this).removeClass('hidden')
      var tab = $('.tabs').find('a[href="#'+activeto+'"]')
      $('.tabs').find('a').removeClass('border-b border-teal-500 text-teal-500 font-bold')
      tab.addClass('border-b border-teal-500 text-teal-500 font-bold')
    } else if($(this).hasClass('hidden') == false) {
      $(this).addClass('hidden')
    }
  })
})

</script>
@endpush

```

```

Payment-method.blade.php

@extends('frontend.layouts.app')

@section('content')
<div class="bg-gray-100">
    <div class="min-h-screen max-w-2xl mx-auto px-2 lg:px-4 pt-10 bg-white text-gray-700">
        <h1 class="text-center font-bold text-xl mb-5">Cara Pembayaran Donasi</h1>
        <p class="text-center text-sm mb-1">Jumlah donasi anda</p>
        <div class="flex justify-center">
            <div class="font-bold bg-yellow-300 p-4 rounded text-xl">Rp {{ @rupiah($donation->amount) }}</div>
        </div>
        <section id="payment-select-method" class="shadow">
            <article class="open-method border-b" data-verify="manual">
                <div class="border-l-2 bg-grey-500 has-border-teal-400">
                    <header class="open-method-header flex justify-between items-center p-5 pl-8 pr-8 cursor-pointer select-none">
                        <span class="has-text-teal-400 font-thin text-xl">
                            Pembayaran Verifikasi Manual
                        </span>
                    </header>
                    <div class="rounded-full border border has-border-teal-400 w-7 h-7 flex items-center justify-center has-bg-teal-400">
                        <!-- icon by feathericons.com -->
                        <svg aria-hidden="true" data-reactid="281" fill="none" height="24" stroke="white" stroke-linecap="round" stroke-linejoin="round" stroke-width="2" viewBox="0 0 24 24" width="24" xmlns="http://www.w3.org/2000/svg">
                            <polyline points="18 15 12 9 6 15"></polyline>
                        </svg>
                    </div>
                </div>
            </article>
            <div class="psm-body hidden">
                <div class="pl-8 pr-8 pb-5 text-gray-900">
                    <p class="my-3">Silahkan lakukan pembayaran donasi ke rekening berikut:</p>
                </div>
            </div>
        </section>
    </div>
</div>

```

```

<div class="w-full flex flex-col lg:flex-row">
  <div class="w-full lg:w-1/2 p-5">
    
  </div>
  <div class="w-full lg:w-1/2 self-center text-center">
    <strong>BANK BRI cabang Sampung Ponorogo</strong>
    <p>a.n. PEDULI KASIH INSAN SEJATI</p>
    <p>nomor rekening: <strong class="tracking-
wider">649601016106536</strong></p>
  </div>
</div>

<p class="mt-5">Lakukan konfirmasi setelah melakukan
pembayaran dengan mengupload foto/screenshot struk transfer</p>

<div class="block flex text-center p-8 uppercase">
  <a href="#" class="modal-open mt-3 text-md font-semibold
bg-teal-400 w-full text-white rounded-lg px-6 py-3 block shadow-xl
hover:bg-teal-500 outline-none focus:outline-none">
    KONFIRMASI
  </a>
</div>
</div>
</div>
</div>
</article>

<article class="open-method border-b" data-verify="otomatis">
  <div class="border-l-2 bg-grey-500 has-border-teal-400">
    <header class="open-method-header flex justify-between items-
center p-5 pl-8 pr-8 cursor-pointer select-none">
      <span class="has-text-teal-400 font-thin text-xl">
        Pembayaran Verifikasi Otomatis
      </span>
    </div>
    <div class="rounded-full border border has-border-teal-400
w-7 h-7 flex items-center justify-center has-bg-teal-400">
      <!-- icon by feathericons.com -->

```

```

        <svg aria-hidden="true" data-reactid="281" fill="none"
height="24" stroke="white" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" viewBox="0 0 24 24" width="24"
xmlns="http://www.w3.org/2000/svg">

        <polyline points="18 15 12 9 6 15"></polyline>

    </svg>

</div>

</header>

<div class="psm-body hidden">

    <div class="pl-8 pr-8 pb-5 text-gray-900">

        <div id="pay-button" class="w-full rounded border-gray-300
border overflow-hidden cursor-pointer shadow-sm px-4 py-2 mb-5">

            <div class="flex flex-row mt-3">

            </div>

        </div>

        <p class="text-gray-600 text-xs">*) Menggunakan pembayar
verifikasi otomatis akan ada biaya tambahan administrasi.</p>

    </div>

</div>

</article>

</section>

</div>

</div>

<!-- modal -->

```

```

1
<!--Modal-->

<div class="modal opacity-0 pointer-events-none fixed w-full h-full top-0 left-0 flex items-center justify-center">

  <div class="modal-overlay absolute w-full h-full bg-gray-900 opacity-50"></div>

  <div class="modal-container bg-white w-11/12 md:max-w-md mx-auto rounded shadow-lg z-50 overflow-y-auto">

    <div class="modal-close absolute top-0 right-0 cursor-pointer flex flex-col items-center mt-4 mr-4 text-white text-sm z-50">

      <svg class="fill-current text-white"
        xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0 18 18">

        <path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53 7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06 9z">

        </path>

      </svg>

      <span class="text-sm">(Esc)</span>

    </div>

    <!-- Add margin if you want to see some of the overlay behind the modal-->

    <form action="{ route('frontend.campaign.payment_upload_submit', $donation->id) }}" method="post">

      @csrf

      <div id="form-hidden">

      </div>

      1
      <div class="modal-content py-4 text-left px-6">

        <!--Title-->

        <div class="flex justify-between items-center pb-3">

          <p class="text-2xl font-bold">Konfirmasi</p>

          <div class="modal-close cursor-pointer z-50">

            <svg class="fill-current text-black"
              xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0 18 18">

```

```

        <path d="M14.53 4.53l-1.06-1.06L9 7.94 4.53 3.47 3.47 4.53
7.94 9l-4.47 4.47 1.06 1.06L9 10.06l4.47 4.47 1.06-1.06L10.06 9z">
    </path>
</svg>
</div>
</div>

<!--Body-->
<p>Upload bukti pembayaran disini</p>
<div id="uploadZone" class="dropzone"></div>

<div class="flex justify-end pt-2">
    <button id="btn-konfirmasi" class="px-4 bg-gray-500 p-3
rounded-lg text-white hover:bg-gray-400" disabled>SIMPAN</button>
</div>

</div>
</form>
</div>
</div>
@endsection

@push('after-styles')
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/dropzone/5.7.0/dropzone.min
.css" />
<style>
    #uploadZone .dz-image-preview {
        left: 27%;
    }

    .open-method.om-active .has-border-teal-400 {
        border-color: #4fd1c5;
    }

```

```

.open-method.om-active .has-text-teal-400 {
  color: #4fd1c5;
}

.open-method.om-active .has-bg-teal-400 {
  background-color: #4fd1c5;
}
</style>
@endpush
@push('after-scripts')
<script
src="https://cdnjs.cloudflare.com/ajax/libs/dropzone/5.7.0/min/dropzone.
min.js"></script>
@if(env('PAYMENT_MIDTRANS_ACTIVE'))
  <script src="https://app.sandbox.midtrans.com/snap/snap.js" data-
client-key="SB-Mid-client-pu5Ml7aE05UK-UuP"></script>
  <script type="text/javascript">
    document.getElementById('pay-button').onclick = function() {
      // SnapToken acquired from previous step
      snap.pay('<?=$snapToken >', {
        onSuccess: function(result) {
          console.log('onSuccess', result);
          window.location = `{{
route('frontend.campaign.payment_upload_success', $donation->id) }}`
        },
        onPending: function(result) {
          console.log('onPending', result);
          window.location = `{{
route('frontend.campaign.payment_upload_success', $donation->id) }}`
        },
        onError: function(result) {
          console.log('onError', result);
          alert('terjadi kesalahan')
        }
      });
    }
  </script>
</script>

```

```

        };
    </script>
@else
<script>
    document.getElementById('pay-button').onclick = function() {
        Swal.fire('Mohon maaf','Metode pembayaran terverifikasi otomatis
<br> masih dalam pengembangan', 'warning')
    }
</script>
@endif

<script>
    $('#not-ready').click(function() {
        Swal.fire('Menu masih dalam pengembangan')
    })
    $("#div#uploadZone").dropzone({
        url: "{{ route('frontend.campaign.payment_upload', $campaign->slug) }}",
        addRemoveLinks: true,
        sending: function(file, xhr, formData) {
            formData.append("_token", "{{ csrf_token() }}");
        },
        maxFiles: 1,
        maxfilesexceeded: function(file) {
            this.removeAllFiles();
            this.addFile(file);
        },
        success: function(file, resp) {
            $('#btn-konfirmasi').removeClass('bg-gray-500')
            $('#btn-konfirmasi').removeClass('hover:bg-gray-400')
            $('#btn-konfirmasi').addClass('bg-teal-500')
            $('#btn-konfirmasi').addClass('hover:teal-gray-400')
            $('#btn-konfirmasi').removeAttr('disabled')
        }
    });

```

```

        $('#form-hidden').append('<input type="hidden"
name="proof_of_payment" value="' + resp.path + '" />')

        $('#form-hidden').append('<input type="hidden" name="payment_type"
value="direct_transfer" />')

        alert('Upload berhasil! klik simpan untuk melanjutkan')

        $('#uploadZone').after('<strong>Klik SIMPAN untuk
konfirmasi</strong>')

        // Swal.fire({
        //   title: 'Upload Berhasil',
        //   icon: 'success'
        // })

    }

});

$('.open-method-header').click(function() {
    let openMethodClass = $(this).parents('.open-method')

    let iconActive = '<svg aria-hidden="true" class="" data-
reactid="266" fill="none" height="24" stroke="#606F7B" stroke-
linecap="round" stroke-linejoin="round" stroke-width="2" viewBox="0 0 24
24" width="24" xmlns="http://www.w3.org/2000/svg"><polyline points="6 9
12 15 18 9"></polyline></svg>'

    let iconNonActive = '<svg aria-hidden="true" data-reactid="281"
fill="none" height="24" stroke="white" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2" viewBox="0 0 24 24" width="24"
xmlns="http://www.w3.org/2000/svg"><polyline points="18 15 12 9 6
15"></polyline></svg>'

    if (openMethodClass.find('.psm-body').hasClass('hidden')) {
        openMethodClass.addClass('om-active')

        openMethodClass.find('.psm-body').parent().find('.rounded-
full').html(iconActive)

        openMethodClass.find('.psm-body').slideDown("normal", function() {
            $(this).removeClass('hidden')

            $(this).show()
        })
    }

    let psmSibling = openMethodClass.siblings('.open-
method').find('.psm-body')

    if (psmSibling.hasClass('hidden') == false) {

```

```

        openMethodClass.siblings('.open-method').removeClass('om-
active')

        psmSibling.parent().find('.rounded-full').html(iconNonActive)
        psmSibling.slideUp("normal", function() {
            $(this).addClass('hidden')
            $(this).hide()
        })
    }
} else {
    console.log('else');

    openMethodClass.removeClass('om-active')
    openMethodClass.find('.psm-body').parent().find('.rounded-
full').html(iconNonActive)
    openMethodClass.find('.psm-body').slideUp("normal", function() {
        $(this).addClass('hidden')
        $(this).hide()
    })

}
})
</script>

```

```

1
<script>
    var openmodal = document.querySelectorAll('.modal-open')
    for (var i = 0; i < openmodal.length; i++) {
        openmodal[i].addEventListener('click', function(event) {
            event.preventDefault()
            toggleModal()
        })
    }

    const overlay = document.querySelector('.modal-overlay')
    overlay.addEventListener('click', toggleModal)

```

```
var closemodal = document.querySelectorAll('.modal-close')
for (var i = 0; i < closemodal.length; i++) {
  closemodal[i].addEventListener('click', toggleModal)
}

document.onkeydown = function(evt) {
  evt = evt || window.event
  var isEscape = false
  if ("key" in evt) {
    isEscape = (evt.key === "Escape" || evt.key === "Esc")
  } else {
    isEscape = (evt.keyCode === 27)
  }
  if (isEscape && document.body.classList.contains('modal-active')) {
    toggleModal()
  }
};

function toggleModal() {
  const body = document.querySelector('body')
  const modal = document.querySelector('.modal')
  modal.classList.toggle('opacity-0')
  modal.classList.toggle('pointer-events-none')
  body.classList.toggle('modal-active')
}


</script>
@endpush
```

SCREENSHOT APLIKASI



Bantu Mereka

Salurkan bantuan anda kepada yang membutuhkan



Bantu Meringankan Penderitaan Mas Awang

Super Admin

Terkumpul
Rp 0

Sisa hari
5



Perduli Mbah Sodi [SELESAI]

Super Admin

Terkumpul
Rp 1.100.000

Telah Selesai



Program Pemberian Kebutuhan Pokok Panti Asuhan [SELESAI]

Super Admin

Terkumpul
Rp 200.000

Telah Selesai

Laporan Keuangan

Show 10 ▾ entries

Search:

| # | Tanggal | Catatan | Pemasukan | Pengeluaran | Saldo |
|----|---------------|--|-----------|-------------|-----------|
| 1 | 30 April 2020 | donasi dari "Trisna" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 40.000 | - | 40.000 |
| 2 | 30 April 2020 | donasi dari "Rania" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 140.000 |
| 3 | 30 April 2020 | donasi dari "Vina" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 50.000 | - | 190.000 |
| 4 | 30 April 2020 | donasi dari "Budi" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 350.000 | - | 540.000 |
| 5 | 30 April 2020 | donasi dari "Anonim" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 115.000 | - | 655.000 |
| 6 | 30 April 2020 | donasi dari "Anonim" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 755.000 |
| 7 | 30 April 2020 | donasi dari "Ellisia kumalasari" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 855.000 |
| 8 | 30 April 2020 | donasi dari "Adi Fajaryanto" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 955.000 |
| 9 | 30 April 2020 | donasi dari "Sri Bandiyah" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 1.055.000 |
| 10 | 30 April 2020 | donasi dari "Hazel" untuk galang bantuan "Bantu Saudara Kita Yang Terdampak CORONA" | 100.000 | - | 1.155.000 |

Showing 1 to 10 of 58 entries

Previous 1 2 3 4 5 6 Next

*) Laporan diperbarui secara berkala



KOMUNITAS
PAKIS

Tentang KamiVisi MisiLaporan Keuangan

Donasi SekarangMenu Donatur

 Galang Bantuan

 Profil

 Donasi Anda

 Keluar

Riwayat Donasi



Bantu Meringankan Penderitaan Mas Awang (100.000)
24 July 2020

Menunggu Verifikasi Admin



Bantu Saudara Kita Yang Terdampak CORONA (100.000)
30 April 2020

Gagal



Bantu Saudara Kita Yang Terdampak CORONA (100.000)
30 April 2020

Berhasil

 Profil

 Donasi Anda

 Keluar

Galang Bantuan

BERI JUDUL KAMPANYE ANDA

Contoh: Bantu Mewujudkan Implan Anak Yatim

Judul maksimal 50 karakter

LINK CAMPAIGN

komunitaspakis.or.id/campaign/

KATEGORI

Pilih Kategori

TARGET DANA TERKUMPUL

Rp. 1.000.000

SAMPAI KAPAN GALANG DANAMU BERLANGSUNG?

Pilih Tanggal Selesai

TULISKAN KISAH PENGALAMAN DANA ANDA

 Paragraph **B** *I*    

Purwarupa Aplikasi Crowdfunding PAKIS (Peduli Kasih Insan Sejati)

ORIGINALITY REPORT

10%
SIMILARITY INDEX

11%
INTERNET SOURCES

7%
PUBLICATIONS

9%
STUDENT PAPERS

PRIMARY SOURCES

1

www.tailwindtoolbox.com
Internet Source

10%

Exclude quotes Off

Exclude bibliography Off

Exclude matches < 3%