

DAFTAR PUSTAKA

- Abdullah, N. A. A. (2021). *Analisis Faktor Risiko Yang Memengaruhi Tingkat Keparahan Covid-19 : Telaah Literatur.*
- Adhikari, S.P. *et al.* (2020). Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of COVID during the early outbreak period. *Infectious Diseases of Poverty.* 9(29), pp. 1–12.
- Agus M.W. (2013). *Statistika Terapan.* Jakarta : PT. Elek Media Komputido
- AHA (American Heart Association). (2017). *Hypertension Clinical Practice Guideline.* <https://whitecoathunter.com/pedoman-hipertensi-aha-2017/>. Diakses 2 November 2022.
- Alfhad, H. *et al.* (2020). The Impact of SARS-CoV-2 infection on patients with hypertension. *Majority Journal,* 9(April), pp. 1–5. Available at: <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/2695/2635>
- Andi Julia Rifiana dan Toto Suharyanto. (2020). *Hubungan Diabetes Mellitus dan Hipertensi dengan Kejadian Corona Virus Deases-19 (Covid-19) Di Wisma Atlit Jakarta Tahun 2020.*
- Anggriani, D. (2014). *Faktor-Faktor yang Berhubungan dengan Kejadian Hipertensi pada Laki-laki Berusia 40-65 tahun di Puskesmas Bitung Barat Kota Bitung.* FKM Universitas Sam Ratulang.
- Aristoteles. (2018). Korelasi Umur Dan Jenis Kelamin Dengan Penyakit Hipertensi Di Emergency Center Unit Rumah Sakit Islam Siti Khadijah Palembang 2017. *Indonesia Jurnal Perawat.* 3(1): 9–16
- Arep, N. *et al.* (2022). Hubungan Antara Komorbiditas Dengan Derajat Keparahan Infeksi Covid-19 Di Rumah Sakit Sanjiwani Gianyar. *Aesculapius Medical Journal.* 2(1), pp. 13–20.
- Ariyani, A. R. (2020). Kejadian Hipertensi pada Usia 45-65 Tahun. *Higeia Journal of Public Health Research and Development,* 4(3), 506–518.
- Bajgain, K. T., Badal, S., Bajgain, B. B., & Santana, M. J. (2020). Prevalence of comorbidities among individuals with COVID-19: A rapid review of current literature. *American Journal of Infection Control.*
- Burhan, E. (2020). *Tatalaksana Klinis COVID-19.* Kemenkes RI. p.50. Available at:https://www.pdspatklin.or.id/assets/files/pdspatklin_2020_04_30_09_43_30.pdf.

- Burhan, E. *et al.* (2022). *Cedera miokardium pada infeksi COVID-19*. Pedoman tatalaksana COVID-19 edisi 4.
- Chen D, Li Y, Lv J, Liu X, Gao P, Zhen G, et al. (2019). A foodborne outbreak of gastroenteritis caused by Norovirus and *Bacillus cereus* at a university in the Shunyi District of Beijing, China 2018: a retrospective cohort study. *BMC Infect Dis.*, 19(1), 910.
- Chen, G. *et al.* (2021). Hypertension as a sequela in patients of SARS-CoV-2 infection. *PLoS ONE*, 16(4 April 2021), pp. 1–14. Available at: <https://doi.org/10.1371/journal.pone.0250815>.
- Ciaglia, E., Vecchione, C. and Puca, A.A. (2020). COVID-19 Infection and Circulating ACE2 Levels: Protective Role in Women and Children. *Frontiers in Pediatrics*. pp. 11–13. Available at: <https://doi.org/10.3389/fped.2020.00206>.
- Council E-E, Ortiz A, Cozzolino M, Fliser D, Fouque D, Goumenos D, et al. (2021). Chronic kidney disease is a key risk factor for severe COVID-19: a call to action by the ERA-EDTA. *Nephrol Dial Transplant.*, 36(1), 87–94. <https://academic.oup.com/ndt/article/36/1/87/6041849>
- Dantes. (2018). *Metode Penelitian*. Yogyakarta: Andi Offset.
- Data Rekam Medis. (2021). Rumah Sakit Umum ‘Aisyiyah Ponorogo. Tidak dipublikasikan.
- Dicky Budiman. (2021). (DISINFORMASI) Penyebab Kematian Pasien Covid-19 Bukan Karena Corona Virus', KOMINFO, Juli. Available at: https://www.kominfo.go.id/content/detail/35613/disinformasi-penyebab-kematian-pasien-covid-19-bukan-karena-virus-corona/0/laporan_isu_hoa_ics
- Dinas Kesehatan Provinsi Jawa Timur. (2020). *Profil Kesehatan Provinsi Jawa Timur 2019*. Dinas Kesehatan Provinsi Jawa Timur. Available at: www.dinkesjatengprov.go.id.
- Elviani, R., Anwar, C., & Sitorus, R. J. (2021). Gambaran Usia pada Kejadian Covid-19. *Jambi Medical Jurnal*, 9(2), 204–209. <https://doi.org/10.22437/jmj.v9i1.11263>.
- Erlina *et al.* (2020). Pneumonia COVID-19. Diagnosis dan Tatalaksana di Indonesia. Perhimpunan Dokter Paru Indonesia. Jakarta.
- Fauzi,I. (2014). *Buku Pintar Deteksi Dini Gejala & Pengobatan Asam Urat, Diabetes, & Hipertensi*. Yogyakarta: ARSAKA.

- Gafar, M. (2022). Faktor Yang Mempengaruhi Kondisi Klinis Pasien Covid-19 Di Ruang Isolasi Rsud Sungai Dareh. *Human Care Journal*, 7(2), 297. <https://doi.org/10.32883/hcj.v7i2.1674>
- Gasparini M, Khan S, Patel JM, et al. (2020). Renal impairment and its impact on clinical outcomes in patients who are critically ill with COVID-19: a multicentre observational study. *Anaesthesia*, 76(3), 320-6.
- Gennaro, F. Di *et al.* (2020). Fasting as a Way to Boost Your Immune System | Universitas Gadjah Mada. *International Journal of Environmental Research and Public Health*. 17(2690), pp. 1–11. Available at:<https://www.ugm.ac.id/en/news/19336-fasting-as-a-way-to-boost-your-immune-system>.
- Gennaro, F. Di, Pizzol, D., Marotta, C., Antunes, M., Racalbuto, V., Veronese, N., & Smith, L. (2020). Coronavirus Diseases (COVID-19) Current Status and Future Perspectives: A Narrative Review. *International Journal of Environmental Research and Public Health*, 17(2690), 1–11. <https://doi.org/10.3390/ijerph17082690>
- Gillis, E. E., & Sullivan, J. C. (2016). Sex Differences in Hypertension: Recent Advances. *Hypertension*. 68(6):1322–1327. <https://doi.org/10.1161/HYPERTENSIONAHA.116.06602>
- Gunawan, A., Prahasanti, K., & Utama, M. R. (2020). Pengaruh Komorbid Hipertensi Terhadap Severitas Pasien Coronavirus Disease 2019. 1(2), 136–151.
- Hamid, S., Mir, M.Y. and Rohela, G.K. (2020). Novel coronavirus disease (COVID-19): a pandemic (epidemiology, pathogenesis and potential therapeutics). *New Microbes and New Infections*. 35, p. 100679. Available at: <https://doi.org/10.1016/j.nmni.2020.100679>.
- Handayani, Diah, dkk. (2020). Penyakit Virus Corona 2019. *Jurnal Respirologi Indonesia*. 40(2) : 119-129.
- Haq, A. D. et al. (2021). Faktor – Faktor Terkait Tingkat Keparahan Infeksi Coronavirus Disease 2019 (COVID-19): Sebuah Kajian Literatur. *JIMKI: Jurnal Ilmiah Mahasiswa Kedokteran Indonesia*, 9(1), 48–55. doi:10.53366/jimki.v9i1.338.
- Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, *et al.* (2020). Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*. 2020;395(10223):497–506
- Ishigami J, Grams M, Chang A, Carrero J, Coresh J, M. K. (2017). CKD and Risk for Hospitalization With Infection: The Atherosclerosis Risk in Communities (ARIC) Study. *Am J Kidney Dis.*, 69(6), 752–761.

- Jin, Y. *et al.* (2020). Virology, epidemiology, pathogenesis, and control of covid-19. *Viruses*. 12(4), pp. 1–17. Available at: <https://doi.org/10.3390/v12040372>.
- JNC VII, 2013. *The Eight Joint National Committee on Prevention Detection Evaluation and Treatment of High Blood Pressure*.
- Junitia, B., & Herwanto, V. (2022). Hubungan Antara Status Demografi Dengan Derajat Beratnya Penyakit Covid-19 Di Rumah Sakit Siloam Kebon Jeruk Jakarta Barat. *PREPOTIF : Jurnal Kesehatan Masyarakat*, 6(2), 1832–1837. <https://doi.org/10.31004/prepotif.v6i2.5527>.
- Kario, K. *et al.* (2020). COVID-19 and hypertension—evidence and practical management: Guidance from the HOPE Asia Network. *Journal of Clinical Hypertension*. 22(7), pp. 1109–1119. Available at: <https://doi.org/10.1111/jch.13917>.
- Kario K., Y. Morisawa, A. Sukonthasarn, Y. Turana, Y.-C. Chia, S. Park, T.-D. Wang, C.-H. Chen, J. C. Tay, Y. Li and J.-G. Wang,. (2020). COVID-19 and hypertension-evidence and practical management: Guidance from the HOPE Asia Network," *The Journal of Clinical Hypertension*, vol. 22, no. 7, pp. 1109-1119, 2020.
- Kartikasari, I. and Afif, M. (2021). Penatalaksanaan Hipertensi di Era Pandemi COVID-19. *Prosiding Webinar Komprehensif Covid-19 Promotif, Preventif, Kuratif, dan Rehabilitatif 2021*. pp. 72–79.
- Karya, K. W. S., Suwidnya, I. M., & Wijaya, B. S. (2021). Hubungan penyakit komorbiditas terhadap derajat klinis COVID-19. *Intisari Sains Medis*, 12(2), 708–717. <https://doi.org/10.15562/ism.v12i2.1143>
- Kemenkes RI. 2017. *Lansia & Hipertensi*, no. 2015: 1–10.
- Kementiran Kesehatan Republik Indonesia. (2020). *Pedoman Pencegahan dan Pengendalian Coronavirus Disease (Covid-19)*. Germas. 2020;0-115.
- Kementerian Kesehatan Republik Indonesia. (2021). *Pemantauan Kasus Covid-19 Indonesia*. Kementerian Kesehatan RI.
- Kreutz, R. *et al.* (2020). Hypertension, the renin-angiotensin system, and the risk of lower respiratory tract infections and lung injury: Implications for covid-19. *Cardiovascular Research*. 116(10), pp. 1688–1699. Available at: <https://doi.org/10.1093/cvr/cvaa097>.
- Kristanto, B. and Kosala, S. P. (2021). *Faktor Comorbid Covid-19 di Indonesia Scopyng Review*. 9, 9.

- Kulkarni, S., Jenner, B.L. and Wilkinson, I. (2020). COVID-19 and hypertension. *JRAAS - Journal of the Renin-Angiotensin-Aldosterone System*, 21(2). Available at: <https://doi.org/10.1177/1470320320927851>.
- Kusumawaty, D. (2016). Hubungan jenis kelamin dengan intensitas hipertensi pada lansia di Wilayah Kerja Puskesmas Lombok Kabupaten Ciamis. *Jurnal Mutiara Medika*, 16(2), 46–51.
- Letko M, Marzi A, M. V. (2020). Functional assessment of cell entry and receptor usage for SARS-CoV-2 and other lineage B betacoronaviruses. *Nat Microbiol*, 5(4), 562–569.
- Lippi, G., Wong, J., & Henry, B. M. (2020). Hypertension in patients with coronavirus disease 2019 (COVID-19): A pooled analysis. *Polish Archives of Internal Medicine*, 130(4), 304–309. <https://doi.org/10.20452/pamw.15272>
- Mayo Clinic. (2022). *High blood pressure*. <https://www.mayoclinic.org/diseases-conditions/high-blood-pressure/symptoms-cause.syc-20273410>. Diakses 17 Oktober 2022.
- Mazuki, I. et al. (2021). *Covid-19: Seribu Satu Wajah* (A. Karim & J. Simarmata (eds.); 1st ed.). Yayasan Kita menulis.
- Mulyadi, Arif, Tri Cahyo Sepdianto, and D. H. (2019). Gambaran Perubahan Tekanan Darah Pada Lansia Hipertensi Yang Melakukan Senam Lansia. *Journal of Borneo Holistic Health*, 2(2), 148–57.
- Mussakar dan Djafar T. (2021). *Promosi Kesehatan: Penyebab Terjadinya Hipertensi* (H.Aulia (ed)). Banyumas: CV. Pena Persada.
- Nabila, T. (2021) *Literature Review : Hipertensi Sebagai Komorbid Pada Pasien Covid-19*.
- Nadzir, M., Akbar, A., Rahardjo, A. M., Parti, D. D., & Sakinah, E. N. (2022). Analisis Hubungan NLR , D-dimer dan Saturasi Oksigen dengan Derajat Keparahan COVID-19. *JOURNAL OF AGROMEDICINE AND MEDICAL SCIENCES (AMS) ISSN :2460-9048 (Print), ISSN : 2714-5654 (Electronic)* Available online at <http://jurnal.unej.ac.id/index.php/JAMS>. 8(1), 51–55.
- Nakshbandi, G., Moor, C. C., & Wijsenbeek, M. S. (2020). Home monitoring for patients with ILD and the COVID-19 pandemic. *The Lancet Respiratory Medicine*, 8(12), 1172– 1174. [https://doi.org/10.1016/S2213-2600\(20\)30452-5](https://doi.org/10.1016/S2213-2600(20)30452-5).
- Ndera Merlin L, Supriyatni N, R. A. (2020). Faktor Komorbid terhadap Covid-19 di Puskesmas Kota. *J BIOSAINTEK*, 3, 1–9.
- Notoatmodjo. (2018). *Metodologi Penelitian Kesehatan*. Jakarta : Rineka Cipta

- Novitaningtyas, T. (2014). *Hubungan Karakteristik (Umur,Jenis Kelamin, Tingkat Pendidikan) Dan Aktivitas Fisik Dengan Tekanan Darah Pada Lansia Di Kelurahan Makamhaji Kecamatan Kartasura Kabupaten Sukoharjo.* 39(1), 1–15. <https://doi.org/10.4324/9781315853178>.
- Nuraini, B. (2015). Risk Factors of Hypertension. *J Majority.* 4(5), pp. 10–19.
- Nursalam. (2015). *Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis.* Edisi 3. Jakarta: Salemba Medika.
- Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan.* Edisi 4. Jakarta: Salemba Medika.
- Pandita, A. *et al.* (2021). Predictors of severity and mortality among patients hospitalized with COVID-19 in Rhode Island. *PLOS ON,* 16((6), p. e0252411.). doi:10.1371/journal.pone.0252411.
- Perhimpunan Dokter Hipertensi Indonesia. (2021). Konsensus Penatalaksanaan Hipertensi 2021 : Update Konsensus PERHI 2019', *Perhimpunan Dokter Hipertensi Indonesia*, pp. 1–66. Available at: <https://bit.ly/3nBRKad>.
- Potgieter N, Banda NT, Becker PJ, T.-H. A. (2021). WASH infrastructure and practices in primary health care clinics in the rural Vhembe District municipality in South Africa. *BMC Fam Pract.,* 22(1), 8.
- Radwan NM, Mahmoud NE, Alfaifi AH, A. K. (2020). Comorbidities and severity of coronavirus disease 2019 patients. *Saudi Med J,* 41(11), 1165–1174.
- Rusyani, Y.Y. *et al.* (2021). Analisis Persepsi Keseriusan dan Manfaat Berperilaku dengan Praktik Pencegahan COVID-19. *Jurnal Formil (Forum Ilmiah Kesmas Respati,* 6(1), p. 69. Available at: <https://doi.org/10.35842/formil.v6i1.344>.
- Satria, R.M.A., Tutupoho, R.V. and Chalidyanto, D. (2020). Analisis Faktor Risiko Kematian dengan Penyakit Komorbid Covid-19. *Jurnal Keperawatan Silampari,* 4(1), pp. 48–55. Available at: <https://doi.org/10.31539/jks.v4i1.1587>.
- Sekaran, Uma dan Roger Bougie. (2017). *Metode Penelitian untuk Bisnis: Pendekatan Pengembangan -Keahlian,* Edisi 6, Buku 1, Cetakan Kedua, Jakarta Selatan : Salemba Empat
- Shang L, Shao M, Guo Q, Shi J, Zhao Y, Xiaokereti J, *et al.* (2020). Diabetes Mellitus is Associated with Severe Infection and Mortality in Patients with COVID-19: A Systematic Review and Metaanalysis. *Arch Med Res.,* 51(7), 700–709.

- Silaen, Sofar. (2018). *Metodologi Penelitian Sosial Untuk Penulisan Skripsi dan Tesis*. Bandung: In Media.
- Sugihantono A, Burhan E, Susanto A, Damayanti T, Wiyono W, P. (n.d.). 2020. Pedoman pencegahan dan pengendalian Coronavirus Disease 2019 (COVID-19). Jakarta: Kementerian Kesehatan Republik Indonesia, 17–24(40–43), 80–109 p.
- Sugiyono. (2014). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: CV. Alfabeta
- _____. (2017). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: CV. Alfabeta
- _____. (2019). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: CV. Alfabeta
- Sun, P. et al. (2020). Understanding of COVID-19 based on current evidence. *Journal of Medical Virology*. 92(6), pp. 548–551. Available at: <https://doi.org/10.1002/jmv.25722>.
- Susilo A, Rumende GM, Pitoyo GW, Santoso WD, Yulianti M, Herikurniawan, et al. (2020). Coronavirus Disease 2019 : Tinjauan Literatur Terkini. *J Penyakit Dalam Indonesia*. 7(1) 45-67.
- Sylvestris, A., 2014. *Hipertensi dan Retinopati Hipertensi*, volume 10, p.3.
- Tignanelli CJ, Ingraham NE, Sparks MA, et al. (2020). Antihypertensive drugs and risk of COVID-19. *Lancet Respir Med*. 2020;8(5):e30–e31. doi:10.1016/S2213-2600(20)30153-3
- Triyanto, Endang. (2014). Pelayanan Keperawatan bagi Penderita Hipertensi Secara Terpadu. Yogyakarta: Graha Ilmu.
- Verdecchia, P., Cavallini, C., Spanevello, A., & Angeli, F. (2020). COVID-19: ACE2centric Infective Disease *Hypertension*, 294–299. <https://doi.org/10.1161/HYPERTENSIONAHA.120.15353>
- Wahyuningsih., dan E. A. (2013). Faktor-faktor yang mempengaruhi hipertensi pada usia lanjut. STIKES Alma Ata Yogyakarta. *Jurnal Ners Dan Kebidanan Indonesia ISSN : 2354-7642*.
- Wang, J. et al. (2020). Epidemiologic Characteristics, Transmission Chain, and Risk Factors of Severe Infection of COVID-19 in Tianjin, a Representative Municipality City of China. *Frontiers in Public Health*, 8, 198. doi:10.3389/fpubh.2020.00198.

- Whelton, P.K. *et al.* (2018). 2017 ACC/AHA/AAPA/ABC /ACPM/AGS/APhA/ ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Pr. *Journal of the American College of Cardiology*. 71(19), pp. e127–e248. Available at: <https://doi.org/10.1016/j.jacc.2017.11.006>.
- WHO (2022). WHO Therapeutics and COVID-19: Living Guideline. *World Health Organisation*. (July), p. 128. Available at :<https://apps.who.int/iris/handle/10665/345356.%0Ahttps://www.who.int/publications/item/WHO-2019-nCoV-therapeutics-2022.3>.
- World Health Organization. (2020). WHO Coronavirus (COVID-19). <https://www.who.int/indonesia/news/novel-coronavirus/qa/qa-for-public>. Diakses 2 November 2022.
- World Health Organization. (2021). Coronavirus (Covid-19) Dashboard. <https://covid19.who.int/table>. Diakses 8 Oktober 2022
- World Health Organization. (2022). *Therapeutics and COVID-19*. WHO/2019-nCoV/therapeutics/2022.4. Available at: <http://apps.who.int/iris>.
- Yin Y, W. R. (2018). MERS, SARS and other coronaviruses as causes of pneumonia. *Respirology*, 23, pp. 130–37.
- Zare-Zardini, H. *et al.* (2020). Coronavirus disease 2019 (COVID-19) in children: Prevalence, diagnosis, clinical symptoms, and treatment. *International Journal of General Medicine*. 13, pp. 477–482. Available at: <https://doi.org/10.2147/IJGM.S262098>.
- Zhang, H. *et al.* (2020). Angiotensin-converting enzyme 2 (ACE2) as a SARS-CoV-2 receptor: molecular mechanisms and potential therapeutic target. *Intensive Care Medicine*. 46(4), pp. 586–590. Available at:<https://doi.org/10.1007/s00134-020-05985-9>.
- Zhou, X., Zhu, J. and Xu, T. (2020). Clinical characteristics of coronavirus disease 2019 (COVID-19) patients with hypertension on renin–angiotensin system inhibitors. *Clinical and Experimental Hypertension*, 00(00), pp. 656–660. Available at: <https://doi.org/10.1080/10641963.2020.1764018>