

LAMPIRAN

Scrib Input Jadwal

```
<?php
$connect=mysql_connect("localhost","root","root") or die (mysql_error());
mysql_select_db("rbm",$connect);
?>
<?php
//proses input berita
if (isset($_POST['Input'])) {

    $id_penyiar = addslashes (strip_tags ($_POST['id_penyiar']));
    $Hari = addslashes (strip_tags ($_POST['Hari']));
    $Tanggal = $_POST['thn']."-".$_POST['bln']."-".$_POST['tg'];
    $Jam_mulai = addslashes (strip_tags ($_POST['Jam_mulai']));
    $Jam_selesai = addslashes (strip_tags ($_POST['Jam_selesai']));
    $Nama_acara = addslashes (strip_tags ($_POST['Nama_acara']));
    $Nama_penyiar = addslashes (strip_tags ($_POST['Nama_penyiar')));

    //insert ke tabel
    $query = "INSERT INTO jadwal_siaran
VALUES('$id_penyiar','$Hari','$Tanggal','$Jam_mulai','$Jam_selesai','$Nama_acara','$Na
ma_penyiar')";
    $sql = mysql_query ($query) or die (mysql_error());
    if ($sql) {
        echo "<h2><font color=green>Data jadwal telah berhasil
ditambahkan(^_^)</font></h2>";
    } else {
        echo "<h2><font color=red>Data jadwal gagal
ditambahkan(=_=)</font></h2>";
    }
}
?>
<h3>Input Data Jadwal:</h3>
<FORM ACTION="" METHOD="POST" NAME="input" enctype="multipart/form-data">
<div align="center">
    <table class="datatable" width="671" height="334" cellpadding="0"
cellspacing="0">
        <tr>
            <td>ID</td>
            <td><input name="id_penyiar" type="text" class="textfield" size="2"
maxlength="20" required="required" /></td>
        </tr>
        <tr>
            <td width="109">Hari</td>
            <td width="418">
                <label>
```

```

<select name="Hari" required="required" class="textfield">
    <option value="" selected disabled="disabled">_Nama hari_</option>
    <option value="Senin">Senin</option>
    <option value="Selasa">Selasa</option>
    <option value="Rabu">Rabu</option>
    <option value="Kamis">Kamis</option>
    <option value="Jumat">Jumat</option>
    <option value="Sabtu">Sabtu</option>
    <option value="Minggu">Minggu</option>
</select>
</label>      </td>
</tr>
<tr>
    <td>Tanggal jadwal</td>
    <td>:
        <select name="tgl" class="textfield" required="required">
            <?
                for ($i=1; $i<=31; $i++) {
                    $tg = ($i<10) ? "0$i" : $i;
                    echo "<option
value='\$tg'>\$tg</option>";
                }
            ?>
        </select>
        -
        <select name="bln" class="textfield">
            <?
                for ($i=1; $i<=12; $i++) {
                    $bl = ($i<10) ? "0$i" : $i;
                    echo "<option
value='\$bl'>\$bl</option>";
                }
            ?>
        </select>
        -
        <select name="thn" class="textfield">
            <?
                for ($i=2013; $i<=2020; $i++) {
                    echo "<option value='\$i'>\$i</option>";
                }
            ?>
        </select></td>
    </tr>
    <tr>
        <td>Jam mulai</td>
        <td>:
            <input type="text" class="textfield" required="required" name="Jam_mulai"
size="11" maxlength="11" /></td>

```

```

</tr>
<tr>
<td>Jam selesai</td>
<td>:
<input type="text" class="textfield" required="required" name="Jam_selesai" size="11" maxlength="11" /></td>
</tr>
<tr>
<td height="66">Nama acara</td>
<td>:
<textarea name="Nama_acara" class="textfield" required="required" cols="28" rows="3"></textarea></td>
</tr>
<tr>
<td>Nama penyiar</td>
<td>:
<input type="text" class="textfield" name="Nama_penyiar" required="required" size="30" maxlength="30" /></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;&nbsp;
<input type="submit" name="Input" value="Input Data" />
&nbsp;
<input type="reset" name="reset" value="Reset" /></td>
</tr>
</table>
</div>
</FORM>

```

Scrib Edit Jadwal

```

<?php
$connect=mysql_connect("localhost","root","root") or die (mysql_error());
mysql_select_db("rbm",$connect);
?>
<?php
$id_siaran = $_GET['id_siaran'];

$query = mysql_query("select * from jadwal_siaran where id_siaran='".$id_siaran"'") or die(mysql_error());

$data = mysql_fetch_array($query);
?>

<form name="update_data" action="admin.php?page=update_jad" method="post">
<table width="681" height="279" border="0" cellpadding="5" cellspacing="0"
class="datatable" id="container">

```

```

<tbody>
    <tr>
        <td wharith="109">Hari</td>
        <td wharith="418">:
        <label>
            <select name="Hari" class="textfield">
                <option value="" selected disabled="disabled">_Nama hari_</option>
                <option value="Senin">Senin</option>
                <option value="Senin">Senin</option>
                <option value="Selasa">Selasa</option>
                <option value="Rabu">Rabu</option>
                <option value="Kamis">Kamis</option>
                <option value="Jumat">Jumat</option>
                <option value="Sabtu">Sabtu</option>
                <option value="Minggu">Minggu</option>
            </select>
        </label>
        <b>
            <?php echo $data['Hari']; ?>
        </b></td>
    </tr>
    <tr>
        <td>Tanggal</td>
        <td>:
        <select name="tgl" class="textfield">
            <?
                for ($i=1; $i<=31; $i++) {
                    $tg = ($i<10) ? "0$i" : $i;
                    $sele = ($tg==$tg)? "selected" : "";
                    echo "<option value='$tg' $sele>$tg</option>";
                }
            ?>
        </select> -
        <select name="bln" class="textfield">
            <?
                for ($i=1; $i<=12; $i++) {
                    $bl = ($i<10) ? "0$i" : $i;
                    $sele = ($bl==$bl)? "selected" : "";
                    echo "<option value='$bl' $sele>$bl</option>";
                }
            ?>
        </select> -
        <select name="thn" class="textfield">
            <?
                for ($i=2013; $i<=2020; $i++) {
                    $sele = ($i==$thn)? "selected" : "";
                    echo "<option value='$i' $sele>$i</option>";
                }
            ?>
        </select>
    </tr>

```

```

echo "<option value='\$i'>
\$sele>\$i</option>";
}
?>
</select></td>
</tr>
<tr>
<td>Jam_mulai</td>
<td> : <input name="Jam_mulai" type="text" class="textfield" value="<?php echo $data['Jam_mulai']; ?>" size="11" maxlength="11" required="required" /></td>
</tr>
<tr>
<td>Jam_selesai</td>
<td> :
<input name="Jam_selesai" type="text" class="textfield" value="<?php echo $data['Jam_selesai']; ?>" size="11" maxlength="11" required="required" /></td>
</tr>
<tr>
<td>Nama acara</td>
<td> : <input name="Nama_acara" type="text" class="textfield" value="<?php echo $data['Nama_acara']; ?>" size="30" maxlength="100" required="required" /></td>
</tr>
<tr>
<td>Nama penyiar</td>
<td> : <input name="Nama_penyiar" type="text" class="textfield" value="<?php echo $data['Nama_penyiar']; ?>" size="30" required="required" /></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;&nbsp;
<input type="hidden" name="id_siaran" value="<?php echo $id_siaran; ?>">
<input type="submit" name="Edit" value="Edit Data">&nbsp;
<input type="reset" name="reset" value="Reset"></td>
</tr>
</tbody>
</table>

```

Scrib Hapus Jadwal

```

<?php
$connect=mysql_connect("localhost","root","root") or die (mysql_error());
mysql_select_db("rbm",$connect);
?>
<?php

```

```

if (isset($_GET['id_siaran'])) {
    $id_siaran = $_GET['id_siaran'];
} else {
    die ("Error. No id Selected! ");
}
?>
<?
//proses delete berita
if (!empty($id_siaran) && $id_siaran != "") {

    $query = "DELETE FROM jadwal_siaran WHERE id_siaran='$id_siaran'";
    $sql = mysql_query ($query);
    if ($sql) {
        echo "<h2><font color=green>Data Jadwal telah berhasil
dihapus (^_^)</font></h2>";
    } else {
        echo "<h2><blink><font color=red>Data Jadwal gagal dihapus!
(=_=)</blink></font></h2>";
    }
} else {
    die ("Access Denied");
}
?>

```

Scrib Lihat Jadwal

```

<?php
$connect=mysql_connect("localhost","root","root") or die (mysql_error());
mysql_select_db("rbm",$connect);
?>
<!DOCTYPE html>
<html>
<head>
    <title>Datatables</title>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

    <script src="media/js/jquery.js" type="text/javascript"></script>
    <script src="media/js/jquery.dataTables.js" type="text/javascript"></script>
    <link rel="StyleSheet" href="css/style.css" type="text/css" />
    <style type="text/css">
        @import "media/css/demo_table_jui.css";
        @import "media/themes/ui-lightness/jquery-ui-1.8.4.custom.css";
    </style>

    <style>
        *{
            font-family: arial;
        }
        .style1 {color: #660000}
    </style>

```

```

</style>
<script type="text/javascript" charset="utf-8">
$(document).ready(function(){
    $('#datatables').dataTable({
        "sPaginationType":"full_numbers",
        "aaSorting":[[2, "desc"]],
        "bJQueryUI":true
    });
})

</script>
</head>
<body>
    <div class="wrap">
        <a href="tablepdf/rekap_jadwal.php" target="_blank"
title="Download"> </a>
        <div class="style2 style1">Jadwal Siaran</div>
        <table align="center" class="display" id="datatables">
<thead>
    <tr>
        <tr>
            <th width="20"><strong>No.</strong></span></th>
            <th width="60"><strong>Hari</strong></span></th>
            <th width="80"><strong>Tanggal</strong></span></th>
            <th width="100"><strong>Jam mulai</strong></span></th>
            <th width="110"><strong>Jam selesai</strong></span></th>
            <th width="120"><strong>Nama acara</strong></span></th>
            <th width="120"><strong>Nama penyiar</strong></span></th>
            <th width="72"><strong>opsi</strong></span></th>
        </tr>
    </thead>
    <tbody>
        <?php
            $query = mysql_query("select * from jadwal_siaran");

            $no = 1;
            while ($data = mysql_fetch_array($query)) {
            ?>

        <tr>
            <td><div align="center"><?php echo $no; ?></div></td>
            <td><div align="center"><?php echo $data['Hari']; ?></div></td>
            <td><div align="center"><?php echo $data['Tanggal']; ?></div></td>
            <td><div align="center"><?php echo $data['Jam_mulai']; ?></div></td>
            <td><div align="center"><?php echo $data['Jam_selesai']; ?></div></td>
            <td><div align="center"><?php echo $data['Nama_acara']; ?></div></td>
            <td><div align="center"><?php echo $data['Nama_penyiar']; ?></div></td>

```

```
<td> <a href="admin.php?page=edit_jad&id_siaran=<?php echo  
$data['id_siaran']; ?>"></a> | <a  
href="admin.php?page=hapus_jad&id_siaran=<?php echo $data['id_siaran'];  
?>"onClick="return confirm('Apakah Anda Yakin Hapus Data?')"></a></td>  
</tr>  
</?php  
$no++;  
}  
?>  
  
</tbody>  
</table>  
<div class="footer">  
    </div>  
    </div>  
</body>  
</html>
```