

## **Lampiran**

### **Source Code Admin :**

```
<?php  
// panggil berkas koneksi.php  
require 'koneksi.php';  
  
// buat koneksi ke database mysql  
koneksi_buka();  
  
?>  
  
<table class="table table-condensed table-bordered table-hover" cellpadding="0"  
cellspacing="0">  
    <thead>  
        <tr>  
            <th style="width:20px">#</th>  
            <th style="width:50px">ID Admin</th>  
            <th style="width:200px">Nama Admin</th>  
            <th style="width:200px">Username</th>  
            <th style="width:200px">Password</th>  
            <th style="width:20px">Aksi</th>  
        </tr>  
    </thead>  
    <tbody>  
        <?php  
        $i = 1;
```

```

$query = mysql_query("SELECT * FROM user_admin");

// tampilkan data pertanyaan selama masih ada

while($data = mysql_fetch_array($query)) {

?>

<tr>

<td><?php echo $i ?></td>

<td><?php echo $data['id_admin'] ?></td>

<td><?php echo $data['nama_admin'] ?></td>

<td><?php echo $data['username'] ?></td>

<td><?php echo $data['password'] ?></td>

<td>

<a href="#dialog-pertanyaan" id=<?php echo $data['id_admin'] ?>" class="ubah" data-toggle="modal">

<i class="icon-pencil"></i>

</a>

<a href="#" id=<?php echo $data['id_admin'] ?>" class="hapus">

<i class="icon-trash"></i>

</a>

</td>

</tr>

<?php

    $i++;

}

?>

</tbody>

```

```
</table>

<?php

// tutup koneksi ke database mysql

koneksi_tutup();

?>
```

*Source Code Kelas :*

```
<?php

require 'koneksi.php';

// buat koneksi ke database mysql

koneksi_buka();

// proses menghapus data

if(isset($_POST['hapus'])) {

    mysql_query("DELETE FROM setup_kelas WHERE id_kelas=".$_POST['hapus']);

} else {

    // deklarasikan variabel

    $id_data      = $_POST['id_data'];

    $pertanyaan   = $_POST['pertanyaan'];



    $cek = mysql_fetch_array(mysql_query("SELECT * FROM setup_kelas WHERE
id_kelas=".$id_data));



    // validasi agar tidak ada data yang kosong
```

```

if($id_data!="" && $pertanyaan!="") {

    // proses tambah data

    if($cek) {

        mysql_query("UPDATE setup_kelas SET
                    nama_kelas = '$pertanyaan'
                    WHERE id_kelas = $id_data
                    ");

    }

    // proses ubah data

} else {

    mysql_query("INSERT INTO setup_kelas
VALUES('$id_data','$pertanyaan')");

}

}

// tutup koneksi ke database mysql

koneksi_tutup();

?>

```

**Source Code Siswa :**

```

<?php

require 'koneksi.php';

// buat koneksi ke database mysql

```

```
koneksi_buka();

// proses menghapus data

if(isset($_POST['hapus'])) {

    mysql_query("DELETE FROM data_siswa WHERE id_siswa=".$_POST['hapus']);

} else {

    // deklarasikan variabel

    $id_user      = $_POST['id_user'];

    $nama = $_POST['nama'];

    $nis   = $_POST['nis'];

    $kelamin     = $_POST['kelamin'];

    $alamat      = $_POST['alamat'];

    $telpon= $_POST['telpon'];

    $username     = $_POST['username'];

    $password     = md5($_POST['password']);



    $cek = mysql_fetch_array(mysql_query("SELECT * FROM data_siswa
WHERE id_siswa=".$id_user));

    // validasi agar tidak ada data yang kosong

    if($id_user!="" && $nama!="") {

        // proses tambah data

        if($cek) {

            mysql_query("UPDATE data_siswa SET
                nama_siswa  = '$nama', nis = '$nis', kelamin = '$kelamin',
                alamat_siswa = '$alamat', telpon_siswa = '$telpon', username = '$username', password =
                '$password'

                WHERE id_siswa = $id_user

                ");
        }
    }
}
```

```

    // proses ubah data
} else {

    mysql_query("INSERT INTO data_siswa
VALUES('$id_user','$nama','$nis','$kelamin','$alamat','$telpon','$username','$password')");

}

}

// tutup koneksi ke database mysql
koneksi_tutup();

?>

```

**Source Code Artikel :**

```

<?php

// panggil berkas koneksi.php

// buat koneksi ke database mysql

?>

<table class="table table-condensed table-bordered table-hover" cellpadding="0"
cellspacing="0">

<thead>

<tr>

<th style="width:20px">#</th>

```

```

<th style="width:50px">ID Artikel</th>
<th style="width:175px">Judul</th>
<th style="width:175px">Isi</th>
<th style="width:175px ">Tanggal</th>
<th style="width:30px "></th>
</tr>
</thead>
<tbody>
<?php
    $i = 1;
    $query = mysql_query("SELECT * FROM artikel");

    // tampilkan data solusi selama masih ada
    while($data = mysql_fetch_array($query)) {
        ?>
        <tr>
            <td><?php echo $i ?></td>
            <td><?php echo $data['id_artikel'] ?></td>
            <td><?php echo $data['judul'] ?></td>
            <td><?php echo nl2br(implode(" ", array_slice(explode(" ", $data['isi']), 0, 20)))." <b>(lanjut)</b>" ; ?></td>
            <td><?php echo $data['tanggal'] ?></td>
            <td>
                <a href="artikel.php?action=ubah&id=<?php echo $data['id_artikel'] ?>">
                    <i class="icon-pencil"></i>
                </a>
            </td>
        </tr>
    }
}

```

```

<a href="artikel.delete.php?id=<?php echo $data['id_artikel'] ?>">
    <i class="icon-trash"></i>
</a>
</td>
</tr>
<?php
    $i++;
}
?>
</tbody>
</table>

<?php
// tutup koneksi ke database mysql

?>

```

**Source Code Guru :**

```

<?php
include "conn.php";

if(isset($_POST['submit'])){
    $nama_guru=ucwords(htmlentities($_POST['nama_guru']));
    $nip=htmlentities($_POST['nip']);
}

```

```
$kelamin=htmlentities($_POST['kelamin']);
$alamat_guru=ucwords(htmlentities($_POST['alamat_guru']));
$telpo_guru=strtoupper(htmlentities($_POST['telpo_guru']));
$username=htmlentities($_POST['username']);
$password=md5(htmlentities($_POST['password']));

$query=mysql_query("insert into data_guru
values(',$nama_guru','$nip','$kelamin','$alamat_guru','$telpo_guru','$username','$password')");
}

if($query){
?><script
language="javascript">document.location.href=?page=data_guru&status=1";</script><?php
}else{
?><script
language="javascript">document.location.href=?page=data_guru&status=2";</script><?php
}

}else{
unset($_POST['submit']);
}

?>

<!-- start page-heading -->
<div id="page-heading">
<h1>Data Guru</h1>
```

```

</div>

<!-- end page-heading -->

<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">

<tr>

<th rowspan="3" class="sized"></th>

<th class="topleft"></th>

<td id="tbl-border-top">&nbsp;</td>

<th class="topright"></th>

<th rowspan="3" class="sized"></th>

</tr>

<tr>

<td id="tbl-border-left"></td>

<td>

<!-- start content-table-inner ..... START -->

<div id="content-table-inner">

<?php

if($_GET['status']=='1'){

?>

<div id="message-green">

<table border="0" width="100%" cellpadding="0" cellspacing="0">

<tr>

<td class="green-left">Alhamdulilah sesuatu banget, Data berhasil disimpan
:)</td>

```

```
<td class="green-right"><a class="close-green"></a></td>  
</tr>  
</table>  
</div>
```

```
<?php  
}  
  
if($_GET['status']=='0') {  
?>  
  
<div id="message-red">  
<table border="0" width="100%" cellpadding="0" cellspacing="0">  
<tr>  
    <td class="red-left">Yach data gagal di simpan, cape dech!</td>  
    <td class="red-right"><a class="close-red"></a></td>  
</tr>  
</table>  
</div>
```

```
<?php  
}  
?>  
  
<form action="?page=data_guru" method="post">  
<table border="0" width="100%" cellpadding="0" cellspacing="0">
```

```
<tr valign="top">

<td><!-- start step-holder -->

<!-- end step-holder -->

<!-- start id-form -->

<table border="0" cellpadding="0" cellspacing="0" id="id-form">

<tr>

<th valign="top">>Nama Guru </th>

<td><input type="text" class="inp-form" name="nama_guru"/></td>

<td></td>

</tr>

<tr>

<th valign="top">NIP</th>

<td><input type="text" class="inp-form" name="nip"/></td>

<td></td>

</tr>

<tr>

<th valign="top">Kelamin</th>

<td><select name="kelamin" class="styledselect_form_1">

<option value="laki-laki">Laki-laki</option>

<option value="perempuan">Perempuan</option>

</select>

</td>

<td></td>

</tr>

<tr>

<th valign="top">Alamat</th>
```

```
<td><textarea name="alamat_guru" cols="" rows="" class="form-textarea"></textarea></td>

<td></td>

</tr>

<tr>

<th valign="top">Telpon </th>

<td><input type="text" class="inp-form" name="telpon_guru"/></td>

<td></td>

</tr>

<tr>

<th valign="top">Username</th>

<td><input type="text" class="inp-form" name="username"/></td>

<td></td>

</tr>

<tr>

<th valign="top">Password</th>

<td><input type="password" class="inp-form" name="password"/></td>

<td></td>

</tr>

<tr>

<th>&nbsp;</th>

<td valign="top"><input type="submit" name="submit" value="" class="form-submit" />

<input type="reset" value="" class="form-reset" />

</td>

<td></td>

</tr>

</table>
```

```

<!-- end id-form -->

</td>

<td><!-- start related-activities -->

</td>

</tr>

<tr>

<td></td>

<td></td>

</tr>

</table>

</form>

```

```

<!-- start product-table ..... -->

<form id="mainform" action="">

<table border="0" width="100%" cellpadding="0" cellspacing="0" id="product-table">

<tr>

<th width="5%" class="table-header-repeat line-left minwidth-1"><a href="">Nomor</a> </th>

<th width="28%" class="table-header-repeat line-left minwidth-1"><a href="">Nama Guru</a></th>

<th width="28%" class="table-header-repeat line-left minwidth-1"><a href="">NIP</a></th>

<th width="7%" class="table-header-repeat line-left minwidth-1"><a href="">Kelamin</a></th>

<th width="16%" class="table-header-repeat line-left minwidth-1"><a href="">Alamat</a></th>

<th width="13%" class="table-header-repeat line-left minwidth-1"><a href="">Telpon</a></th>

```

```

<th width="11%" class="table-header-repeat line-left minwidth-1"><a href="">Username</a></th>

<th width="15%" class="table-header-repeat line-left minwidth-1"><a href="">Password</a></th>

<th width="5%" class="table-header-options line-left"><a href="">Aksi</a></th>

</tr>

<?php

$view=mysql_query("select * from data_guru order by nama_guru asc");

$no=0;

while($row=mysql_fetch_array($view)) {

?>

<tr>

<td><?php echo $no=$no+1;?></td>

<td><?php echo $row['nama_guru'];?></td>

<td><?php echo $row['nip'];?></td>

<td><?php echo $row['kelamin'];?></td>

<td><?php echo $row['alamat_guru'];?></td>

<td><?php echo $row['telpon_guru'];?></td>

<td><?php echo $row['username'];?></td>

<td><?php echo $row['password'];?></td>

<td class="options-width">

<a href="" title="Delete" class="icon-2 info-tooltip"></a>

<a href="" title="Edit" class="icon-5 info-tooltip"></a>

</td>

</tr>

```

```

<?php
}

?>

</table>

<!-- end product-table..... -->

</form>

<div class="clear"></div>

</div>

<!-- end content-table-inner .....END -->

</td>

<td id="tbl-border-right"></td>

</tr>

<tr>

<th class="sized bottomleft"></th>

<td id="tbl-border-bottom">&ampnbsp</td>

<th class="sized bottomright"></th>

</tr>

</table>

```

**Source Code Jadwal Ruang :**

```

<?php

// panggil berkas koneksi.php

require 'koneksi.php';

```

```
// buat koneksi ke database mysql
koneksi_buka();

?>

<form action="simpanruang.php" method="post">
    <table border="0" width="100%" cellpadding="0" cellspacing="0">
        <tr valign="top">
            <td><!-- start step-holder -->
                <!-- end step-holder -->
                <!-- start id-form -->
                <table border="0" cellpadding="0" cellspacing="0" id="id-form">
                    <tr>
                        <th valign="top">Siswa</th>
                        <td><select name="id_siswa">
                            <?php
                                $siswa=mysql_query("select * from data_siswa order
by nama_siswa asc");
                                while($row1=mysql_fetch_array($siswa)){
                                    ?>
                                    <option value="<?php echo $row1['id_siswa'];?>"><?php echo
$row1['nama_siswa'];?> [ <?php echo $row1['nis'];?> ] </option>
                                    <?php
                                }
                            ?>
                        </td>
                    </tr>
                </table>
            </td>
        </tr>
    </table>
</form>
```

```

        </select>
    </td>
<td></td>
</tr>

<tr>
<th valign="top">Kelas</th>
<td><select name="id_kelas">

<?php
$kelas=mysql_query("select * from
setup_kelas order by nama_kelas asc");
while($row2=mysql_fetch_array($kelas)){
?>
<option value="<?php echo
$row2['id_kelas'];?>"><?php echo $row2['nama_kelas'];?></option>
<?php
}
?>

</select>
</td>
<td></td>
</tr>

<tr>
<th>&ampnbsp</th>
<td valign="top"><input type="submit" name="submit" value="Simpan" />

```

```

<input type="reset" value="Batal" />
</td>
<td></td>
</tr>
</table>

<table class="table table-condensed table-bordered table-hover" cellpadding="0"
cellspacing="0">

<thead>
<tr>
<th style="width:10%">#</th>
<th style="width:30%">Nama Siswa</th>
<th style="width:20%">Nis</th>
<th style="width:20%">Kelas</th>
<th style="width:20%">Aksi</th>
</tr>
</thead>
<tbody>
<?php
    $i = 1;
    $query = mysql_query("select * from tbl_ruangan ruangan, setup_kelas kelas,
data_siswa siswa where ruangan.id_kelas=kelas.id_kelas and
ruangan.id_siswa=siswa.id_siswa order by id_ruangan asc");
    // tampilkan data pertanyaan selama masih ada
    while($data = mysql_fetch_array($query)) {
        ?>
        <tr>

```

```

<td><?php echo $no=$no+1;?></td>
<td><?php echo $data['nama_siswa'];?></td>
<td><?php echo $data['nis'];?></td>
<td><?php echo $data['nama_kelas'];?></td>
<td>
<a href="#" id=<?php echo $data['id_ruangan'] ?>" class="hapus">
    <i class="icon-trash"></i>
</a>
</td>
</tr>
<?php
    $i++;
}
?>
</tbody>
</table>

<?php
// tutup koneksi ke database mysql
koneksi_tutup();
?>

```

**Source Code Mapel :**

```

<?php
// panggil berkas koneksi.php
require 'koneksi.php';

```

```

// buat koneksi ke database mysql
koneksi_buka();

?>

<table class="table table-condensed table-bordered table-hover" cellpadding="0"
cellspacing="0">
<thead>
<tr>
<th style="width:20px">#</th>
<th style="width:50px">ID Mapel</th>
<th style="width:200px">Mapel</th>
<th style="width:20px"></th>
</tr>
</thead>
<tbody>
<?php
    $i = 1;
    $query = mysql_query("SELECT * FROM setup_pelajaran");

    // tampilkan data pertanyaan selama masih ada
    while($data = mysql_fetch_array($query)) {
        ?>
        <tr>
        <td><?php echo $i ?></td>

```

```

<td><?php echo $data['id_pelajaran'] ?></td>
<td><?php echo $data['nama_pelajaran'] ?></td>
<td>
    <a href="#dialog-pertanyaan" id="<?php echo $data['id_pelajaran'] ?>" class="ubah" data-toggle="modal">
        <i class="icon-pencil"></i>
    </a>
    <a href="#" id="<?php echo $data['id_pelajaran'] ?>" class="hapus">
        <i class="icon-trash"></i>
    </a>
</td>
</tr>
<?php
    $i++;
}
?>
</tbody>
</table>

<?php
// tutup koneksi ke database mysql
koneksi_tutup();
?>

```

**Source Code Pengumuman :**

```
<?php
```

```

// panggil berkas koneksi.php
require 'koneksi.php';

// buat koneksi ke database mysql
koneksi_buka();

?>

<form action="simpanumum.php" method="post">
    <table border="0" width="100%" cellpadding="0" cellspacing="0">
        <tr valign="top">
            <td><!-- start step-holder -->
                <!-- end step-holder -->
                <!-- start id-form -->
                <table border="0" cellpadding="0" cellspacing="0" id="id-form">
                    <tr>
                        <th valign="top">Guru</th>
                        <td><select name="id_guru">
                            <?php
                                $siswa=mysql_query("select * from data_guru order
by nama_guru asc");
                                while($row1=mysql_fetch_array($siswa)){
                                    ?>
                                    <option value=<?php echo $row1['id_guru'];?>><?php echo
$row1['nama_guru'];?></option>
                            <?php
                                }

```

```

?>

</select>

</td>

<td></td>

</tr>

<tr>

<th valign="top">Kelas</th>

<td><select name="id_kelas">

<?php

$kelas=mysql_query("select * from
setup_kelas order by nama_kelas asc");

while($row2=mysql_fetch_array($kelas)){

?>

<option value="<?php echo
$row2['id_kelas'];?>"><?php echo $row2['nama_kelas'];?></option>

<?php

}

?>

</select>

</td>

<td></td>

</tr>

<tr>

<th valign="top">Pengumuman</th>

```

```

<td><textarea id="umum" name="umum" required="required"></textarea>
</td>
<td></td>
</tr>
<tr>
<th>&nbsp;</th>
<td valign="top"><input type="submit" name="submit" value="Simpan" />
<input type="reset" value="Batal" />
</td>
<td></td>
</tr>
</table>

<table class="table table-condensed table-bordered table-hover" cellpadding="0"
cellspacing="0">
<thead>
<tr>
<th style="width:10%">#</th>
<th style="width:30%">Nama Guru</th>
<th style="width:20%">Nama Kelas</th>
<th style="width:20%">Pengumuman</th>
<th style="width:20%">Aksi</th>
</tr>
</thead>
<tbody>
<?php
    $i = 1;

```

```
$query = mysql_query("select * from pengumuman umum, setup_kelas kelas,
data_guru guru where umum.id_kelas=kelas.id_kelas and umum.id_guru=guru.id_guru order
by id_pengumuman asc");
```

```
// tampilkan data pertanyaan selama masih ada
while($data = mysql_fetch_array($query)) {
```

```
?>
```

```
<tr>
```

```
<td><?php echo $no=$no+1;?></td>
<td><?php echo $data['nama_guru'];?></td>
<td><?php echo $data['nama_kelas'];?></td>
<td><?php echo $data['pengumuman'];?></td>
```

```
<td>
```

```
<a href="#" id=<?php echo $data['id_pengumuman'] ?>" class="hapus">
```

```
<i class="icon-trash"></i>
```

```
</a>
```

```
</td>
```

```
</tr>
```

```
<?php
```

```
$i++;
```

```
}
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
<?php
```

```
// tutup koneksi ke database mysql
```

```
koneksi_tutup();
```

```
?>
```