

LAMPIRAN

SOURCE CODE ADMIN DATA

```
<?php
// panggil berkas koneksi.php
require 'koneksi.php';

// buat koneksi ke database mysql
koneksi_buka();

?>

<table class="table table-condensed table-bordered table-hover" cellpadding="0"
cellspacing="0">
<thead>
    <tr>
        <th style="width:20px">NO</th>
        <th style="width:200px">Nama Admin</th>
        <th style="width:200px">Username</th>
        <th style="width:200px">Password</th>
        <th style="width:20px">Aksi</th>
    </tr>
</thead>
<tbody>
    <?php
        $i = 1;
```

```

$query = mysql_query("SELECT * FROM user_admin");

// tampilkan data pertanyaan selama masih ada
while($data = mysql_fetch_array($query)) {

?>
<tr>
    <td><?php echo $i ?></td>
    <td><?php echo $data['nama_admin'] ?></td>
    <td><?php echo $data['username'] ?></td>
    <td><?php echo $data['password'] ?></td>
    <td>
        <a href="#dialog-pertanyaan" id="<?php echo $data['id_admin'] ?>"
class="ubah" data-toggle="modal">
            <i class="icon-pencil"></i>
        </a>
        <a href="#" id="<?php echo $data['id_admin'] ?>" class="hapus">
            <i class="icon-trash"></i>
        </a>
    </td>
</tr>
<?php
    $i++;
}
?>

```

```
</tbody>
```

```
</table>
```

```
<?php
```

```
// tutup koneksi ke database mysql
```

```
koneksi_tutup();
```

```
?>
```

SOURCE CODE HASIL NILAI

```
<?php
```

```
include "conn.php";
```

```
?>
```

```
<!-- start page-heading -->
```

```
<div id="page-heading">
```

```
    <h1>Hasil Nilai</h1>
```

```
</div>
```

```
<!-- end page-heading -->
```

```
<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
```

```
<tr>
```


?>

```
<table border="0" cellpadding="0" cellspacing="0" id="id-form">
<tr>
<th valign="top">Nama Siswa</th>
<td><input type="text" class="inp-form" name="nama_siswa" value="<?php echo
$nama_siswa;?>" disabled="disabled"/></td>
<td></td>
</tr>
<tr>
<th valign="top">NIS</th>
<td><input type="text" class="inp-form" name="nama_siswa" value="<?php echo
$nis;?>" disabled="disabled"/></td>
<td></td>
</tr>
<tr>
<th valign="top">Kelas</th>
<td><input type="text" class="inp-form" name="nis" value="<?php echo
$nama_kelas;?>" disabled="disabled"/></td>
<td></td>
</tr>
</table>
<br />
```

```

<form id="mainform" action="home.php?page=input_nilai_siswa" method="post">
<table border="0" width="48%" cellpadding="0" cellspacing="0" id="product-table">
<tr>
<th width="10%" class="table-header-repeat line-left minwidth-1"><a
href="">Nomor</a></th>
<th width="60%" class="table-header-repeat line-left minwidth-1"><a href="">Nama
Pelajaran</a></th>
<th width="30%" class="table-header-repeat line-left minwidth-1"><a
href="">Nilai</a></th>
</tr>

```

```

<?php
    $view=mysql_query("SELECT nama_pelajaran, nilai FROM tbl_nilai nilai,
setup_pelajaran pelajaran WHERE nilai.id_siswa='$id_siswa' and
nilai.id_pelajaran=pelajaran.id_pelajaran order by pelajaran.nama_pelajaran asc");
    $jum_mapel=mysql_num_rows($view);
    $i = 1;
    while($row=mysql_fetch_array($view)){
        ?>
        <tr>
            <td><?php echo $i;?></td>
            <td><?php echo $row['nama_pelajaran'];?></td>
            <td><?php echo $row['nilai'];?></td>
        </tr>
    <?php
        $i++;

```

```

                $nilai=$row['nilai'];
                $total=$total+$nilai;
            }
        ?>
</tr>
    <td colspan="2" align="center"><b>Nilai Rata-Rata</b></td>
    <td><?php $rata2=$total/$jum_mapel;
                $ratapol=ceil($rata2);
                echo $ratapol;?></td>
<?php
                $cek_username=mysql_num_rows(mysql_query
                ("SELECT * FROM ranking
                WHERE id_siswa='$id_siswa'"));
// Kalau username sudah ada yang pakai
if ($cek_username > 0){
    $sql1 = "UPDATE ranking SET nilai='$ratapol' WHERE id_siswa = '$id_siswa'";
                $res1 = mysql_query($sql1);
    }
// Kalau username valid, inputkan data ke tabel users
else{
                $sql = "insert into ranking values (null,'$id_siswa','$ratapol)";
                $res = mysql_query($sql);
            }
        ?>

```

```
</tr>
<tr><td colspan="2"><a href="laporan.php?id=<?php echo $id_siswa;?> ">Lihat Raport
SMT 1</a></td><td><a href="laporan2.php?id=<?php echo $id_siswa;?> ">Lihat Raport SMT
2</a></td></tr>
</table>
<!-- end product-table..... -->
</form>
```

```
<div class="clear"></div>
```

```
</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
```

SOURCE CODE INPUT NILAI SISWA

```
<?php
```

```
include "conn.php";
```

```
if(isset($_POST['submit'])){
```

```
    $jumSis = $_POST['jumlah'];
```

```
    for ($i=1; $i<=$jumSis; $i++)
```

```
    {
```

```
        $id_siswa = $_POST['id_siswa'][$i];
```

```
        $nilai = $_POST['nilai'][$i];
```

```
        $id_guru = $_POST['id_guru'];
```

```
        $id_kelas = $_POST['id_kelas'];
```

```
        $id_pelajaran = $_POST['id_pelajaran'];
```

```
        $query = "insert into tbl_nilai  
values('$id_siswa','$id_pelajaran','$id_kelas','$id_guru','$nilai')";
```

```
        $hasil=mysql_query($query);
```

```
    }
```

```
    if($hasil){
```

```
        ?><script  
language="javascript">document.location.href="?page=input_nilai_selesai&id_guru=<?php  
echo $id_guru;?>&id_kelas=<?php echo $id_kelas;?>&id_pelajaran=<?php echo  
$id_pelajaran;?>";</script><?php
```

```
    }else{
```

```
        ?><script
language="javascript">document.location.href="?page=input_nilai_selesai&status=2";</script>
<?php
    }

}else{
    unset($_POST['submit']);
}

?>

<!-- start page-heading -->
<div id="page-heading">
    <h1>Input Nilai</h1>
</div>
<!-- end page-heading -->

<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
<tr>
    <th rowspan="3" class="sized"></th>
    <th class="topleft"></th>
    <td id="tbl-border-top">&nbsp;</td>
```

```

<th class="topright"></th>

<th rowspan="3" class="sized"></th>

</tr>

<tr>

<td id="tbl-border-left"></td>

<td>

<!-- start content-table-inner ..... START -->

<div id="content-table-inner">

    <?php

        if($_GET['status']=='1'){

            ?>

<div id="message-green">

<table border="0" width="100%" cellpadding="0" cellspacing="0">

<tr>

    <td class="green-left">Alhamdulillah sesuatu banget, Data berhasil disimpan :)</td>

    <td class="green-right"><a class="close-green"></a></td>

</tr>

</table>

</div>

    <?php

        }

```

```
        if($_GET['status']=='0'){
            ?>

<div id="message-red">
<table border="0" width="100%" cellpadding="0" cellspacing="0">
<tr>
    <td class="red-left">Yach data gagal di simpan, cape dech!</td>
    <td class="red-right"><a class="close-red"></a></td>
</tr>
</table>
</div>

        <?php
        }
        ?>

<!-- start product-table ..... -->

<!-- start step-holder -->
    <div id="step-holder">

        <div class="step-no-off">1</div>
```

```
<div class="step-light-left"><a href="?page=input_nilai">Pilih Mata
Pelajaran</a></div>
```

```
<div class="step-light-right">&nbsp;</div>
```

```
<div class="step-no">2</div>
```

```
<div class="step-dark-left">Input Nilai Siswa</div>
```

```
<div class="step-dark-right">&nbsp;</div>
```

```
<div class="step-no-off">3</div>
```

```
<div class="step-light-left">Selesai</div>
```

```
<div class="step-light-round">&nbsp;</div>
```

```
<div class="clear"></div>
```

```
</div>
```

```
<!-- end step-holder -->
```

```
<?php
```

```
$id_guru=$_GET['id_guru'];
```

```
$id_kelas=$_GET['id_kelas'];
```

```
$id_pelajaran=$_GET['id_pelajaran'];
```

```
$guru=mysql_fetch_array(mysql_query("select * from data_guru where
id_guru='$id_guru'"));
```

```
$kelas=mysql_fetch_array(mysql_query("select * from setup_kelas where
id_kelas='$id_kelas'"));
```

```
$pelajaran=mysql_fetch_array(mysql_query("select * from setup_pelajaran where  
id_pelajaran='$id_pelajaran'"));
```

```
$nama_guru=$guru['nama_guru'];
```

```
$nama_kelas=$kelas['nama_kelas'];
```

```
$nama_pelajaran=$pelajaran['nama_pelajaran'];
```

```
?>
```

```
<table border="0" cellpadding="0" cellspacing="0" id="id-form">  
<tr>  
  <th valign="top">Nama Guru</th>  
  <td><input type="text" class="inp-form" name="nama_siswa" value="<?php echo  
$nama_guru;?>" disabled="disabled"/></td>  
  <td></td>  
</tr>  
<tr>  
  <th valign="top">Pelajaran</th>  
  <td><input type="text" class="inp-form" name="telpon_siswa" value="<?php echo  
$nama_pelajaran;?>" disabled="disabled"/></td>  
  <td></td>  
</tr>  
<tr>  
  <th valign="top">Kelas</th>  
  <td><input type="text" class="inp-form" name="nis" value="<?php echo  
$nama_kelas;?>" disabled="disabled"/></td>
```

```
<td></td>
</tr>
</table>
<br />
```

```
<form id="mainform" action="home.php?page=input_nilai_siswa" method="post">
<table border="0" width="48%" cellpadding="0" cellspacing="0" id="product-table">
<tr>
<th width="10%" class="table-header-repeat line-left minwidth-1"><a
href="">Nomor</a> </th>
<th width="60%" class="table-header-repeat line-left minwidth-1"><a href="">Nama
Siswa</a></th>
<th width="60%" class="table-header-repeat line-left minwidth-1"><a
href="">NIS</a></th>
<th width="30%" class="table-header-repeat line-left minwidth-1"><a href="">Nilai
Siswa</a></th>
</tr>
```

```
<?php
    $view=mysql_query("SELECT * FROM tbl_ruangan ruangan, data_siswa siswa
WHERE ruangan.id_siswa=siswa.id_siswa and ruangan.id_kelas='$id_kelas' order by
siswa.nama_siswa asc");

    $i = 1;

    while($row=mysql_fetch_array($view)){
        ?>
```

```

        <input type="hidden" name="id_guru" value="<?php echo $id_guru;?>"
/>

        <input type="hidden" name="id_pelajaran" value="<?php echo
$Id_pelajaran;?>" />

        <input type="hidden" name="id_kelas" value="<?php echo $id_kelas;?>"
/>

        <?php echo "<input type='hidden' name='id_siswa'."$i."
value="."$row['id_siswa']." />"; ?>

        <tr>

            <td><?php echo $i;?></td>

            <td><?php echo $row['nama_siswa'];?></td>

            <td><?php echo $row['nis'];?></td>

            <td><?php echo "<input type='text' name='nilai'."$i." size='10'/>";
?></td>

        </tr>

        <?php
        $i++;
    }

    $jumSis = $i-1;

?>

<input type="hidden" name="jumlah" value="<?php echo $jumSis ?>" />

<tr>

    <td colspan="4" align="center"><input type="submit" onclick="return confirm('Apakah
Anda yakin?)" value="Input" name="submit"/></td>

</tr>

</table>

<!-- end product-table..... -->

```

</form>

<div class="clear"></div>

</div>

<!-- end content-table-innerEND -->

</td>

<td id="tbl-border-right"></td>

</tr>

<tr>

<th class="sized bottomleft"></th>

<td id="tbl-border-bottom"> </td>

<th class="sized bottomright"></th>

</tr>

</table>