

LAMPIRAN

SOURCE CODE SISTEM PENGELOLAAN NILAI

Lampiran 1 :Source Code Untuk menampilkan Halaman Home

```
<?php session_start();
include "conn.php";
if (isset($_POST['login'])){
    $username=$_POST['username'];
    $password=md5($_POST['password']);
    $domain=$_POST['domain'];
    if($domain=="admin"){
        $query=mysql_query("select * from user_admin where
username='$username' and password='$password'");
        $cek=mysql_num_rows($query);
        $row=mysql_fetch_array($query);
        $id_admin=$row['id_admin'];
        if($cek){
            $_SESSION['username']=$username;
            $_SESSION['id_admin']=$id_admin;
            $_SESSION['domain']=$domain;
            $_SESSION['waktu']=date("Y-m-d H:i:s");
            ?><script
language="javascript">document.location.href="home.php";</script><?php
```

Lampiran 2 :Source Code Halaman Admin Home

```
<?php
    include 'config/cek-login.php';
    include 'config/config.php';
    error_reporting(E_ALL ^ (E_NOTICE | E_WARNING));
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title></title>
<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen"
title="default" />
    <link rel="shortcut icon" href="fav.png">
    <link rel="stylesheet" href="js/morris/morris-0.4.3.min.css">
    <script type="text/javascript" src="js/highchart/jquery161.js"></script>
    <script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">
<!-- Start: page-top -->
<div id="page-top">
    <!-- start logo -->
    <div id="logo">
```

```

    <a href="index.php"></a>

    </div>

    <!-- end logo -->

</div>

<!-- End: page-top -->

</div>

<!-- End: page-top-outer -->

<div class="clear">&nbsp;</div>

<!-- start nav-outer-repeat START -->

<div class="nav-outer-repeat">

<!-- start nav-outer -->

<div class="nav-outer">

    <!-- start nav-right -->

    <div id="nav-right">

        <div class="nav-divider">&nbsp;</div>

        <a href="config/logout.php" id="logout"></a>

        <div class="clear">&nbsp;</div>

    </div>

    <!-- end nav-right -->

    <!-- start nav -->

    <div class="nav">

        <ul class="current">

            <li><a href="#"><b>Home</b></a>

                </li>

            </ul>

            <div class="nav-divider">&nbsp;</div>

            ><ul class="select">

                <li><a href="admin.php"><b>Master Data</b></a>

```

```

        </li>
    </ul>
    <!-- start nav -->
</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->
    <div class="clear"></div>
<!-- start content-outer
<!-- start content -->
<div id="content">
    <table border="0" width="100%" cellpadding="0" cellspacing="0"
id="content-table">
    <tr>
        <th rowspan="3" class="sized"></th>
        <th class="topleft"></th>
        <td id="tbl-border-top">&nbsp;</td>
        <th class="topright"></th>
        <th rowspan="3" class="sized"></th>
    </tr>
    <tr>
        <td id="tbl-border-left"></td>
        <td>
        <!-- start content-table-inner
..... START -->
        <div id="content-table-inner">
        <!-- start table-content -->

```

```
<div id="table-content">

    <?php include 'beranda.php'; ?>

</div>

<!-- end table-content -->

    <div class="clear"></div>

</div>

<!-- end content-table-inner .....END -->

</td>

<td id="tbl-border-right"></td>

</tr>

<tr>

    <th class="sized bottomleft"></th>

    <td id="tbl-border-bottom"> &nbsp;</td>

    <th class="sized bottomright"></th>

</tr>

</table>

</div>

<!-- start footer -->

<div id="footer">

<!-- <div id="footer-pad"> &nbsp;</div> -->

    <!-- start footer-left -->

    <div id="footer-left">

Administrator &copy; 2015. All rights reserved.</div>

    <!-- end footer-left -->


```

```
<div class="clear">&nbsp;</div>
</div>
<!-- end footer -->
<script src="js/jquery-1.10.2.js"></script>
<script src="js/bootstrap.js"></script>

<!-- Page Specific Plugins -->
<script src="js/morris/raphael-min.js"></script>
<script src="js/morris/morris-0.4.3.min.js"></script>
<script src="js/morris/chart-data-morris.js"></script>
<script src="js/highchart/highcharts.js"></script>
<script src="js/highchart/modules/exporting.js"></script>
<script src="js/tablesorter/jquery.tablesorter.js"></script>
<script src="js/tablesorter/tables.js"></script>
</body>
</html>
```

Lampiran 3 :Source Code Halaman Mata Pelajaran

```
<?php
require 'koneksi.php';
include 'config/cek-login.php';
error_reporting(E_ALL ^ (E_NOTICE | E_WARNING));
koneksi_buka();

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>SMP 3 SLAHUNG PONOROGO</title>

<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen"
title="default" />
<link href="css/bootstrap.min.css" rel="stylesheet" media="screen">
<link rel="shortcut icon" href="fav.png">

<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>

</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">

<!-- Start: page-top -->
<div id="page-top">

<!-- start logo -->
<div id="logo">
<a href="index.php"></a>
</div>
<!-- end logo -->
</div>
<!-- End: page-top -->

</div>
<!-- End: page-top-outer -->

<div class="clear">&nbsp;</div>

<!-- start nav-outer-repeat START -->
<div class="nav-outer-repeat">
<!-- start nav-outer -->
<div class="nav-outer">
```

```

<!-- start nav-right -->
<div id="nav-right">

    <div class="nav-divider">&nbsp;</div>
    <a href="config/logout.php" id="logout"></a>
    <div class="clear">&nbsp;</div>

</div>
<!-- end nav-right -->

<!-- start nav -->
<div class="nav">

<ul class="select">
<li><a href="index.php"><b>Home</b></a>
</li>
</ul>
<div class="nav-divider">&nbsp;</div>

<ul class="current">
<li><a href="admin.php"><b>Mater Data</b></a>
</li>
</ul>

<!-- start nav -->

</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->

<div class="clear"></div>

<!-- start content-outer
.....START -->
<!-- start content -->
<div id="content">

<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-
table">
<tr>
<th rowspan="3" class="sized"></th>
<th class="topleft"></th>

```



```

        <td id="tbl-border-top">&nbsp;</td>
        <th class="topright"></th>
        <th
            rowspan="3"
            class="sized"></th>
    </tr>
    <tr>
        <td id="tbl-border-left"></td>
        <td>
            <!-- start content-table-inner .....
START -->
            <div id="content-table-inner">

                <!-- start table-content -->
                <div id="table-content">
                    <div id="step-holder">
                    <table width="100%" ><tr><td>
                    <ul class="nav nav-tabs" style="width:100%">
                        <li>
                            <a href="admin.php">Admin</a>
                        </li>
                        <li><a href="guruu.php">Guru</a></li>
                        <li><a href="Siswa.php">Siswa</a></li>
                        <li><a href="kelass.php">Kelas</a></li>
                        <li class="active"><a href="mapell.php"><b>Pelajaran</b></a></li>
                        <li><a href="jadwalruang.php">Jadwal Ruang Kelas</a></li>
                        <li><a
                            href="jadwal.php">Jadwal
                            Pengajaran</a></li><li><a
href="nilai.php">Nilai</a></li>
                        <li><a href="cetak.php">Raport</a></li>
                    </ul></td></tr>
                    <tr><td>
                        <!--<div class="step-no">#</div>
                        <div class="step-dark-left">
                            Data Pertanyaan
                        </div>
                        <div class="step-dark-round">
                        </div>-->
                    </td></tr></table>
                    </div>

                    <a href="#dialog-pertanyaan" id="0" class="btn tambah" data-
toggle="modal">
                        <i class="icon-plus"></i> Tambah Data
                    </a> <br><br>
                    <!-- tempat untuk menampilkan data pertanyaan -->
                    <div id="data-pertanyaan"></div>
                    <!-- awal untuk modal dialog -->
                    <div id="dialog-pertanyaan" class="modal hide fade" tabindex="-1" role="dialog"
aria-labelledby="myModalLabel" aria-hidden="true">
                    <div class="modal-header">

```

```

        <button type="button" class="close" data-dismiss="modal" aria-
hidden="true">×</button>
        <h3 id="myModalLabel">Tambah Data Admin</h3>
    </div>
    <!-- tempat untuk menampilkan form pertanyaan -->
    <div class="modal-body"></div>
    <div class="modal-footer">
        <button class="btn btn-danger" data-dismiss="modal" aria-
hidden="true">Batal</button>
        <button id="simpan-pertanyaan" class="btn btn-success">Simpan</button>
    </div>
</div>
<!-- akhir kode modal dialog -->

        </div>
        <!-- end table-content -->

        <div class="clear"></div>

    </div>
    <!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
    <th class="sized bottomleft"></th>
    <td id="tbl-border-bottom"> &nbsp;</td>
    <th class="sized bottomright"></th>
</tr>
</table>
</div>

<!-- start footer -->
<div id="footer">
<!-- <div id="footer-pad"> &nbsp;</div> -->
    <!-- start footer-left -->
    <div id="footer-left">
Administrator &copy; 2015. All rights reserved.</div>
    <!-- end footer-left -->
    <div class="clear"> &nbsp;</div>
</div>
<!-- end footer -->

<!-- memanggil berkas javascript yang dibutuhkan -->
<script src="js/jquery-1.8.3.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="mapell.js"></script>

<?php

```

```
// tutup koneksi ke database mysql
koneksi_tutup();
?>

</body>
</html>
```

Lampiran 4 :Source Code Halaman Nilai Siswa

```
<?php
require 'koneksi.php';

    include 'config/cek-login.php';

    error_reporting(E_ALL ^ (E_NOTICE | E_WARNING));

koneksi_buka();

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />

<title>SMP 3 SLAHUNG PONOROGO</title>

<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen"
title="default" />

<link href="css/bootstrap.min.css" rel="stylesheet" media="screen">

<link rel="shortcut icon" href="fav.png">

<!-- jquery core -->

<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>

</head>

<body>

<!-- Start: page-top-outer -->

<div id="page-top-outer">

<!-- Start: page-top -->
```

```
<div id="page-top">

    <!-- start logo -->
    <div id="logo">
        <a href="index.php"></a>
    </div>
    <!-- end logo -->
</div>
<!-- End: page-top -->

</div>
<!-- End: page-top-outer -->

<div class="clear">&nbsp;</div>

<!-- start nav-outer-repeat START -->
<div class="nav-outer-repeat">
    <!-- start nav-outer -->
    <div class="nav-outer">

        <!-- start nav-right -->
        <div id="nav-right">

            <div class="nav-divider">&nbsp;</div>
            <a href="config/logout.php" id="logout"></a>
            <div class="clear">&nbsp;</div>

        </div>
    </div>
</div>
```

```
<!-- end nav-right -->

<!-- start nav -->
<div class="nav">
<ul class="select">
  <li><a href="index.php"><b>Home</b></a>
  </li>
</ul>
<div class="nav-divider"> &nbsp;</div>

  <ul class="current">
  <li><a href="admin.php"><b>Mater Data</b></a>
  </li>
</ul>

  <!-- start nav -->

</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->

<div class="clear"></div>

<!-- start content-outer
.....START -
->
<!-- start content -->
```

```

<div id="content">

    <table border="0" width="100%" cellpadding="0" cellspacing="0"
id="content-table">

        <tr>

            <th rowspan="3" class="sized"></th>

            <th class="topleft"></th>

            <td id="tbl-border-top">&nbsp;</td>

            <th class="topright"></th>

            <th rowspan="3" class="sized"></th>

        </tr>

        <tr>

            <td id="tbl-border-left"></td>

            <td>

                <!-- start content-table-inner
..... START -->

                <div id="content-table-inner">

                    <!-- start table-content -->

                    <div id="table-content">

                        <div id="step-holder">

                            <table width="100%" ><tr><td>

                                <ul class="nav nav-tabs" style="width:100%">

                                    <li>

                                        <a href="admin.php">Admin</a>

                                    </li>

                                    <li><a href="guruu.php">Guru</a></li>

                                    <li><a href="Siswa.php">Siswa</a></li>

```

```

<li><a href="kelas.php">Kelas</a></li>
<li><a href="mapell.php">Pelajaran</a></li>
<li><a href="jadwalruang.php">Jadwal Ruang Kelas</a></li>
<li><a href="jadwal.php">Jadwal Pengajaran</a></li><li
class="active"><a href="nilai.php"><b>Nilai</b></a></li>
<li><a href="cetak.php">Raport</a></li>
</ul></td></tr>
<tr><td>
    <!--<div class="step-no">#</div>
    <div class="step-dark-left">
        Data Pertanyaan
    </div>
    <div class="step-dark-round">
        </div>-->
</td></tr></table>
</div>
        <br><br>
        <!-- tempat untuk menampilkan data pertanyaan -->
        <div id="data-pertanyaan"></div>
        <!-- awal untuk modal dialog -->
<div id="dialog-pertanyaan" class="modal hide fade" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel" aria-hidden="true">
    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-
hidden="true">×</button>
        <h3 id="myModalLabel">Tambah Data Nilai</h3>
    </div>
    <!-- tempat untuk menampilkan form pertanyaan -->
    <div class="modal-body"></div>
    <div class="modal-footer">

```



```

        <button class="btn btn-danger" data-dismiss="modal" aria-
hidden="true">Batal</button>

        <button id="simpan-pertanyaan" class="btn btn-
success">Simpan</button>

    </div>
</div>
<!-- akhir kode modal dialog -->

        </div>

        <!-- end table-content -->

        <div class="clear"></div>

    </div>

    <!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
    <th class="sized bottomleft"></th>
    <td id="tbl-border-bottom">&nbsp;</td>
    <th class="sized bottomright"></th>
</tr>
</table>

</div>

<!-- start footer -->
<div id="footer">
<!-- <div id="footer-pad">&nbsp;</div> -->

```

```
<!-- start footer-left -->
<div id="footer-left">
Administrator &copy; 2015. All rights reserved. </div>
<!-- end footer-left -->
<div class="clear">&nbsp;</div>
</div>
<!-- end footer -->

<!-- memanggil berkas javascript yang dibutuhkan -->
<script src="js/jquery-1.8.3.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="nilai.js"></script>

<?php

// tutup koneksi ke database mysql
koneksi_tutup();
?>
</body>
</html>
```

Lampiran 5 :Source Code Halaman Guru

```
<?php
require 'koneksi.php';

    include 'config/cek-login.php';

    error_reporting(E_ALL ^ (E_NOTICE | E_WARNING));

koneksi_buka();

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />

<title>SMP 3 SLAHUNG PONOROGO</title>

<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen"
title="default" />

<link href="css/bootstrap.min.css" rel="stylesheet" media="screen">

<link rel="shortcut icon" href="fav.png">

<!-- jquery core -->

<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>

</head>

<body>

<!-- Start: page-top-outer -->

<div id="page-top-outer">

<!-- Start: page-top -->
```

```
<div id="page-top">

    <!-- start logo -->
    <div id="logo">
        <a href="index.php"></a>
    </div>
    <!-- end logo -->
</div>
<!-- End: page-top -->

</div>
<!-- End: page-top-outer -->

<div class="clear">&nbsp;</div>

<!-- start nav-outer-repeat START -->
<div class="nav-outer-repeat">
    <!-- start nav-outer -->
    <div class="nav-outer">

        <!-- start nav-right -->
        <div id="nav-right">

            <div class="nav-divider">&nbsp;</div>
            <a href="config/logout.php" id="logout"></a>
            <div class="clear">&nbsp;</div>

        </div>
    </div>
</div>
<!-- End: nav-outer-repeat -->
</div>
```

```
<!-- end nav-right -->

<!-- start nav -->
<div class="nav">
  <ul class="select">
<li><a href="index.php"><b>Home</b></a>
  </li>
</ul>
<div class="nav-divider"> &nbsp;</div>

  <ul class="current">
<li><a href="admin.php"><b>Mater Data</b></a>
  </li>
</ul>

  <!-- start nav -->

</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->

<div class="clear"></div>

<!-- start content-outer
.....START -
->
<!-- start content -->
```

```

<div id="content">

    <table border="0" width="100%" cellpadding="0" cellspacing="0"
id="content-table">

        <tr>

            <th rowspan="3" class="sized"></th>

            <th class="topleft"></th>

            <td id="tbl-border-top">&nbsp;</td>

            <th class="topright"></th>

            <th rowspan="3" class="sized"></th>

        </tr>

        <tr>

            <td id="tbl-border-left"></td>

            <td>

                <!-- start content-table-inner
..... START -->

                <div id="content-table-inner">

                    <!-- start table-content -->

                    <div id="table-content">

                        <div id="step-holder">

                            <table width="100%" ><tr><td>

                                <ul class="nav nav-tabs" style="width:100%">

                                    <li>

                                        <a href="admin.php">Admin</a>

                                    </li>

                                    <li class="active"><a href="guruu.php"><b>Guru</b></a></li>

                                    <li><a href="siswa.php">Siswa</a></li>

```

```

<li><a href="kelas.php">Kelas</a></li>
<li><a href="mapell.php">Pelajaran</a></li>
<li><a href="jadwalruang.php">Jadwal Ruang Kelas</a></li>
<li><a href="jadwal.php">Jadwal Pengajaran</a></li><li><a
href="nilai.php">Nilai</a></li>
    <li><a href="cetak.php">Raport</a></li>
</ul></td></tr>
<tr><td>
    <!--<div class="step-no">#</div>
    <div class="step-dark-left">
        Data Pertanyaan
    </div>
    <div class="step-dark-round">
        <div>-->
    </div></tr></table>
</div>

    <a href="#dialog-pertanyaan" id="0" class="btn tambah"
data-toggle="modal">
        <i class="icon-plus"></i> Tambah Data
    </a> <br><br>
    <!-- tempat untuk menampilkan data pertanyaan -->
    <div id="data-pertanyaan"></div>
    <!-- awal untuk modal dialog -->
<div id="dialog-pertanyaan" class="modal hide fade" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel" aria-hidden="true">
    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-
hidden="true">×</button>
        <h3 id="myModalLabel">Tambah Data Admin</h3>

```

```

</div>
<!-- tempat untuk menampilkan form pertanyaan -->
<div class="modal-body"></div>
<div class="modal-footer">
    <button class="btn btn-danger" data-dismiss="modal" aria-
hidden="true">Batal</button>
    <button id="simpan-pertanyaan" class="btn btn-
success">Simpan</button>
</div>
</div>
<!-- akhir kode modal dialog -->

    </div>
    <!-- end table-content -->

    <div class="clear"></div>

</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
    <th class="sized bottomleft"></th>
    <td id="tbl-border-bottom"> &nbsp;</td>
    <th class="sized bottomright"></th>
</tr>
</table>
</div>

```



```

<!-- start footer -->
<div id="footer">
<!-- <div id="footer-pad"> &nbsp;</div> -->
    <!-- start footer-left -->
    <div id="footer-left">
Administrator &copy; 2015. All rights reserved.</div>
    <!-- end footer-left -->
    <div class="clear"> &nbsp;</div>
</div>
<!-- end footer -->

<!-- memanggil berkas javascript yang dibutuhkan -->
<script src="js/jquery-1.8.3.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="guruu.js"></script>

<?php

// tutup koneksi ke database mysql
koneksi_tutup();
?>

</body>
</html>

```

Lampiran 6 :Source Code Halaman Data Siswa

```
<?php
require 'koneksi.php';
    include 'config/cek-login.php';
    error_reporting(E_ALL ^ (E_NOTICE | E_WARNING));
koneksi_buka();
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>SMP 3 SLAHUNG PONOROGO</title>

<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen"
title="default" />
<link href="css/bootstrap.min.css" rel="stylesheet" media="screen">
<link rel="shortcut icon" href="fav.png">

<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>

</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">

<!-- Start: page-top -->
<div id="page-top">
```

```

<!-- start logo -->
<div id="logo">
<a href="index.php"></a>
</div>
<!-- end logo -->
</div>
<!-- End: page-top -->

</div>
<!-- End: page-top-outer -->

<div class="clear"> &nbsp;</div>

<!-- start nav-outer-repeat START -->
<div class="nav-outer-repeat">
<!-- start nav-outer -->
<div class="nav-outer">

    <!-- start nav-right -->
    <div id="nav-right">

        <div class="nav-divider"> &nbsp;</div>
        <a href="config/logout.php" id="logout"></a>
        <div class="clear"> &nbsp;</div>

    </div>
<!-- end nav-right -->

```

```
<!-- start nav -->
<div class="nav">

    <ul class="select">
<li><a href="index.php"><b>Home</b></a>
    </li>
</ul>
<div class="nav-divider"> &nbsp;</div>

    <ul class="current">
<li><a href="admin.php"><b>Mater Data</b></a>
    </li>
</ul>

<!-- start nav -->

</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->

<div class="clear"></div>

<!-- start content-outer
.....START -
->
<!-- start content -->
```

```

<div id="content">

    <table border="0" width="100%" cellpadding="0" cellspacing="0"
id="content-table">

        <tr>

            <th rowspan="3" class="sized"></th>

            <th class="topleft"></th>

            <td id="tbl-border-top">&nbsp;</td>

            <th class="topright"></th>

            <th rowspan="3" class="sized"></th>

        </tr>

        <tr>

            <td id="tbl-border-left"></td>

            <td>

                <!-- start content-table-inner
..... START -->

                <div id="content-table-inner">

                    <!-- start table-content -->

                    <div id="table-content">

                        <div id="step-holder">

                            <table width="100%" ><tr><td>

                                <ul class="nav nav-tabs" style="width:100%">

                                    <li>

                                        <a href="admin.php">Admin</a>

                                    </li>

                                    <li><a href="guruu.php">Guru</a></li>

                                    <li class="active"><a href="Siswa.php"><b>Siswa</b></a></li>

```

```

<li><a href="kelas.php">Kelas</a></li>
<li><a href="mapell.php">Pelajaran</a></li>
<li><a href="jadwalruang.php">Jadwal Ruang Kelas</a></li>
<li><a href="jadwal.php">Jadwal Pengajaran</a></li><li><a
href="nilai.php">Nilai</a></li>
<li><a href="cetak.php">Raport</a></li>
</ul></td></tr>
<tr><td>
    <!--<div class="step-no">#</div>
    <div class="step-dark-left">
        Data Pertanyaan
    </div>
    <div class="step-dark-round">
        </div>-->
</td></tr></table>
</div>

    <a href="#dialog-pertanyaan" id="0" class="btn tambah"
data-toggle="modal">
        <i class="icon-plus"></i> Tambah Data
    </a> <br><br>
<!-- tempat untuk menampilkan data pertanyaan -->
    <div id="data-pertanyaan"></div>
<!-- awal untuk modal dialog -->
<div id="dialog-pertanyaan" class="modal hide fade" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel" aria-hidden="true">
    <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-
hidden="true">×</button>
        <h3 id="myModalLabel">Tambah Data Admin</h3>

```

```

</div>
<!-- tempat untuk menampilkan form pertanyaan -->
<div class="modal-body"></div>
<div class="modal-footer">
    <button class="btn btn-danger" data-dismiss="modal" aria-
hidden="true">Batal</button>
    <button id="simpan-pertanyaan" class="btn btn-
success">Simpan</button>
</div>
</div>
<!-- akhir kode modal dialog -->

</div>
<!-- end table-content -->

<div class="clear"></div>

</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom"> &nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
</div>

```

```

<!-- start footer -->
<div id="footer">
<!-- <div id="footer-pad"> &nbsp;</div> -->
    <!-- start footer-left -->
    <div id="footer-left">
Administrator &copy; 2015. All rights reserved.</div>
    <!-- end footer-left -->
    <div class="clear"> &nbsp;</div>
</div>
<!-- end footer -->

<!-- memanggil berkas javascript yang dibutuhkan -->
<script src="js/jquery-1.8.3.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="siswa.js"></script>

<?php

// tutup koneksi ke database mysql
koneksi_tutup();
?>

</body>
</html>

```