

LAMPIRAN

Script program halaman utama user

```
<?php
include('koneksi/koneksi.php');
include('header.php'); ?> <?php

$page      = $_REQUEST['page'];

if ($page=="$page")
{
    if($_GET['kd_b'])
    {
        include "page/berita_full.php";
    }
    else if(file_exists ("page/$page.php"))
    {
        include "page/$page.php";
    }
    else
    {
        //apabila file program tidak ada
        include('page/home.php');
    }
} else {
    include('page/home.php');
}

if ($page=="home" OR $page=="berita" OR $page=="profile"
OR $page=="buku_tamu") {
    include('sidebar.php');
} else if ($page=="kebutuhan" or
$page=="view_grafik"){ } else {
    include('sidebar.php');
}

include('side_bawah.php');
include('footer.php'); ?>
```

Script program halaman berita

```
<?php
include('admin/session.php');
if ($_SESSION['userAdmin']) {
include('header_admin.php'); ?>

<style type='text/css'>
table tbody td{
    vertical-align:top; border-
collapse:collapse; border-
left:1px solid #999999; border-
right:1px solid #999999;
    }
</style>

<?php
if (!function_exists("GetSQLValueString")) {
function GetSQLValueString($theValue, $theType, $theDefinedValue =
"", $theNotDefinedValue = "")
{
    $theValue = get_magic_quotes_gpc() ? stripslashes($theValue)
: $theValue;

    $theValue = function_exists("mysql_real_escape_string") ?
mysql_real_escape_string($theValue) : mysql_escape_string($theValue);

    switch ($theType) {
        case "text":
            $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";
            break;
        case "long":
        case "int":
            $theValue = ($theValue != "") ? intval($theValue) : "NULL";
            break;
        case "double":
            $theValue = ($theValue != "") ? "'" . doubleval($theValue) . "'"
: "NULL";
            break;
        case "date":
            $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";
```

```

        break;
    case "defined":
        $theValue = ($theValue != "") ? $theDefinedValue :
$theNotDefinedValue;
        break;
    }
    return $theValue;
}
}
}

```

```

mysql_select_db($database_conn);
$query_admin = "SELECT
artikel.kode_artikel,artikel.judul_artikel,left(isi_artikel,250)as
isi_artikel,artikel.tgl_posting,artikel.dibaca
FROM artikel ORDER BY tgl_posting DESC";
$admin = mysql_query($query_admin) or die(mysql_error());
$row_admin = mysql_fetch_assoc($admin);
$totalRows_admin = mysql_num_rows($admin);
?>

```

<!-- content begins -->

```
<div id="content" style="width:950px;">
```

```
<h1>Daftar Berita</h1>
```

```
<p><a href="berita_tambah.php">Tambah Berita</a> </p>
```

```
<table width="101%" border="0">
```

```
<thead>
```

```
<tr>
```

```
<th width="5%">Tgl Posting</th>
```

```
<th width="10%">Judul</th>
```

```
<th width="26%">Isi Berita</th>
```

```
<th width="5%">dibaca</th> <th
```

```
width="11%">Aksi</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php do { $i++;
```

```
if ($i % 2){
```

```
    echo"<tr class=light>";
```

```
    } else {
```

```
        echo"<tr class=dark>";
```

```
    } ?>
```

```

        <td><div align="center"><?php echo $row_admin['tgl_posting'];
?></div></td>

        <td><div align="center"><?php echo $row_admin['judul_artikel'];
?></div></td>

        <td><div align="center"><?php echo $row_admin['isi_artikel'];
?></div></td>

        <td><div align="center"><?php echo $row_admin['dibaca'];
?> kali</div></td>

        <td><div align="center"><a
href="berita_edit.php?id_admin=<?php echo $row_admin['kode_artikel'];
?>">Edit | </a><a href="admin/berita_hapus.php?id_admin=<?php echo
$row_admin['kode_artikel']; ?>">Hapus | </a><a
href="berita_detail.php?id_admin=<?php echo
$row_admin['kode_artikel']; ?>">Detail </div></td>
</tr>

<?php } while ($row_admin = mysql_fetch_assoc($admin)); ?>
</tbody>

</table>

<?php
mysql_free_result($admin);
?>

</div>

<?php

include('footer.php');
} else {
echo " <script>
        location.replace('admin.php');
</script>";
}
?>

```

Script program halaman produk

```
<?php
if ($_GET['bln'] && $_GET['thn'] &&
    $_GET['np']){ $bln= $_GET['bln'];
    $thn= $_GET['thn'];
    $np = $_GET['np'];

} else if (empty($np) && $_GET['bln'] && $_GET['thn']){
    $bln= $_GET['bln'];
    $thn= $_GET['thn'];
    $np="";
} else {
    $bln= date("m");
    $thn= date("Y");
    $np =$_POST['np'];
}
$bln_ini= date("m");
$thn_ini= date("Y");
?>
<!-- content begins -->
<div id="content" style="width:950px;">

        <h1>Tabel Harga Produk Kebutuhan
Pokok</h1>

        <div id="respond">
        <a
href="index.php?page=view_grafik">Klik Disini untuk
melihat Grafik</a>

        <form action="index.php?page=kebutuhan"
method="post" name="">

        <p align=center>
                Nama Produk: <input type="text"
name="np" value="<?php echo $np;?>">
                <select name="bln">
                        <option
value="01">Januari</option>
                        <option
value="02">Februari</option>
```

```

value="03">Maret</option>
value="04">April</option>
value="05">Mei</option>
value="06">Juni</option>
value="07">Juli</option>
value="08">Agustus</option>
value="09">September</option>
value="10">Oktober</option>
value="11">November</option>
value="12">Desember</option>
</select>

<select name="thn">
<?php
$min=$thn-7;
for($a=$min; $a<=$thn; $a++){
    echo "<option value='$a' "; if
($a=="$thn_ini") {echo "selected";} echo ">$a</option>";
} ?>
</select>

<input name="cari" type="submit"
id="submit" value="Tampil" />
</p>
</form>
</div>
<br><br>

```

```

<?php
if ($_POST['cari']) {

```

```

        $bln=$_POST['bln'];
        $thn=$_POST['thn'];
        $np=$_POST['np'];
    }

    if ($bln=="01") {
        $bl="Januari";
    } else if ($bln=="02") {
        $bl="Februai";
    } else if ($bln=="03")
        { $bl="Maret";
    } else if ($bln=="04")
        { $bl="April";
    } else if ($bln=="05")
        { $bl="Mei";
    } else if ($bln=="06")
        { $bl="Juni";
    } else if ($bln=="07")
        { $bl="Juli";
        } else if ($bln=="08")
        { $bl="Agustus"; } else
        if ($bln=="09") {
            $bl="September";
        } else if ($bln=="10") {
            $bl="Oktober";
        } else if ($bln=="11") {
            $bl="November";
        } else if ($bln=="12") {
            $bl="Desember";
        }
    }

    $query=mysql_query("SELECT kd_keb FROM keb_pokok LIMIT
1");

    $data_keb= mysql_fetch_array($query);
    $kd_keb= $data_keb['kd_keb'];

    $result=mysql_query("SELECT * FROM keb_pokok"); //output
    if (empty($np)){
        $sql = "SELECT * FROM harga_keb WHERE
kd_keb='$kd_keb' AND bln='$bln' AND thn='$thn' ORDER BY tgl";
    } else {

```

```
        $sql = "SELECT * FROM harga_keb, keb_pokok WHERE
harga_keb.kd_keb=keb_pokok.kd_keb AND harga_keb.kd_keb='$kd_keb'
AND harga_keb.bln='$bln' AND harga_keb.thn='$thn' ORDER BY
harga_keb.tgl!";
    }
    $jumlahData=mysql_num_rows(mysql_query($sql));
```

```
?>
```

```
<style type='text/css'>
table tbody td{
    vertical-align:top; border-
collapse:collapse; border-
left:1px solid #999999; border-
right:1px solid #999999;
}
</style>
```

```
<?php
if (empty($jumlahData)) {
    echo"<p align=center style='text-decoration:blink;' ><font
color=red>Data Tidak Ditemukan</font></p>";
} else {
?>
```

```
<iframe src="page/tabel.php?<?php
echo"bln=$bln&&thn=$thn&&np=$np";?>" width="100%"
height="450px">
```

```
</iframe>
```

```
<?php } ?>
```

```
</br>
```

```
<br><br>
```

```
<?php
if (empty($np)) {
if ($_GET['grafik_kd'] && $_GET['bln'] && $_GET['thn']) {?>
```

```
<iframe src="page/grafik_1.php?grafik_kd=<?php
echo"$_GET[grafik_kd]&&bln=$_GET[bln]&&thn=$_GET[thn]&&np=$_
_GET[np]";?>" width="100%" scrolling="no" height="400px">
```

```
</iframe>
```

```
<?php
```

```
}
```

```
} else {
```

```
if($_GET['grafik_kd'] && $_GET['bln'] && $_GET['thn'] &&
$_GET['np']) {?>
```

```
<iframe src="page/grafik_1.php?grafik_kd=<?php
echo"$_GET[grafik_kd]&&bln=$_GET[bln]&&thn=$_GET[thn]&&np=$_
_GET[np]";?>" width="100%" scrolling="no" height="400px">
```

```
</iframe>
```

```
<?php
```

```
}
```

```
} ?>
```

```
</div>
```

Script program halaman profil

```
<div id="content">

    <h1>Profile</h1>
    
    <p align="justify"> </p>
    <p align="justify"> </p>
<div id="content">
    
    <p align="justify"> </p>
<p align="justify"></p>
<p align="justify"></p>
<p align="justify"></p>
    
<p align="justify"></p>
<p align="justify"></p>
</div>

</div>
```

Script program halaman suara anda

```
<!-- content begins -->
    <div id="content">
        <h1>Suara Anda</h1>
    <div id="respond">

<?php
if (isset($_POST['submit']))
{

    $tanggal= date("d-m-Y g:i.s");

    $nama=htmlentities($_POST['nama']);
    $email=htmlentities($_POST['email']);
    $pesan=$_POST['pesan'];
```

```

$rand=htmlentities($_POST['rand']);
$captcha=htmlentities($_POST['captcha']);

$sql1 = "SELECT max(id_bt) as maxID FROM buku_tamu";
$query1 = mysql_query($sql1) ;
$data1 = mysql_fetch_array($query1) ;
$SidMax = $data1['maxID'] +1 ; //id Maksimal dari tabel
pendaftaran_online

if ($nama=="" or $email=="" or $pesan=="")
{
    echo "<script>
document.location.href='index.php?page=buku_tamu&&status=Data
Anda belum lengkap!'; </script>";
} else {
    $query=mysql_query("INSERT INTO buku_tamu
VALUES('$SidMax','$nama','$email','$pesan','$tanggal)");
    if ($query)
    {
        echo "<script>
document.location.href='index.php?page=buku_tamu&&status=Data
Anda berhasil disimpan'; </script>";
    }
}
} else {
    unset($_POST['submit']);
}
?>

<form action="index.php?page=buku_tamu"
method="post" name="formkomen"><br>
<p align="center"><font color='#0066FF' face='verdana'
size='2'><blink><?php echo $_GET['status'] ?></blink></font></p>
<p>
<input type="text" name="nama" id="name" value="" size="22"
/>
<label for="name"><small>Name (required)</small></label>
</p>
<p>

```

```

        <input type="text" name="email" id="name" value="" size="22"
/>
        <label for="name"><small>Email (required)</small></label>
</p>
        <p>
            <textarea name="pesan" id="comment"
cols="100%" rows="10"></textarea>
            <label for="comment"
style="display:none;"><small>Testimoni (required)</small></label>
        </p>
        <p>
            <input name="submit" type="submit" id="submit" value="Submit
Form" />
            &nbsp;
            <input name="reset" type="reset" id="reset" tabindex="5"
value="Reset Form" />
        </p>
    </form>
</div>
<?php include "buku_tamu_view.php" ?>

</div>

```

Script program halaman LOGIN ADMIN

```

<title>LOGIN ADMIN</title>
<style>

html, body
{
    height: 100%;
}

body
{
    font: 12px 'Lucida Sans Unicode', 'Trebuchet MS', Arial, Helvetica;
    margin: 0;
}

```

```
background-color: #d9dee2;
background-image: -webkit-gradient(linear, left top, left bottom,
from(#ebee2), to(#d9dee2));
background-image: -webkit-linear-gradient(top, #ebee2, #d9dee2);
background-image: -moz-linear-gradient(top, #ebee2, #d9dee2);
background-image: -ms-linear-gradient(top, #ebee2, #d9dee2);
background-image: -o-linear-gradient(top, #ebee2, #d9dee2);
background-image: linear-gradient(top, #ebee2, #d9dee2);
}
```

```
/*-----*/
```

```
#login
```

```
{
background-color: #fff;
background-image: -webkit-gradient(linear, left top, left bottom,
from(#fff), to(#eee));
background-image: -webkit-linear-gradient(top, #fff, #eee);
background-image: -moz-linear-gradient(top, #fff, #eee);
background-image: -ms-linear-gradient(top, #fff, #eee);
background-image: -o-linear-gradient(top, #fff, #eee);
background-image: linear-gradient(top, #fff, #eee);

height: 240px;
width: 400px;

margin: -150px 0 0 -230px;
padding: 30px;

position: absolute;
top: 50%;

left: 50%;
z-index: 0;

-moz-border-radius: 3px; -
webkit-border-radius: 3px;
border-radius: 3px; -
webkit-box-shadow:
0 0 2px rgba(0, 0, 0, 0.2),
0 1px 1px rgba(0, 0, 0, .2),
0 3px 0 #fff,
0 4px 0 rgba(0, 0, 0, .2),
0 6px 0 #fff,
0 7px 0 rgba(0, 0, 0, .2);
-moz-box-shadow:
```

```
    0 0 2px rgba(0, 0, 0, 0.2),
    1px 1px 0 rgba(0, 0, 0, .1),
    3px 3px 0 rgba(255, 255, 255, 1),
    4px 4px 0 rgba(0, 0, 0, .1),
    6px 6px 0 rgba(255, 255, 255, 1),
    7px 7px 0 rgba(0, 0, 0, .1);
box-shadow:
    0 0 2px rgba(0, 0, 0, 0.2),
    0 1px 1px rgba(0, 0, 0, .2),
    0 3px 0 #fff,
    0 4px 0 rgba(0, 0, 0, .2),
    0 6px 0 #fff,
    0 7px 0 rgba(0, 0, 0, .2);
}
```

```
#login:before
{
    content: "";
    position: absolute;
    z-index: -1;
    border: 1px dashed #ccc;
    top: 5px;
    bottom: 5px;
    left: 5px;
    right: 5px;
    -moz-box-shadow: 0 0 0 1px #fff; -
    webkit-box-shadow: 0 0 0 1px #fff;
    box-shadow: 0 0 0 1px #fff;
}
```

```
/*-----*/
```

```
h1
{
    text-shadow: 0 1px 0 rgba(255, 255, 255, .7), 0px 2px 0 rgba(0, 0, 0,
.5);
    text-transform: uppercase;
    text-align: center;
    color: #666;
    margin: 0 0 30px 0;
    letter-spacing: 4px;
```

```

    font: normal 26px/1 Verdana, Helvetica;
    position: relative;
}

h1:after, h1:before
{
    background-color: #777;
    content: "";
    height: 1px;
    position: absolute;
    top: 15px;
    width: 120px;
}

h1:after
{
    background-image: -webkit-gradient(linear, left top, right top,
from(#777), to(#fff));
    background-image: -webkit-linear-gradient(left, #777, #fff);
    background-image: -moz-linear-gradient(left, #777, #fff);
    background-image: -ms-linear-gradient(left, #777, #fff);
    background-image: -o-linear-gradient(left, #777, #fff);
    background-image: linear-gradient(left, #777, #fff);
    right: 0;
}

h1:before
{
    background-image: -webkit-gradient(linear, right top, left top,
from(#777), to(#fff));
    background-image: -webkit-linear-gradient(right, #777, #fff);
    background-image: -moz-linear-gradient(right, #777, #fff);
    background-image: -ms-linear-gradient(right, #777, #fff);
    background-image: -o-linear-gradient(right, #777, #fff);
    background-image: linear-gradient(right, #777, #fff);
    left: 0;
}

/*-----*/

fieldset

```

```

{
    border: 0;
    padding: 0;
    margin: 0;
}

/*-----*/

#inputs input
{
    background: #f1f1f1 url(http://www.red-team-design.com/wp-
content/uploads/2011/09/login-sprite.png) no-repeat;
    padding: 15px 15px 15px 30px;
    margin: 0 0 10px 0;
    width: 353px; /* 353 + 2 + 45 = 400 */
    border: 1px solid #ccc; -moz-border-
radius: 5px; -webkit-border-radius:
5px; border-radius: 5px;

    -moz-box-shadow: 0 1px 1px #ccc inset, 0 1px 0 #fff; -
webkit-box-shadow: 0 1px 1px #ccc inset, 0 1px 0 #fff;
    box-shadow: 0 1px 1px #ccc inset, 0 1px 0 #fff;
}

#username
{
    background-position: 5px -2px !important;
}

#password
{
    background-position: 5px -52px !important;
}

#inputs input:focus
{
    background-color: #fff;
    border-color: #e8c291;
    outline: none;

    -moz-box-shadow: 0 0 0 1px #e8c291 inset; -
webkit-box-shadow: 0 0 0 1px #e8c291 inset;
}

```

```
    box-shadow: 0 0 0 1px #e8c291 inset;
}

/*-----*/
#actions
{
    margin: 25px 0 0 0;
}

#submit
{
    background-color: #ffb94b;
    background-image: -webkit-gradient(linear, left top, left bottom,
from(#fddb6f), to(#ffb94b));
    background-image: -webkit-linear-gradient(top, #fddb6f, #ffb94b);
    background-image: -moz-linear-gradient(top, #fddb6f, #ffb94b);
    background-image: -ms-linear-gradient(top, #fddb6f, #ffb94b);
    background-image: -o-linear-gradient(top, #fddb6f, #ffb94b);
    background-image: linear-gradient(top, #fddb6f, #ffb94b);

    -moz-border-radius: 3px; -
    webkit-border-radius: 3px;
    border-radius: 3px;

    text-shadow: 0 1px 0 rgba(255,255,255,0.5);

    -moz-box-shadow: 0 0 1px rgba(0, 0, 0, 0.3), 0 1px 0 rgba(255,
255, 255, 0.3) inset;
    -webkit-box-shadow: 0 0 1px rgba(0, 0, 0, 0.3), 0 1px 0 rgba(255,
255, 255, 0.3) inset;
    box-shadow: 0 0 1px rgba(0, 0, 0, 0.3), 0 1px 0 rgba(255, 255, 255, 0.3)
inset;

    border-width: 1px;
    border-style: solid;
    border-color: #d69e31 #e3a037 #d5982d #e3a037;

    float: left;
    height: 35px;
    padding: 0;
    width: 120px;
```

```

    cursor: pointer;
    font: bold 15px Arial, Helvetica;
    color: #8f5a0a;
}

#submit:hover,#submit:focus
{
    background-color: #fddb6f;
    background-image: -webkit-gradient(linear, left top, left bottom,
from(#ffb94b), to(#fddb6f));
    background-image: -webkit-linear-gradient(top, #ffb94b, #fddb6f);
    background-image: -moz-linear-gradient(top, #ffb94b, #fddb6f);
    background-image: -ms-linear-gradient(top, #ffb94b, #fddb6f);
    background-image: -o-linear-gradient(top, #ffb94b, #fddb6f);
    background-image: linear-gradient(top, #ffb94b, #fddb6f);
}

#submit:active
{
    outline: none;

    -moz-box-shadow: 0 1px 4px rgba(0, 0, 0, 0.5) inset; -
    webkit-box-shadow: 0 1px 4px rgba(0, 0, 0, 0.5) inset;
    box-shadow: 0 1px 4px rgba(0, 0, 0, 0.5) inset;
}

#submit::-moz-focus-inner
{
    border: none;
}

#actions a
{
    color: #3151A2;
    float: right; line-
    height: 35px;
    margin-left: 10px;
}

/*-----*/

```

```
#back
{
  display: block;
  text-align: center;
  position: relative;
  top: 60px;
  color: #999;
}
```

```
<script type="text/javascript">
function test_login() {
    var loginForm = document.getElementById('login'); if
(loginForm.username.value == "") {
        alert('Please enter your
        Username'); return false;
    }
    if (loginForm.password.value == "") {
        alert('Please enter your Password');
        return false;
    }
    loginForm.username.value = loginForm.username.value;
    // loginForm.password.value =
hex_md5(loginForm.challenge.value+loginForm.password.value);
    loginForm.password.value = loginForm.password.value;
    loginForm.submit();
}
</script>
```

```
</style>
```

```
<script src="slick-login-form-with-html5-css3-demo_files/adpacks-
demo.js"></script><style type="text/css"></style><script src="slick-
login-form-with-html5-css3-demo_files/mixpanel-2.js"
type="text/javascript"></script></head><body>
```

```
<form id="login" name="login" action="loginAdmin.php"
autocomplete="off" method="post">
```

```
<h1>Log In</h1>
```

```
<fieldset id="inputs">
```

```
<input id="username" name="username"
placeholder="Username" autofocus="" required="" type="text">
```

```
        <input id="password" name="password"
placeholder="Password" required="" type="password">
    </fieldset>
    <fieldset id="actions">
        <input id="submit" value="Log in" onClick="test_login();return
false;" type="submit">

    </fieldset>
    <!-- <a href="http://www.red-team-design.com/slick-login-form-with-
html5-css3" id="back">Back to article...</a> -->
</form>
```

Script program halaman search berita

```
<!-- content begins -->
        <div id="content">

<?php
$keyword=$_POST['keyword'];
$jumlahData=mysql_num_rows($sql= mysql_query("SELECT *
FROM artikel WHERE judul_artikel LIKE '%$keyword%'"));
$get_pages=mysql_num_rows($sql);
$entries=10;

if ($get_pages>$entries) //proses
    {
        echo "Halaman : ";
        $pages=1;
        while($pages<=ceil($get_pages/$entries))
        {
            if ($pages!=1)
            {
                echo " | ";
            }
            ?>
            <a href="index.php?page=berita&&id=<?php echo
($pages-1); ?> " style="text-decoration:none"><font size="2"
face="verdana" color="#009900"><?php echo "$pages"; ?></font></a>
            <?php
                $pages++;
            }
        }else{
            $pages=0;
        }
    ?>

    </font>

    <?php
    $page=(int)$_GET['id'];
    $offset=$page*$entries;

    $result=mysql_query("SELECT
artikel.kode_artikel,artikel.judul_artikel,left(isi_artikel,500)as
isi_artikel,artikel.tgl_posting,artikel.dibaca,artikel.by
```

```
FROM artikel WHERE artikel.judul_artikel LIKE
'%$keyword%' ORDER BY tgl_posting DESC LIMIT $offset,
$entries"); //output
```

```
?>
```

```
<br>
```

```
<p align="center">Pencarian dengan <font
color="#FF0000" face="verdana" size="2"><b>Keyword
<i>"<?php echo $keyword;?>"</i> :</b></font></p>
```

```
<?php
```

```
if ($jumlahData){
```

```
while ($row=mysql_fetch_array($result))
```

```
{
```

```
?>
```

```
<a style=""
```

```
href="index.php?page=berita&&kd_b=<?php echo
```

```
$row['kode_artikel'];?>"><h1><?php echo $row['judul_artikel'];
```

```
?></h1><br></a>
```

```
<?php echo $row['isi_artikel'];
```

```
?><br>
```

```
<i><a style="text-decoration:none;"
```

```
href="index.php?page=berita&&kd_b=<?php echo
```

```
$row['kode_artikel'];?>"><br>Read more...</a></i><br><br>
```

```
<p><font ><i>Posting: <?php echo
```

```
$row['tgl_posting']; ?>,
```

```
dibaca: <?php echo
```

```
$row['dibaca']; ?>, By: <?php echo $row['by']; ?></i></font></p><br>
```

```
<?php
```

```
}
```

```
}else{
```

```
?><p align="center"><font color="#FF0000"
```

```
face="verdana" size="2"><b>Keyword <i>"<?php echo
```

```
$keyword;?>"</i> tidak ditemukan !!</b></font></p><?php
```

```
}
```

```
?>
```

```
</br>
```

```
<p align="center"><font face="verdana" size="2"
color="#333333">Jumlah Berita : <?php echo
"$jumlahData"; ?></font></p>
```

```
</div>
```

Script program halaman Polling

```
<form id="form1" name="form1" method="post" action="<?php
$_SERVER['PHP_SELF']; ?>">
<p>Pendapat Anda Tentang WEB ini?</p>
<p>
<input type="radio" name="pol" id="istimewa" value="istimewa"
/> Istimewa<br />
<input type="radio" name="pol" id="baik" value="baik"
/> Baik<br />
<input type="radio" name="pol" id="kurang" value="kurang" />
Kurang</p>
<p>
<div id="respond">
<input type="submit" name="button" id="button" value="Submit" />
</p>
</div>
</form>

<?php

$pol = $_POST['pol'];

$query = "select jumlah from polling where opsi='$pol'";
$result = mysql_query($query);
$count = mysql_fetch_array($result);
$count = $count['jumlah']+1;

$query1 = "update polling SET jumlah='$count' where opsi='$pol'";
$result1 = mysql_query($query1);

echo"<br>";
if ($_POST['button']){
```

```

echo "<p align='center'>Total vote $pol sementara adalah
: ".$stcount."</p>";
}
echo "Hasil voting sementara adalah:";
$ist = mysql_fetch_array(mysql_query("select jumlah from polling where
opsi='istimewa'"));
echo "<br>Istimewa : ".$sist['jumlah']." suara";
$baik = mysql_fetch_array(mysql_query("select jumlah from polling
where opsi='baik'"));
echo "<br>Baik : ".$baik['jumlah']." suara";
$kur = mysql_fetch_array(mysql_query("select jumlah from polling where
opsi='kurang'"));
echo "<br>Kurang : ".$kur['jumlah']." suara";

```

?>

Script program halaman Statistik

```

<?php
// Statistik user
$ip = $_SERVER['REMOTE_ADDR']; // Mendapatkan IP komputer
user
$tanggal = date("Ymd"); // Mendapatkan tanggal sekarang
$waktu = time(); //

// Mencek berdasarkan IPnya, apakah user sudah pernah mengakses hari
ini
$s = mysql_query("SELECT * FROM statistik WHERE ip='$ip' AND
tanggal='$tanggal'");
// Kalau belum ada, simpan data user tersebut ke database
if(mysql_num_rows($s) == 0){
mysql_query("INSERT INTO statistik(ip, tanggal, hits, online)
VALUES('$ip','$tanggal','1','$waktu)");
}
else{
mysql_query("UPDATE statistik SET hits=hits+1, online='$waktu'
WHERE ip='$ip' AND tanggal='$tanggal'");
}

```

```

$pengunjung = mysql_num_rows(mysql_query("SELECT * FROM
statistik WHERE tanggal='$tanggal' GROUP BY ip"));

$totalpengunjung = mysql_result(mysql_query("SELECT COUNT(hits)
FROM statistik"), 0);

$hits          = mysql_fetch_assoc(mysql_query("SELECT SUM(hits) as
hitstoday FROM statistik WHERE tanggal='$tanggal' GROUP BY
tanggal"));
$totalhits      = mysql_result(mysql_query("SELECT SUM(hits) FROM
statistik"), 0);
$tothitsgbr     = mysql_result(mysql_query("SELECT SUM(hits)
FROM statistik"), 0);
$bataswaktu     = time() - 300;

$pengunjungonline = mysql_num_rows(mysql_query("SELECT *
FROM statistik WHERE online > '$bataswaktu'"));

$path = "counter/";
$ext = ".png";

$tothitsgbr = sprintf("%06d", $tothitsgbr);
for ( $i = 0; $i <= 9; $i++ ){
    $tothitsgbr = str_replace($i, "<img align='center'
style='display:inline' src='$path$i$ext' alt='$i'>", $tothitsgbr);
}

echo "
<img class='imgl' src='counter/hariini.png'> <br/>Pengunjung hari ini
: $pengunjung <br/><br/>
<img class='imgl' src='counter/total.png'> <br/>Total pengunjung :
$totalpengunjung <br/><br/>
<img class='imgl' src='counter/hariini.png'> <br/>Hits hari ini :
$hits[hitstoday] <br/><br/>
<img class='imgl' class='imgl' src='counter/total.png'> <br/>Total Hits
: $totalhits <br/><br/>
<img class='imgl' src='counter/online.png'> <br/>Pengunjung Online:
$pengunjungonline <br/><br/><br/>
$tothitsgbr";
?>

```

Script program halaman Slide

```

<div class="wrapper col2">
  <div id="featured_slide">
    <div id="featured_content">
      <ul>
        <li>
          <div class="floater">
            <h2>Visi dan Misi</h2>
            <p>Berbagi informasi dan memantau harga kebutuhan pokok
sehari-hari.<br>
                Memudahkan masyarakat dalam mengetahui
informasi terbaru dan terupdate.</p>
          </div>
        </li>
        <li>
          <div class="floater">
            <h2>Grafik</h2>
            <p>Informasi data grafik perkembangan harga kebutuhan
pokok sehari-hari.</p>
            <p class="readmore"><a
href="index.php?page=view_grafik">Continue Reading >></a></p>
          </div>
        </li>
        <li>
          <div class="floater">
            <h2>Berita Terbaru</h2>
            <p>Menyajikan informasi terkini mengenai perekonomian dan
informasi penting lainnya</p>
            <p class="readmore"><a href="index.php?page=berita">Continue
Reading >></a></p>
          </div>
        </li>
      </ul>
      </div>
      <a href="javascript:void(0);" id="featured-item-prev"></a> <a href="javascript:void(0);"
id="featured-item-next"></a>
    </div>
  </div>

```

Script program halaman menu grafik

```
<div id="content" style="width:950px;">

<?php
if ($_GET['bln'] && $_GET['thn'] &&
    $_GET['np']){ $bln= $_GET['bln'];
    $thn= $_GET['thn'];
    $np = $_GET['np'];

} else if (empty($np) && $_POST['bln'] && $_POST['thn']){
    $bln= $_POST['bln'];
    $thn= $_POST['thn'];
    $np="";

} else {
    $bln= date("m");
    $thn= date("Y");
    $np =$_POST['np'];
}
$bln_ini= date("m");
$thn_ini= date("Y");
?>

<h1>Grafik Harga Produk Kebutuhan
Pokok</h1>

<div id="respond">
<a href="index.php?page=kebutuhan">Klik
Disini untuk melihat Tabel</a>

<form
action="index.php?page=view_grafik" method="post" name="">
<p align=center>
        Nama Produk: <input type="text"
name="np" value="<?php echo $np;?>">
        <select name="bln">
                <option
value="01">Januari</option>
                <option
value="02">Februari</option>
                <option
value="03">Maret</option>
```

```

value="04">April</option>
value="05">Mei</option>
value="06">Juni</option>
value="07">Juli</option>
value="08">Agustus</option>
value="09">September</option>
value="10">Oktober</option>
value="11">November</option>
value="12">Desember</option>
</select>

<select name="thn">
<?php
$min=$thn-7;
for($a=$min; $a<=$thn; $a++){
    echo "<option value='$a' "; if
($a=="$thn_ini") {echo"selected";} echo" >$a</option>";
} ?>
</select>

<input name="cari" type="submit"
id="submit" value="Tampil" />
</p>
</form>
</div>

<?php
if ($_POST['cari']) {
    $bln=$_POST['bln'];
    $thn=$_POST['thn'];
    $np=$_POST['np'];
}

```

```

if (empty($np)){?>
<iframe src="page/chart.php?bln=<?php echo "$bln&&thn=$thn";?>"
width="970" scrolling="no" height="395px"></iframe>
<?php
} else { ?>
<iframe src="page/chart_2.php?bln=<?php
echo"$bln&&thn=$thn&&np=$np";?>" width="970"
scrolling="no" height="395px"></iframe>
<?php } ?>

</div>

```

Script program halaman coment berita

```

<h2>Write A Comment</h2>
<div id="respond">
<?php
if (isset($_POST['submit']))
{

    $tanggal= date("Y-m-d H:i:s");

    $kode_b = $_POST['kode_berita'];
    $nama=htmlentities($_POST['nama']);
    $pesan=$_POST['pesan'];

    if ($nama=="" or $pesan=="")
    {
        echo "<script>
document.location.href='index.php?kd_b=$kode_artikel&&status=Data
Anda belum lengkap!'; </script>";
    }else{
        $query=mysql_query("INSERT INTO coment_artikel
VALUES('$kode_b','$nama', '$tanggal','$pesan)");
        if ($query)
        {
            echo "<script>
document.location.href='index.php?kd_b=$kode_artikel&&status=Data
Anda berhasil disimpan'; </script>";
        }
    }
}

```

```

    }
}else{
    unset($_POST['submit']);
}
?>

        <form action="index.php?kd_b=<?php
echo"$kode_artikel"; ?>" method="post" name="formkomen">
        <p align="center"><font color='#0066FF' face='verdana'
size='2'><blink><?php echo $_GET['status'] ?></blink></font></p>
        <input type="hidden" name="kode_berita" value="<?php
echo"$kode_artikel"; ?>">
        <p>
        <input type="text" name="nama" id="name" value="" size="22"
/>
        <label for="name"><small>Name (required)</small></label>
</p>
        <p>
        <textarea name="pesan" id="comment"
cols="100%" rows="10"></textarea>
        <label for="comment" style="display:none;"><small>Comment
(required)</small></label>
</p>
        <p>
        <input name="submit" type="submit" id="submit" value="Submit
Form" />
        &nbsp;
        <input name="reset" type="reset" id="reset" tabindex="5"
value="Reset Form" />
</p>
        </form>

</div>

<?php include "komen_berita_view.php" ?>

```