

## LAMPIRAN – LAMPIRAN

### *Source Code Template*

```
<?php
error_reporting(0);
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title><?php include "judultitle.php"; ?></title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="robots" content="index, follow">
<meta name="description" content="<?php include "description.php"; ?>">
<meta name="keywords" content="<?php include "keywords.php"; ?>">
<meta http-equiv="Copyright" content="ponorogo">
<meta name="author" content="kabarponorogo.com">
<meta http-equiv="imagetoolbar" content="no">
<meta name="language" content="Indonesia">
<meta name="revisit-after" content="7">
<meta name="webcrawlers" content="all">
<meta name="rating" content="general">
<meta name="spiders" content="all">
<link rel="shortcut icon" href="kabarponorogo.png" />
<link rel="alternate" type="application/rss+xml" title="RSS 2.0" href="rss.xml"
/>
<link rel="stylesheet" href="<?php echo "$f[folder]/css/style.css" ?>"
type="text/css" />
<link rel="stylesheet" href="<?php echo "$f[folder]/themes/base.css" ?>"
type="text/css" /> <!-- Yahoo-->
<link rel="stylesheet" href="<?php echo "$f[folder]/themes/default/theme.css"
?>" type="text/css" /><!-- Yahoo-->
<script src="<?php echo "$f[folder]/js/jquery-1.4.js" ?>"
type="text/javascript"></script><!-- Yahoo-->
<script src="<?php echo "$f[folder]/js/jquery.dropdownPlain.js" ?>"
type="text/javascript"></script>
<script src="<?php echo "$f[folder]/js/jquery.tipsy.js" ?>"
type="text/javascript"></script><!-- Yahoo-->
<script src="<?php echo "$f[folder]/js/menu.js" ?>"
type="text/javascript"></script>
<script type='text/javascript'>
$(function($) {
$('.tips a').tipsy({fade: true, gravity: 'w'});
$('.tipsatas a').tipsy({fade: true, gravity: 's'});
});
```

```

<script src=<?php echo "$f[folder]/js/jquery.js" ?>
type="text/javascript"></script>
<script src=<?php echo "$f[folder]/js/jquery.accessible-news-slider.js" ?>" type="text/javascript"></script><!-- Yahoo-->
<script type="text/javascript">
jQuery(document).ready(function() {
jQuery('#newsslider').accessNews({
});
});
</script>
<script src=<?php echo "$f[folder]/js/jquery.fancybox.js" ?>" type="text/javascript"></script>
<script src=<?php echo "$f[folder]/js/jquery.mousewhell.js" ?>" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function() {
$("a#galeri").fancybox({
'titlePosition'      : 'inside'});
});
</script>
<script src=<?php echo "$f[folder]/js/clock.js" ?>" type="text/javascript"></script>
<script src=<?php echo "$f[folder]/js/tabs.js" ?>" type="text/javascript"></script>
<script src=<?php echo "$f[folder]/js/newsticker.js" ?>" type="text/javascript"></script>
</head>
<body onload="startclock()">
<div id="induk">
<div id="wrapper">
<!-- HEADER -->
<div id="header">
<div class="tgl">
<!-- jam -->
<p><span id="date"></span>, <span id="clock"></span></p>
</div> <!-- /tgl -->
</div>
<!-- /HEADER -->
<!-- MENU -->
<div id="page-wrap">
<ul class="dropdown">
<?php
$main=mysql_query("SELECT * FROM mainmenu WHERE aktif='Y'");
while($r=mysql_fetch_array($main)){
echo "<li><a href='".$r[link]'><span>$r[nama_menu]</span></a>";
$sub=mysql_query("SELECT * FROM submenu, mainmenu
WHERE submenu.id_main=mainmenu.id_main

```

```

AND submenu.id_main=$r[id_main]");
$jml=mysql_num_rows($sub);
// apabila sub menu ditemukan
if ($jml > 0){
echo "<div><ul>";
while($w=mysql_fetch_array($sub)){
echo "<li><a href='".$w[link_sub]'"><span>&#187;
$w[nama_sub]</span></a></li>";
}
echo "</ul></div>
</li>";
}
else{
echo "</li>";
}
?
?>
</ul>
</div>           <!-- /menu -->
<!-- end top -->
<!-- CONTENT -->
<?php
include "$ff[folder]/kiri.php";
?>
<div id="atasgariscoklat"></div>
<div id="gariscoklat"></div>
<!-- SIDEBAR KANAN -->
<div id="sidebarkanan">
<!-- untuk searching -->
<div id="headers">
<br /><br /><br /><br /><br />
<div class="tgl">
<form method="POST" id="searchform" action="hasil-pencarian.html"> <!--
form pencarian -->
<div id="searching">
<div id="searching-border">
<input class="searchField" type="text" name="kata" maxlength="50"
value="Pencarian..." onblur="if(this.value=='') this.value='Pencarian...';"
onfocus="if(this.value=='Pencarian...') this.value='';" />
<input class="searchSubmit" type="submit" value="" />
</div>
</div>
</form>
</div>
<!-- Social Network-->
<div class="tips">
<ul id="listsidebar-socialnetwork">

```

```

<?php
//Tampilkan icon social network
//Tentukan kolom
$col = 4;
$scnetwork = mysql_query("SELECT * FROM socialnetwork ORDER BY
id_socialnetwork ASC LIMIT 4");
// echo "<img src='$ff[folder]/images/potretponorogo.png' />";
echo "<div><div id='socialnetwork'><table cellpadding=5px
cellspacing=10px;>";
$cnt = 0;
while ($s = mysql_fetch_array($scnetwork)) {
if ($cnt >= $col) {
echo "<tr>";
$cnt = 0;
}
$cnt++;
echo "<td align=center valign=top>
<a href=$s[url] title='$s[nama]' target='_blank'><img
src='img_socialnetwork/$s[gambar]' border='0px' width='34' height='34' /></a>
</td> ";
}
echo "</tr></table></div></div>";
?>
</ul>
</div>
</div>
<!-- end searching-->
<div id="space"></div>
<?php echo "<div><h2><img src='$ff[folder]/images/photoalbum.png'
/></h2></div>"; ?>
<div class="tips">
<?php
// Galeri Foto (tampilkan 8 foto secara horizontal dan random)
//Tentukan kolom
$col = 2;
$g = mysql_query("SELECT * FROM gallery ORDER BY rand() DESC LIMIT
8");
echo "<div class='tipsatas'><table><tr>";
$cnt = 0;
while ($w = mysql_fetch_array($g)) {
if ($cnt >= $col) {
echo "</tr><tr>";
$cnt = 0;
}
$cnt++;
echo "<td align=center valign=top>
<a id='galeri' href='img_galeri/$w[gbr_gallery]' title='$w[keterangan]'>

```

```

<img alt='\$w[keterangan]' src='img_galeri/kecil_\$w[gbr_gallery]' width='90px'
height='80px' /></a><br />
<a id='galeri' href='img_galeri/\$w[gbr_gallery]'
title='\$w[keterangan]'><b>\$w[jdl_gallery]</b></a></td>";
}
echo "</tr></table></div>";
?>
</div>
<div class="tips"> </div>
<?php echo "<div><h2><img src='\$f[folder]/images/agenda.png'
/></h2></div>"; ?>
<ul id="listsidebar">
<?php
$agenda=mysql_query("SELECT * FROM agenda ORDER BY id_agenda DESC
LIMIT 4");
while($a=mysql_fetch_array($agenda)){
$tgl_agenda = tgl_indo($a[tgl_mulai]);
$isi_agenda = strip_tags($a['isi_agenda']); // membuat paragraf pada isi berita
dan mengabaikan tag html
$isi = substr($isi_agenda,0,200); // ambil sebanyak 220 karakter
$isi = substr($isi_agenda,0,strrpos($isi, " ")); // potong per spasi kalimat

echo "<li class='news-text2'><span class='tanggal'>$tgl_agenda</span>
<br /><a href='agenda-\$a[id_agenda]-\$a[tema_seo].html'>\$a[tema]</a></li>";
}
?>
</ul>
<div class="tips"> </div>
<div class="tips"> </div>
<?php echo "<div><h2><img src='\$f[folder]/images/polling.png'
/></h2></div>"; ?>
<ul id="poling">
<?php
$tanya=mysql_query("SELECT * FROM poling WHERE aktif='Y' and
status='Pertanyaan'");
$t=mysql_fetch_array($tanya);
echo "<br /><span class='news-title'> \$t[pilihan]</span><br /><br />";
echo "<form method=POST action='hasil-poling.html'>";
$poling=mysql_query("SELECT * FROM poling WHERE aktif='Y' and
status='Jawaban'");
while ($p=mysql_fetch_array($poling)){
echo "<span class='news-text'> &nbsp;&nbsp;<input type=radio name=pilihan
value='\$p[id_poling]' />&nbsp; \$p[pilihan]</span><br />";
}
echo "<p align=center><input type=submit value=vote /></p>
</form>

```

```

<a href=lihat-poling.html><span><center>Lihat Hasil
Poling</center></span></a>";
?>
</ul>
</div> <!-- / end sidebar -->
<div></div><center></center>

```

**Source Code Index Admin**

```

<html>
<head>
<title>admin pariwisata</title>
<script language="javascript">
function validasi(form){
    if (form.username.value == ""){
        alert("Anda belum mengisi Username.");
        form.username.focus();
        return (false);
    }
    if (form.password.value == ""){
        alert("Anda belum mengisi Password.");
        form.password.focus();
        return (false);
    }
    return (true);
}
</script>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>
<body OnLoad="document.login.username.focus();">
<div id="header">
<div id="content">
    <h2>LOGIN ADMIN</h2>
    
<form name="login" action="cek_login.php" method="POST"
onSubmit="return validasi(this)">
<table>
<tr><td>Username</td><td> : <input type="text"
name="username"></td></tr>
<tr><td>Password</td><td> : <input type="password"
name="password"></td></tr>
<tr><td colspan="2"><center><input type="submit"
value="Login"></center></td></tr>
</table>
</form>
<p>&nbsp;</p>
</div>

```

```

<div id="footer">Copyright &copy; 2014 UNMUH All rights
reserved.</div>
</div>
</body>
</html>
```

**Source Code Modul Berita**

```

<?php
session_start();
if(empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
function GetCheckboxes($table, $key, $Label, $Nilai="") {
$s = "select * from $table order by nama_tag";
$r = mysql_query($s);
$_arrNilai = explode(',', $Nilai);
$str = '';
while ($w = mysql_fetch_array($r)) {
$_ck = (array_search($w[$key], $_arrNilai) === false)? "" : 'checked';
$str .= "<input type=checkbox name='".$key."[] value='".$w[$key]'.
$_ck>$w[$Label] ";
}
return $str;
}
$aksi="modul/mod_berita/aksi_berita.php";
switch($_GET[act]){
// Tampil Berita
default:
echo "<h2>Berita</h2>
<form method=get action='$_SERVER[PHP_SELF]'>
<input type=hidden name=ponorogo value=berita>
<div id=paging>Masukkan Judul Berita : <input type=text name=kata'>
<input type=submit value=Cari></div>
</form>
<input type=button value='Tambah Berita'
onclick='window.location.href=?ponorogo=berita&act=tambahberita';\">>";
if(empty($_GET['kata'])){
echo "<table>
<tr><th>no</th><th>judul</th><th>tgl.
posting</th><th>aksi</th></tr>";
$p = new Paging;
$batas = 15;
$posisi = $p->cariPosisi($batas);
if($_SESSION[leveluser]=='admin'){


```

```

    $tampil = mysql_query("SELECT * FROM berita ORDER BY id_berita
DESC LIMIT $posisi,$batas");
}
else{
    $tampil=mysql_query("SELECT * FROM berita
        WHERE username='$_SESSION[namauser]'
        ORDER BY id_berita DESC LIMIT $posisi,$batas");
}
$no = $posisi+1;
while($r=mysql_fetch_array($tampil)){
    $tgl_posting=tgl_indo($r[tanggal]);
    echo "<tr><td>$no</td>
        <td>$r[judul]</td>
        <td>$tgl_posting</td>
        <td><a href=?ponorogo=berita&act=editberita&id=$r[id_berita]><img src='icon/edit-kecil.png' border=0px width=15px height=16px title='edit'></a> /
            <a href=\"$aksi?ponorogo=berita&act=hapus&id=$r[id_berita]&namafile=$r[gambar]\" onClick=\"return confirm('Apakah Anda benar-benar mau
menghapusnya?')\"><img src='icon/delete-kecil.png' border=0px width=15px
height=16px title='delete'></a></td>
        </tr>";
    $no++;
}
echo "</table>";
if($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita"));
}
else{
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita WHERE
username='$_SESSION[namauser]'"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman)
echo "<div id=paging>$linkHalaman</div><br>";
break;
}
else{
echo "<table>
    <tr><th>no</th><th>judul</th><th>tgl.
posting</th><th>aksi</th></tr>";
$p = new Paging9;
$batas = 15;
$posisi = $p->cariPosisi($batas);
if($_SESSION[leveluser]=='admin'){

```

```

$stampil = mysql_query("SELECT * FROM berita WHERE judul LIKE
'%"$_GET[kata]%"' ORDER BY id_berita DESC LIMIT $posisi,$batas");
}
else{
$stampil=mysql_query("SELECT * FROM berita
WHERE username='$_SESSION[namauser]'
AND judul LIKE '%"$_GET[kata]%"'
ORDER BY id_berita DESC LIMIT $posisi,$batas");
}
$no = $posisi+1;
while($r=mysql_fetch_array($stampil)){
$tgl_posting=tgl_indo($r[tanggal]);
echo "<tr><td>$no</td>
<td>$r[judul]</td>
<td>$tgl_posting</td>
<td><a href=?ponorogo=berita&act=editberita&id=$r[id_berita]>Edit</a> /
<a href='aksi?ponorogo=berita&act=hapus&id=$r[id_berita]&namafile=$r[gambar]'>Hapus</a></td>
</tr>";
$no++;
}
echo "</table>";
if($_SESSION[leveluser]=='admin'){
$jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita WHERE
judul LIKE '%"$_GET[kata]%"'"));
}
else{
$jmldata = mysql_num_rows(mysql_query("SELECT * FROM berita WHERE
username='$_SESSION[namauser]' AND judul LIKE '%"$_GET[kata]%"'"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);
echo "<div id=paging>$linkHalaman</div><br>";
break;
}
case "tambahberita":
echo "<h2>Tambah Berita</h2>
<form method=POST action='aksi?ponorogo=berita&act=input'
enctype='multipart/form-data'>
<table>
<tr><td width=70>Judul</td> <td> : <input type=text name='judul'
size=60></td></tr>
<tr><td>Kategori</td> <td> :
<select name='kategori'>
<option value=0 selected>- Pilih Kategori -</option>";

```

```

$stampil=mysql_query("SELECT * FROM kategori ORDER BY
nama_kategori");
while($r=mysql_fetch_array($stampil)){
echo "<option value=$r[id_kategori]>$r[nama_kategori]</option>";
}
echo "</select></td></tr>
<tr><td>Headline</td> <td> : <input type=radio name='headline'
value='Y' checked>Y
<input type=radio name='headline' value='N'> N
<br>(Apabila berita ada gambarnya dan ingin
dihadkan headline, pilih Headline = Y)</td></tr>
<tr><td>Isi Berita</td> <td> <textarea name='isi_berita' style='width:
600px; height: 350px;'></textarea></td></tr>
<tr><td>Gambar</td> <td> : <input type=file name='fupload'
size=40>
<br>Tipe gambar harus JPG/JPEG dan ukuran lebar
maks: 400 px</td></tr>";
$tag = mysql_query("SELECT * FROM tag ORDER BY tag_seo");
echo "<tr><td>Tag (Label)</td><td> ";
while ($t=mysql_fetch_array($tag)){
echo "<input type=checkbox value='$t[tag_seo]'"
name=tag_seo[]>$t[nama_tag] ";
}
echo "</td></tr>
<tr><td colspan=2><input type=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
case "editberita":
$edit = mysql_query("SELECT * FROM berita WHERE id_berita='$_GET[id]'
AND username='$_SESSION[namauser]'");
$r = mysql_fetch_array($edit);
echo "<h2>Edit Berita</h2>
<form method=POST enctype='multipart/form-data'
action=$aksi?ponorogo=berita&act=update>
<input type=hidden name=id value=$r[id_berita]>
<table>
<tr><td width=70>Judul</td> <td> : <input type=text name='judul'
size=60 value='".$r[judul']."'></td></tr>
<tr><td>Kategori</td> <td> : <select name='kategori'>";
$stampil=mysql_query("SELECT * FROM kategori ORDER BY
nama_kategori");
if ($r[id_kategori]==0){
echo "<option value=0 selected>- Pilih Kategori -</option>";
}
while($w=mysql_fetch_array($stampil)){

```

```

if ($r[id_kategori]==$w[id_kategori]){
    echo "<option value=$w[id_kategori]
selected>$w[nama_kategori]</option>";
}
else{
    echo "<option value=$w[id_kategori]>$w[nama_kategori]</option>";
}
}
echo "</select></td></tr>";
if ($r[headline]=='Y'){
    echo "<tr><td>Headline</td> <td> : <input type=radio name='headline'
value='Y' checked>Y
<input type=radio name='headline' value='N'>
N</td></tr>";
}
else{
    echo "<tr><td>Headline</td> <td> : <input type=radio name='headline'
value='Y'>Y
<input type=radio name='headline' value='N'
checked>N</td></tr>";
}
echo "<tr><td>Isi Berita</td> <td> <textarea name='isi_berita'
style='width: 600px; height: 350px;'>$r[isi_berita]</textarea></td></tr>
<tr><td>Gambar</td> <td> : ";
if ($r[gambar]!=''){
    echo "<img src='./foto_berita/small_{$r[gambar]}'>";
}
echo "</td></tr>
<tr><td>Ganti Gbr</td> <td> : <input type=file name='fupload'
size=30> *)</td></tr>
<tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>";
$d = GetCheckboxes('tag', 'tag_seo', 'nama_tag', $r[tag]);
echo "<tr><td>Tag (Label)</td><td> $d </td></tr>";
echo "<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
}
?>
<?php
session_start();
if (empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
}

```

```

echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_kategori/aksi_kategori.php";
switch($_GET[act]){
// Tampil Kategori
default:
echo "<h2>Kategori</h2>
<input type=button value='Tambah Kategori'

onclick='window.location.href=?ponorogo=kategori&act=tambahkategori';">
<table>
<tr><th>no</th><th>nama
kategori</th><th>status</th><th>aksi</th></tr>";
$tampil=mysql_query("SELECT * FROM kategori ORDER BY id_kategori
DESC");
$no=1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td>$r[nama_kategori]</td>
<td align=center>$r[aktif]</td>
<td><a
href=?ponorogo=kategori&act=editkategori&id=$r[id_kategori]><img
src='icon/edit-kecil.png' border=0px width=15px height=16px title='edit'></a>
</td></tr>";
$no++;
}
echo "</table>";
echo "<div id=paging>*) Data pada Kategori tidak bisa dihapus, tapi bisa di
non-aktifkan melalui Edit Kategori.</div><br>";
break;

// Form Tambah Kategori
case "tambahkategori":
echo "<h2>Tambah Kategori</h2>
<form method=POST action='$aksi?ponorogo=kategori&act=input'>
<table>
<tr><td>Nama Kategori</td><td> : <input type=text
name='nama_kategori'></td></tr>
<tr><td colspan=2><input type=submit name=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;

// Form Edit Kategori
case "editkategori":

```

```

$edit=mysql_query("SELECT * FROM kategori WHERE
id_kategori='$_GET[id]'");
$r=mysql_fetch_array($edit);
echo "<h2>Edit Kategori</h2>
<form method=POST action=$aksi?ponorogo=kategori&act=update>
<input type=hidden name=id value='$r[id_kategori]'>
<table>
<tr><td>>Nama Kategori</td><td> : <input type=text
name='nama_kategori' value='$r[nama_kategori]'></td></tr>";
if ($r[aktif]=='Y'){
    echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y'
checked>Y
<input type=radio name='aktif' value='N'>
N</td></tr>";
}
else{
    echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y'>Y
<input type=radio name='aktif' value='N'
checked>N</td></tr>";
}
echo "<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
}
?>
```

### **Source Code Kategori**

```

<?php
session_start();
if(empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_kategori/aksi_kategori.php";
switch($_GET[act]){
// Tampil Kategori
default:
echo "<h2>Kategori</h2>
<input type=button value='Tambah Kategori'
onclick='window.location.href=?ponorogo=kategori&act=tambahkategori';\''>
<table>
```

```

<tr><th>no</th><th>nama
kategori</th><th>status</th><th>aksi</th></tr>";
$tampil=mysql_query("SELECT * FROM kategori ORDER BY id_kategori
DESC");
$no=1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td>$r[nama_kategori]</td>
<td align=center>$r[aktif]</td>
<td><a
href=?ponorogo=kategori&act=editkategori&id=$r[id_kategori]><img
src='icon/edit-kecil.png' border=0px width=15px height=16px title='edit'></a>
</td></tr>";
$no++;
}
echo "</table>";
echo "<div id=paging>*) Data pada Kategori tidak bisa dihapus, tapi bisa di
non-aktifkan melalui Edit Kategori.</div><br>";
break;
// Form Tambah Kategori
case "tambahkategori":
echo "<h2>Tambah Kategori</h2>
<form method=POST action='$aksi?ponorogo=kategori&act=input'>
<table>
<tr><td>Nama Kategori</td><td> : <input type=text
name='nama_kategori'></td></tr>
<tr><td colspan=2><input type=submit name=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
// Form Edit Kategori
case "editkategori":
$edit=mysql_query("SELECT * FROM kategori WHERE
id_kategori='$_GET[id]'");
$r=mysql_fetch_array($edit);
echo "<h2>Edit Kategori</h2>
<form method=POST action=$aksi?ponorogo=kategori&act=update>
<input type=hidden name=id value='$r[id_kategori]'>
<table>
<tr><td>Nama Kategori</td><td> : <input type=text
name='nama_kategori' value='".$r[nama_kategori]."'></td></tr>";
if($r[aktif]=='Y'){
echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y'
checked>Y
<input type=radio name='aktif' value='N'>
N</td></tr>";
}
}

```

```

        }
        else{
            echo "<tr><td>Aktif</td> <td> : <input type='radio name='aktif' value='Y'>Y
                                            <input type='radio name='aktif' value='N'
checked>N</td></tr>";
        }
        echo "<tr><td colspan=2><input type='submit value='Update>
                                            <input type='button value='Batal
onclick=self.history.back()></td></tr>
</table></form>";
        break;
    }
}
?>

```

### **Source Code Agenda**

```

<?php
session_start();
if(empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
    echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_agenda/aksi_agenda.php";
switch($_GET[act]){
// Tampil Agenda
default:
    echo "<h2>Agenda</h2>
        <input type='button value='Tambah Agenda'
onclick=location.href='?ponorogo=agenda&act=tambahagenda'
        <table>
            <tr><th>no</th><th>tema</th><th>tgl. mulai</th><th>tgl.
selesai</th><th>aksi</th></tr>";
    $p      = new Paging;
    $batas = 15;
    $posisi = $p->cariPosisi($batas);
    if($_SESSION[leveluser]=='admin'){
        $tampil=mysql_query("SELECT * FROM agenda ORDER BY id_agenda
DESC LIMIT $posisi,$batas");
    }
    else{
        $tampil=mysql_query("SELECT * FROM agenda
WHERE username='$_SESSION[namauser]'
ORDER BY id_agenda DESC LIMIT $posisi,$batas");
    }
}
}

```

```

$no = $posisi+1;
while ($r=mysql_fetch_array($tampil)){
    $tgl_mulai = tgl_ino($r[tgl_mulai]);
    $tgl_selesai = tgl_ino($r[tgl_selesai]);
    echo "<tr><td>$no</td>
        <td width=220>$r[tema]</td>
        <td>$tgl_mulai</td>
        <td>$tgl_selesai</td>
        <td><a href=?ponorogo=agenda&act=editagenda&id=$r[id_agenda]><img src='icon/edit-kecil.png' border=0px width=15px height=16px title='edit'></a>
        /<br>
        <a href=$aksi?ponorogo=agenda&act=hapus&id=$r[id_agenda]><img src='icon/delete-kecil.png' border=0px width=15px height=16px title='delete'></a>
        </td></tr>";
    $no++;
}
echo "</table>";
if($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM agenda"));
}
else{
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM agenda
WHERE username='".$_SESSION[namauser]"""));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);
echo "<div id=paging>$linkHalaman</div><br>";
break;
case "tambahagenda":
echo "<h2>Tambah Agenda</h2>
<form method=POST action='$aksi?ponorogo=agenda&act=input'>
<table>
<tr><td>Tema</td> <td> : <input type=text name='tema' size=60></td></tr>
<tr><td>Isi Agenda</td> <td> <textarea name='isi_agenda' style='width: 600px; height: 150px;'></textarea></td></tr>
<tr><td>Tempat</td> <td> : <input type=text name='tempat' size=40></td></tr>
<tr><td>Pukul</td> <td> : <input type=text name='jam' size=40></td></tr>
<tr><td>Tgl Mulai</td><td> : ";
combotgl(1,31,'tgl_mulai',$tgl_skr);
combonamabln(1,12,'bln_mulai',$bln_sekarang);
combothn(2000,$thn_sekarang,'thn_mulai',$thn_sekarang);

```

```

echo "</td></tr>
<tr><td>Tgl Selesai</td><td> : ";
combotgl(1,31,'tgl_selesai',$tgl_skrg);
combonamabln(1,12,'bln_selesai',$bln_sekarang);
combothn(2000,$thn_sekarang,'thn_selesai',$thn_sekarang);
echo "</td></tr>
<tr><td>Pengirim</td> <td> : <input type='text name='pengirim'
size=40></td></tr>
<tr><td colspan=2><input type='submit value='Simpan>
<input type='button value='Batal onclick=self.history.back()></td></tr>
</table>
</form>";
break;
case "editagenda":
$edit = mysql_query("SELECT * FROM agenda WHERE
id_agenda='$_GET[id]'");
$r = mysql_fetch_array($edit);
echo "<h2>Edit Agenda</h2>
<form method=POST action=$aksi?ponorogo=agenda&act=update>
<input type=hidden name=id value=$r[id_agenda]>
<table>
<tr><td>Tema</td> <td> : <input type='text name='tema' size=60
value='".$r[tema]'></td></tr>
<tr><td>Isi Agenda</td> <td> <textarea name='isi_agenda'
style='width: 600px; height: 150px;'>$r[isi_agenda]</textarea></td></tr>
<tr><td>Tempat</td> <td> : <input type='text name='tempat' size=40
value='".$r[tempat]'></td></tr>
<tr><td>Pukul</td> <td> : <input type='text name='jam' size=40
value='".$r[jam]'></td></tr>
<tr><td>Tgl Mulai</td><td> : ";
$get_tgl=substr("$r[tgl_mulai]",8,2);
combotgl(1,31,'tgl_mulai',$get_tgl);
$get_bln=substr("$r[tgl_mulai]",5,2);
combonamabln(1,12,'bln_mulai',$get_bln);
$get_thn=substr("$r[tgl_mulai]",0,4);
$thn_skrg=date("Y");
combothn($thn_sekarang-2,$thn_sekarang+2,'thn_mulai',$get_thn);
echo "</td></tr>
<tr><td>Tgl Selesai</td><td> : ";
$get_tgl2=substr("$r[tgl_selesai]",8,2);
combotgl(1,31,'tgl_selesai',$get_tgl2);
$get_bln2=substr("$r[tgl_selesai]",5,2);
combonamabln(1,12,'bln_selesai',$get_bln2);
$get_thn2=substr("$r[tgl_selesai]",0,4);
combothn($thn_sekarang-2,$thn_sekarang+2,'thn_selesai',$get_thn2);
echo "</td></tr>

```

```

<tr><td>Pengirim</td> <td> : <input type='text name='pengirim' size=40 value='".$r[pengirim]."'></td></tr>
<tr><td colspan=2><input type='submit value='Update>
<input type='button value='Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
}
?>

```

### **Source Code Menu Utama**

```

<?php
session_start();
if(empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_menuutama/aksi_menuutama.php";
switch($_GET[act]){
// Tampil Menu Utama
default:
echo "<h2>Menu Utama</h2>
<input type='button value='Tambah Menu Utama'
onclick='window.location.href=?ponorogo=menuutama&act=tambahmenuutama';\''>
<table>
<tr><th>no</th><th>menu
utama</th><th>link</th><th>aktif</th><th>aksi</th></tr>";
$tampil=mysql_query("SELECT * FROM mainmenu");
$no=1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td>$r[nama_menu]</td>
<td>$r[link]</td>
<td align=center>$r[aktif]</td>
<td><a
href=?ponorogo=menuutama&act=editmenuutama&id=$r[id_main]><img
src='icon/edit-kecil.png' border=0px width=15px height=16px title='edit'></a>
</td></tr>";
$no++;
}
echo "</table>";
echo "<div id=paging>*) Data pada Menu tidak bisa dihapus, tapi bisa di
non-aktifkan melalui Edit Menu Utama.</div><br>";

```

```

break;
// Form Tambah Menu Utama
case "tambahmenuutama":
echo "<h2>Tambah Menu Utama</h2>
<form method=POST action='$aksi?ponorogo=menuutama&act=input'>
<table>
<tr><td>Nama Menu</td><td> : <input type=text
name='nama_menu'></td></tr>
<tr><td>Link</td><td> : <input type=text name='link'></td></tr>
<tr><td colspan=2><input type=submit name=submit value=Simpan>
<input type=button value=Batal onclick=self.history.back()></td></tr>
</table></form>";
break;
// Form Edit Menu Utama
case "editmenuutama":
$edit=mysql_query("SELECT * FROM mainmenu WHERE
id_main='$_GET[id]'");
$r=mysql_fetch_array($edit);
echo "<h2>Edit Menu Utama</h2>
<form method=POST action=$aksi?ponorogo=menuutama&act=update>
<input type=hidden name=id value='".$r[id_main]'>
<table>
<tr><td>Nama Menu</td><td> : <input type=text name='nama_menu'
value='".$r[nama_menu]'"></td></tr>
<tr><td>Link</td><td> : <input type=text name='link'
value='".$r[link]'"></td></tr>";
if ($r[aktif]=='Y'){
echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y'
checked>Y
<input type=radio name='aktif' value='N'>
N</td></tr>";
}
else{
echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y'>Y
<input type=radio name='aktif' value='N'
checked>N</td></tr>";
}
echo "<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break; }?>
```

### **Source Code Pendapat Masyarakat**

```
<?php
$aksi="modul/mod_pendapatmasyarakat/aksi_pendapatmasyarakat.php";
```

```

switch($_GET[act]){
    // Tampil Pendapat Masyarakat
    default:
        echo "<h2>Pendapat Masyarakat</h2>
            <input type=button value='Tambah Pendapat Masyarakat'
            onclick=location.href='?ponorogo=pendapatmasyarakat&act=tambahpendapat'
            >
            <table>
                <tr><th>no</th><th>pendapat</th><th>tgl.
                posting</th><th>aksi</th></tr>";
                $tampil=mysql_query("SELECT * FROM pendapatmasyarakat ORDER BY
                id_pendapat DESC");
                $no=1;
                while ($r=mysql_fetch_array($tampil)){
                    $tgl=$r[tgl_posting];
                    echo "<tr><td>$no</td>
                        <td>$r[pendapat_masyarakat]</td>
                        <td>$tgl</td>
                        <td><a
                        href=?ponorogo=pendapatmasyarakat&act=editpendapat&id=$r[id_pendapat]
                        ><img src='icon/edit-kecil.png' border=0px width=15px height=16px
                        title='edit'></a> /
                        <a
                        href='$aksi?ponorogo=pendapatmasyarakat&act=hapus&id=$r[id_pendapat]&
                        namafile=$r[gambar]'><img src='icon/delete-kecil.png' border=0px
                        width=15px height=16px title='delete'></a>
                        </td>";
                    $no++;
                }
                echo "</table>";
                break;
            case "tambahpendapat":
                echo "<h2>Tambah Pendapat Masyarakat</h2>
                    <form method=POST
                    action='$aksi?ponorogo=pendapatmasyarakat&act=input'
                    enctype='multipart/form-data'>
                    <table>
                        <tr><td>Pendapat</td><td> : <input type=text
                    name='pendapat_masyarakat' size=100></td></tr>
                        <tr><td>Photo</td><td> : <input type=file name='fupload' size=40>
                    &nbsp photo harus 54 x 54 pixel &nbsp </td></tr>
                        <tr><td colspan=2><input type=submit value=Simpan>
                            <input type=button value=Batal onclick=self.history.back()>
                        </td></tr>
                    </table></form><br><br><br>";
                break;
            case "editpendapat":

```

```

$edit = mysql_query("SELECT * FROM pendapatmasyarakat WHERE
id_pendapat='$_GET[id]'");
$r   = mysql_fetch_array($edit);
echo "<h2>Edit Pendapat Masyarakat</h2>
<form method=POST enctype='multipart/form-data'
action=$aksi?ponorogo=pendapatmasyarakat&act=update>
<input type=hidden name=id value=$r[id_pendapat]>
<table>
<tr><td>Pendapat</td><td> : <input type=text
name='pendapat_masyarakat' size=100
value='".$r['pendapat_masyarakat']."'></td></tr>
<tr><td>Photo</td><td> : <img
src='../foto_pendapatmasyarakat/$r[gambar]'></td></tr>
<tr><td>Ganti Gbr</td><td> : <input type=file name='fupload'
size=30>&nbsp photo harus 54 x 54 pixel &nbsp *)</td></tr>
<tr><td colspan=2>*) Apabila photo tidak diubah, dikosongkan
saja.</td></tr>
<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
?>

```

### **Source Code Polling**

```

<?php
session_start();
if(empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_poling/aksi_poling.php";
switch($_GET[act]){
//Tampil Modul
default:
echo "<h2>Poling</h2>
<input type=button value='Tambah Poling'
onclick='window.location.href=?ponorogo=poling&act=tambahpoling';\''>
<table>
<tr><th>no</th><th>pilihan</th><th>status</th><th>rating</th><th>aktif
</th><th>aksi</th></tr>";
$no = 1;
$tampil=mysql_query("SELECT * FROM poling ORDER BY id_poling
DESC");

```

```

while ($r=mysql_fetch_array($tampil)){
echo "<tr>
<td>$no</td>
<td>$r[pilihan]</td>
<td>$r[status]</td>
<td align=center>$r[rating]</td>
<td align=center>$r[aktif]</td>
<td><a href=?ponorogo=poling&act=editpoling&id=$r[id_poling]><img src='icon/edit-kecil.png' border=0px width=15px height=16px title='edit'></a>
</td></tr>";
$no++;
}
echo "</table>";
break;
case "tambahpoling":
echo "<h2>Tambah Poling</h2>
<form method=POST action='$aksi?ponorogo=poling&act=input'>
<table>
<tr><td>Pilihan</td> <td> : <input type=text name='pilihan' size=50></td></tr>
<tr><td>Status</td> <td> : <input type=radio name='status' value='Jawaban' checked>Jawaban
<input type=radio name='status' value='Pertanyaan'>Pertanyaan </td></tr>
<tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y' checked>Y
<input type=radio name='aktif' value='N'>N </td></tr>
<tr><td colspan=2><input type=submit value=Simpan>
<input type=button value=Batal onclick=self.history.back()></td></tr>
</table></form>";
break;
case "editpoling":
$edit = mysql_query("SELECT * FROM poling WHERE id_poling='$_GET[id]'");
$r = mysql_fetch_array($edit);
echo "<h2>Edit Poling</h2>
<form method=POST action=$aksi?ponorogo=poling&act=update>
<input type=hidden name=id value='".$r[id_poling]'>
<table>
<tr><td>Pilihan</td> <td> : <input type=text name='pilihan' value='".$r[pilihan]' size=50></td></tr>

if ($r[aktif]=='Y'){
echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y' checked>Y

```

```

<input type=radio name='aktif' value='N'>
N</td></tr>";
}
else{
echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y'>Y
<input type=radio name='aktif' value='N'
checked>N</td></tr>";
}
if($r[status]=='Jawaban'){
echo "<tr><td>Status</td> <td> : <input type=radio name='status'
value='Jawaban' checked>Jawaban
<input type=radio name='status' value='Pertanyaan'
Pertanyaan</td></tr>";
}
else{
echo "<tr><td>Status</td> <td> : <input type=radio name='status'
value='Jawaban'>Jawaban
<input type=radio name='status' value='Pertanyaan'
checked>Pertanyaan</td></tr>";
}
echo "<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
break;
}
}
?>
```

### **Source Code Hubungi**

```

<?php
session_start();
if(empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_hubungi/aksi_hubungi.php";
switch($_GET[act]){
// Tampil Hubungi Kami
default:
echo "<h2>Hubungi Kami</h2>
<table>
<tr><th>no</th><th>nama</th><th>email</th><th>subjek</th><th>tangga
l</th><th>aksi</th></tr>";
```

```

$p    = new Paging;
$batas = 10;
$posisi = $p->cariPosisi($batas);
$stampil=mysql_query("SELECT * FROM hubungi ORDER BY id_hubungi
DESC LIMIT $posisi, $batas");
$no = $posisi+1;
while ($r=mysql_fetch_array($stampil)){
$tgl=tgl_indo($r[tanggal]);
echo "<tr><td>$no</td>
<td>$r[nama]</td>
<td><a href=?ponorogo=hubungi&act=balasemail&id=$r[id_hubungi]>$r[email]</a>
</td>
<td>$r[subjek]</td>
<td>$tgl</a></td>
<td><a href=$aksi?ponorogo=hubungi&act=hapus&id=$r[id_hubungi]><img src='icon/delete-kecil.png' border=0px width=15px height=16px title='delete'></a>
</td></tr>";
$no++;
}
echo "</table>";
$jmldata=mysql_num_rows(mysql_query("SELECT * FROM hubungi"));
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);
echo "<div id=paging>Hal: $linkHalaman</div><br>";
break;
case "balasemail":
$stampil = mysql_query("SELECT * FROM hubungi WHERE
id_hubungi='$_GET[id]'");
$r    = mysql_fetch_array($stampil);
echo "<h2>Reply Email</h2>
<form method=POST action=?ponorogo=hubungi&act=kirimemail>
<table>
<tr><td>Kepada</td><td> : <input type=text name=email size=30
value='".$r[email]'"></td></tr>
<tr><td>Subjek</td><td> : <input type=text name=subjek size=50
value='Re: $r[subjek]'"></td></tr>
<tr><td>Pesan</td><td> <textarea name='pesan' style='width: 600px;
height: 180px;'><br><br><br><br>
#####
#####
$ r[pesan]</textarea></td></tr>
<tr><td colspan=2><input type=submit value=Kirim>
```

```

        <input type=button value=Batal
        onclick=self.history.back()></td></tr>
    </table></form>";
    break;
    case "kirimemail":
        mail($_POST[email],$_POST[subjek],$_POST[pesan],"From:
admin@kabarponorogo.com");
        echo "<h2>Status Email</h2>
<p>Email telah sukses terkirim ke tujuan</p>
<p>[ <a href=javascript:history.go(-2)>Kembali</a> ]</p>";

    break; }?>
Source Code Photographer
<?php
session_start();
if(empty($_SESSION['username']) AND empty($_SESSION['passuser'])){
echo "<link href='style.css' rel='stylesheet' type='text/css'>
<center>Untuk mengakses modul, Anda harus login <br>";
echo "<a href=../../index.php><b>LOGIN</b></a></center>";
}
else{
$aksi="modul/mod_photografer/aksi_photografer.php";
switch($_GET[act]){
// Tampil photografer
default:
echo "<h2>photografer</h2>
<input type=button value='Tambah photografer'
onclick='window.location.href=?ponorogo=photografer&act=tambahphotografer';'>
<table>
<tr><th>no</th><th>nama photografer</th><th>Email</th><th>no
telp/HP</th><th>status</th><th>aksi</th></tr>";
$tampil=mysql_query("SELECT * FROM photografer ORDER BY id_pg
DESC");
$no=1;
while ($r=mysql_fetch_array($tampil)){
echo "<tr><td>$no</td>
<td>$r[nama]</td>
<td><a
href=mailto:$r[email]>$r[email]</a></td>
<td>$r[no_hp]</td>
<td align=center>$r[aktif]</td>
<td><a
href=?ponorogo=photografer&act=editphotografer&id=$r[id_pg]><img
src='icon/edit-kecil.png' border=0px width=15px height=16px title='edit'></a>
</td></tr>";
```

```

        $no++;
    }
    echo "</table>";
    echo "<div id=paging>*) Data pada photografer tidak bisa dihapus, tapi bisa
di non-aktifkan melalui Edit photografer.</div><br>";
    break;
// Form Tambah photografer
case "tambahphotografer":
    echo "<h2>Tambah photografer</h2>
        <form method=POST action='aksi?ponorogo=photografer&act=input'>
        <table>
            <tr><td>Nama Photografer</td><td> : <input type=text
name='nama'></td></tr>
                <tr><td>E-mail</td><td> : <input type=text
name='email'></td></tr>
                    <tr><td>No Telp/HP</td><td> : <input type=text
name='no_hp'></td></tr>
                <tr><td colspan=2><input type=submit name=submit value=Simpan>
                    <input type=button value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
    break;
// Form Edit photografer
case "editphotografer":
    $edit=mysql_query("SELECT * FROM photografer WHERE
id_pg='$_GET[id]'");
    $r=mysql_fetch_array($edit);
    echo "<h2>Edit photografer</h2>
        <form method=POST action=$aksi?ponorogo=photografer&act=update>
        <input type=hidden name=id value='$r[id_pg]'>
        <table>
            <tr><td>Nama photografer</td> <td> : <input type=text name='nama'
value='$r[nama]'></td></tr>
                <tr><td>E-mail</td> <td> : <input type=text
name='email' size=30 value='$r[email]'></td></tr>
            <tr><td>No.Telp/HP</td> <td> : <input type=text name='no_hp'
size=30 value='$r[no_hp]'></td></tr>";
                if ($r[aktif]=='Y'){
                    echo "<tr><td>Aktif</td> <td> : <input type=radio
name='aktif' value='Y' checked>Y
                        <input type=radio name='aktif' value='N'>
N</td></tr>";
                }
            else{
                echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y'>Y

```

```
        <input type=radio name='aktif' value='N'  
checked>N</td></tr>";
    }
echo "<tr><td colspan=2><input type=submit value=Update>
          <input type=button value=Batal  
onclick=self.history.back()></td></tr>
      </table></form>";
break;
}
?
?>
```