

LAMPIRAN

SOURCE CODE SISTEM PELACAKAN PENGIRIMAN BARANG

Lampiran 1 : Source Code Form Login

```
<font face="arial" size="5" color="red">Login Admin</font>
<div class="span6" style="border: 1px solid #FF0000;border-radius:10px;padding: 10px 20px 10px 20px;">
<font color="white">
<table>
<?php
if (empty($username)) {
if (isset($_POST['username']) || isset($_POST['password'])) {
echo "<p>Username dan password yang anda ketik adalah salah!</p>";
};
?>

//Untuk eksekusi/action login
<form name="login_form" method="post" action="login.php">
//Menampilkan kolom username
<td>Username</td> <td>:</td>
<td><input name="username" size="32" maxleght="32" ><br/></td>

//Menampilkan kolom password
<td>Password</td> <td>:</td>
<td><input name="password" type="password" maxleght="32" ><br/></td>

//Menampilkan tombol Login
<td><input type="submit" name="button" value="Login" ></td>
</form>
<?php
}
else {
?>
<p>Anda telah berhasil melakukan login.</p>
<?php
};
?>
</table>
```

Lampiran 2 : Source Code Proses Login

```
<font face="arial" size="5" color="red">Login Admin</font>
<div class="span6" style="border: 1px solid #FF0000;border-radius:10px;padding: 10px 20px 10px 20px;">
<font color="white">
<table>

//Menampilkan keterangan yang menunjukkan username dan password yang di-inputkan salah
<?php
if (empty($username)) {
if (isset($_POST['username']) || isset($_POST['password'])) {
echo "<p>Username dan password yang anda ketik adalah salah!</p>"; };
?>

//Untuk eksekusi/action login
<form name="login_form" method="post" action="login.php">
//Menampilkan kolom username
<td>Username</td> <td>:</td>
<td><input name="username" size="32" maxleght="32" ><br/></td>

//Menampilkan kolom password
<td>Password</td> <td>:</td>
<td><input name="password" type="password" maxleght="32" ><br/></td>

//Menampilkan tombol Login
<td><input type="submit" name="button" value="Login" ></td>
</form>

//Menampilkan keterangan yang menunjukkan username dan password yang di-inputkan benar
<?php
} else {
?>
<p>Anda telah berhasil melakukan login.</p>
<?php
};
?>
</table>
```

Lampiran 3 : Source Code Data Pelanggan

```
<?php
include('koneksi.php');
?>
<p align="left"><font face="arial" size="5" color="black">Data Pelanggan</font></p>
<div class="span6" style="border:2px solid #FF0000;border-radius:10px;padding:10px 20px 10px
20px;">
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'berhasil') {
echo '<h3>Berhasil menambah data!</h3>'; }
?>
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'success') {
echo '<h3>Berhasil meng-update data!</h3>'; }
?>
<form method="post" action="input_dt_pelanggan.php">
<table> <tr><input type="submit" name="submit" value="Tambah Data"></tr> </table> </form>
<table border="1" cellpadding="5" cellspacing="0">
<thead>
<tr> <td>No.</td>
<td>ID Pelanggan</td>
<td>Nama Pelanggan</td>
<td>Alamat Pelanggan</td>
<td>No. Telp. Pelanggan</td>
<td>Email Pelanggan</td>
<td>Nama Penerima</td>
<td>Alamat Penerima</td>
<td>No. Telp. Penerima</td>
<td>Pilihan</td> </tr>
</thead> <tbody>
<?php
mysql_connect('localhost','root','');
mysql_select_db('dt_pengiriman_brg');
$stampil="select * from tb_pelanggan";
$no = 1; $qryTampil=mysql_query($stampil);
while ($data=mysql_fetch_array($qryTampil)) {
?>
<tr> <td><?php echo $no; ?></td>
<td><?php echo $data['id_pelanggan']; ?></td>
<td><?php echo $data['nama_pelanggan']; ?></td>
<td><?php echo $data['alamat_pelanggan']; ?></td>
<td><?php echo $data['no_telp_pelanggan']; ?></td>
<td><?php echo $data['email_pelanggan']; ?></td>
<td><?php echo $data['nama_penerima']; ?></td>
<td><?php echo $data['alamat_penerima']; ?></td>
<td><?php echo $data['no_telp_penerima']; ?></td>
<td><a href="edit_dt_pelanggan.php?id=<?php echo $data['id_pelanggan'] ?>">Edit </a>
<a href="delete_dt_pelanggan.php?id=<?php echo $data['id_pelanggan'] ?>" onclick="return
confirm('Anda yakin akan menghapus data?')"- Hapus</a> </tr>
<?php
$no++; }
?>
</tbody>
</table>
```

Lampiran 4 : Source Code Data Pengiriman

```
<?php
include('koneksi.php');
?>
<p align="left"><font face="arial" size="5" color="black">Data Pengiriman</font></p>
<div class="span6" style="border:2px solid #FF0000;border-radius:10px;padding:10px 20px 10px
20px;">
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'berhasil') {
echo '<h3>Berhasil menambah data!</h3>';
}
?>
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'success') {
echo '<h3>Berhasil meng-update data!</h3>';
}
?>
<form method="post" action="input_dt_pengiriman.php">
<table>
<tr><input type="submit" name="submit" value="Tambah Data"></tr>
</table>
</form>
<table border="1" cellpadding="5" cellspacing="0">
<thead>
<tr>
<td>No.</td>
<td>ID Pengiriman</td>
<td>Nama Pelanggan</td>
<td>Alamat Pelanggan</td>
<td>Nama Penerima</td>
<td>Alamat Penerima</td>
<td>Nama Barang</td>
<td>Berat Barang</td>
<td>Jumlah Barang</td>
<td>Biaya Pengiriman</td>
<td>Biaya Total</td>
<td>Tgl. Kirim</td>
<td>Tgl. Sampai</td>
<td>Status Pengiriman</td>
<td>Pilihan</td>
</tr>
</thead>
<tbody>
<?php
mysql_connect('localhost','root','');
mysql_select_db('dt_pengiriman_brg');
$stampil="select * from tb_pengiriman";
$no = 1;
$qryTampil=mysql_query($stampil);
while ($data=mysql_fetch_array($qryTampil)) {
?>
```

```

<tr>
  <td><?php echo $no; ?></td>
  <td><?php echo $data['id_pengiriman']; ?></td>
  <td><?php echo $data['nama_pelanggan']; ?></td>
  <td><?php echo $data['alamat_pelanggan']; ?></td>
  <td><?php echo $data['nama_penerima']; ?></td>
  <td><?php echo $data['alamat_penerima']; ?></td>
  <td><?php echo $data['nama_brg']; ?></td>
  <td><?php echo $data['berat_brg']; ?></td>
  <td><?php echo $data['jumlah_brg']; ?></td>
  <td><?php echo $data['biaya_pengiriman']; ?></td>
  <td><?php echo $data['biaya_total']; ?></td>
  <td><?php echo $data['tgl_kirim']; ?></td>
  <td><?php echo $data['tgl_sampai']; ?></td>
  <td><?php echo $data['status_pengiriman']; ?></td>
  <td><a href="edit_dt_pengiriman.php?id=<?php echo $data['id_pengiriman'] ?>">Edit </a>
  <a href="delete_dt_pengiriman.php?id=<?php echo $data['id_pengiriman'] ?>" onclick="return
confirm('Anda yakin akan menghapus data?')">- Hapus</a>
  </td>
</tr>
<?php
    $no++;
  }
?>
</tbody>
</table>

```

Lampiran 5 : Source Code Data Pelacakan

```
<?php
include('koneksi.php');
?>
<p align="left"><font face="arial" size="5" color="black">Data Pelacakan</font></p>
<div class="span6" style="border:2px solid #FF0000;border-radius:10px;padding:10px 20px 10px
20px;">
    <?php
if (!empty($_GET['message']) && $_GET['message'] == 'berhasil') {
    echo '<h3>Berhasil menambah data!</h3>';
}
?>
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'success') {
    echo '<h3>Berhasil meng-update data!</h3>';
}
?>
<form method="post" action="input_dt_pelacakan.php">
<table>
<tr><input type="submit" name="submit" value="Tambah Data"></tr>
</table>
</form>
<table>
<p>
<form method="post" action="proses_pelacakan_admin.php">
<table>
<tr><td> Cari No. Resi</td><td><input type="text" name="no_resi"></td></tr>
<tr><td></td><td><input type="submit" name="submit" value="Search"></td></tr>
</table>
</form>
</p>
</table>
<table border="1" cellpadding="5" cellspacing="0">
<thead>
<tr>
<td>No.</td>
<td>No.Resi</td>
<td>Nama Pelanggan</td>
<td>Alamat Pelanggan</td>
<td>Nama Penerima</td>
<td>Alamat Penerima</td>
<td>Nama Barang</td>
<td>Tgl. Kirim</td>
<td>Tgl. Sampai</td>
<td>Status Pengiriman</td>
<td>Lokasi Barang</td>
<td>Petunjuk Arah</td>
<td>Pilihan</td>
</tr>
</thead>
<tbody>
```

```

<?php mysql_connect('localhost','root','');
mysql_select_db('dt_pengiriman_brg');
$stampil="select * from tb_pelacakan";
    $no = 1;
    $qryTampil=mysql_query($stampil);
    while ($data=mysql_fetch_array($qryTampil)) {
    ?>
        <tr>
            <td><?php echo $no; ?></td>
                <td><?php echo $data['no_resi']; ?></td>
                    <td><?php echo $data['nama_pelanggan']; ?></td>
                        <td><?php echo $data['alamat_pelanggan']; ?></td>
                            <td><?php echo $data['nama_penerima']; ?></td>
                                <td><?php echo $data['alamat_penerima']; ?></td>
                                    <td><?php echo $data['nama_brg']; ?></td>
                                        <td><?php echo $data['tgl_kirim']; ?></td>
                                            <td><?php echo $data['tgl_sampai']; ?></td>
                                                <td><?php echo $data['status_pengiriman']; ?></td>
                                                    <td><?php echo $data['lokasi_barang']; ?></td>
                                                        <td><?php echo $data['petunjuk_arah']; ?></td>
                                                            <td><a href="edit_dt_pelacakan.php?id=<?php echo $data['no_resi'] ?>">Edit </a>
                                                                <a href="delete_dt_pelacakan.php?id=<?php echo $data['no_resi'] ?>" onclick="return confirm('Anda yakin akan menghapus data?')>- Hapus</a>
                                                                    </td>
                                                                </tr>
                                                                <?php
                                                                    $no++;
                                                                }
                                                                ?>
                                                                </tbody>
                                                                </table>

```

Lampiran 6 : Source Code Data Admin

```
<?php
include('koneksi.php');
?>
<p align="left"><font face="arial" size="5" color="black">Data Admin</font></p>
<div class="span6" style="border:2px solid #FF0000;border-radius:10px;padding:10px 20px
10px 20px;">
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'berhasil') {
    echo '<h3>Berhasil menambah data!</h3>';
}
?>
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'success') {
    echo '<h3>Berhasil meng-update data!</h3>';
}
?>
<form method="post" action="input_dt_admin.php">
<table>
<tr><input type="submit" name="submit" value="Tambah Data"></tr>
</table>
</form>
<table border="1" cellpadding="5" cellspacing="0">
<thead>
<tr>
<td>No.</td>
<td>ID Admin</td>
<td>Username</td>
<td>Password</td>
<td>Pilihan</td>
</tr>
</thead>
<tbody>
<?php
mysql_connect('localhost','root','');
mysql_select_db('dt_pengiriman_brg');
$stampil="select * from tb_admin";
$no = 1;
$queryTampil=mysql_query($stampil);
while ($data=mysql_fetch_array($queryTampil)) {
?>
<tr>
<td><?php echo $no; ?></td>
<td><?php echo $data['id_admin']; ?></td>
<td><?php echo $data['username']; ?></td>
<td><?php echo $data['password']; ?></td>
<td><a href="edit_dt_admin.php?id=<?php echo $data['id_admin'] ?>">Edit </a>
<a href="delete_dt_admin.php?id=<?php echo $data['id_admin']
?>" onclick="return confirm('Anda yakin akan menghapus data?')">- Hapus</a>
</tr>
<?php
$no++;
}
?>
</tbody>
</table>
```

Lampiran 7 : Source Code Input Data Pelacakan Barang

```
<form method="post" action="insert_dt_pelacakan.php">
</form>
<?php
if (!empty($_GET['message']) && $_GET['message'] == 'success') {
    echo '<h3>Berhasil menambah data!</h3>';
}
?>
<form name="input_dt_pelacakan" action="insert_dt_pelacakan.php" method="post">
<table border="0" cellpadding="5" cellspacing="0">
<tbody>
<tr>
<td>Nama Pelanggan</td>
<td>:</td>
<td><input type="text" name="nama_pelanggan" maxlength="30" required="required" /></td>
</tr>
<tr>
<td>Alamat Pelanggan</td>
<td>:</td>
<td><input type="text" name="alamat_pelanggan" maxlength="50" required="required" /></td>
</tr>
<tr>
<td>Nama Penerima</td>
<td>:</td>
<td><input type="text" name="nama_penerima" maxlength="30" required="required" /></td>
</tr>
<tr>
<td>Alamat Penerima</td>
<td>:</td>
<td><input type="text" name="alamat_penerima" maxlength="50" required="required" /></td>
</tr>
<tr>
<td>Nama Barang</td>
<td>:</td>
<td><input type="text" name="nama_brg" maxlength="30" required="required" /></td>
</tr>
<tr>
<td>Tgl. Kirim</td>
<td>:</td>
<td>Tanggal<select name="tangalkp">
<option value="20">20</option>
<?php
for ($t=1;$t<32;$t++)
{ echo "<option value=$t>$t</option>";}
?>
</select>
Bulan<select name="bulankp">
<option value="8">Agustus</option>
<?php
$bulankp=array("Januari","Februari","Maret","April",
"Mei","Juni","Juli","Agustus","September",
"Oktober","November","Desember");
for ($b=0;$b<12;$b++)
```

{

```

$i=$b+1;
    echo "<option value=$i>$bulankp[$b]</option>";
    }
    ?>
</select>

    Tahun<select name="tahunkp">
    <option value="2014">2014</option>
    <?php
    for ($t=2010;$t<2030;$t++)
    { echo "<option value=$t>$t</option>";}
    ?>
    </select></td>
</tr>
        <tr>
        <td>Tgl. Sampai</td>
        <td>:</td>
        <td>Tanggal<select name="tanggalsp">
        <option value="-">-</option>
        <?php
        for ($t=1;$t<32;$t++)
        { echo "<option value=$t>$t</option>";}
        ?>
        </select>
        Bulan<select name="bulansp">
        <option value="8">Agustus</option>
        <?php
        $bulansp=array(" Januari", "Februari", "Maret", "April",
        "Mei", "Juni", "Juli", "Agustus", "September",
        "Oktober", "November", "Desember");
        for ($b=0;$b<12;$b++)
        {
        $i=$b+1;
        echo "<option value=$i>$bulansp[$b]</option>";
        }
        ?>
        </select>
        Tahun<select name="tahunsp">
        <option value="2014">2014</option>
        <?php
        for ($t=2010;$t<2030;$t++)
        { echo "<option value=$t>$t</option>";}
        ?>
        </select></td>
</tr>
        <tr>
        <td>Status Pengiriman</td>
        <td>:</td>
        <td><select name="status_pengiriman" >
        <option value= "Manifested" selected="selected"> Manifested </option>
        <option value= "On transit" > On transit </option>
        <option value= "On process" > On process </option>
        <option value= "Received on Destination" > Received on Destination </option>
        <option value= "Delivered" > Delivered </option>

```

```

<option value= "Antar Ulang" > Antar Ulang </option>
<option value= "BA/Bad address" > BA/Bad address </option>
<option value= "CC(criscross)" > CC(criscross) </option>
<option value= "Redelivery" > Redelivery </option>
<option value= "Closed Once Delivery Attempt" > Closed Once Delivery Attempt </option>
<option value= "NTH(Not at Home)/Not Home" > NTH(Not at Home)/Not Home </option>
</select>
</td>
</tr>
<tr>
<td>Lokasi Barang</td>
<td>:</td>
<td><select name="lokasi_barang" >
<option value= "Ponorogo" selected="selected"> Ponorogo</option>
<option value= "Madiun" > Madiun </option>
<option value= "Surabaya" > Surabaya </option>
<option value= "Malang" > Malang </option>
<option value= "Solo" > Solo </option>
<option value= "Yogyakarta" > Yogyakarta </option>
<option value= "Semarang" > Semarang </option>
<option value= "Bandung" > Bandung </option>
<option value= "Jakarta" > Jakarta </option>
</select>
</td>
</tr>
<tr>
<td>Petunjuk Arah</td>
<td>:</td>
<td><input type="text" name="petunjuk_arah" maxlength="100" required="required" /></td>
</tr>
<tr>
<td align="right" colspan="3"><input type="submit" name="submit" value="Simpan" /></td>
</tr>
</tbody>
</table>
</form>
<form method="post" action="data_pelacakan.php">
<table>
<tr><input type="submit" name="submit" value="Lihat Data Pelacakan"></tr>
</table>
</form>

```

Lampiran 8 : Source Code Hapus Data Pelacakan Barang

```
<?php
include('koneksi.php');

$id = $_GET['id'];

$query = mysql_query("delete from tb_pelacakan where no_resi='$id'" or die(mysql_error()));

if ($query) {
    header('location:data_pelacakan.php?message=delete');
}

?>
```

Lampiran 9 : Source Code Edit Data Pelacakan Barang

```
<?php
include('koneksi.php');
?>
<?php
$id = $_GET['id'];
$query = mysql_query("select * from tb_pelacakan where no_resi='$id'") or die (mysql_error());
$data = mysql_fetch_array($query);
?>
<form name="update_data" action="update_dt_pelacakan.php" method="post">
<input type="hidden" name="no_resi" value="<?php echo $id; ?>" />
<table border="0" cellpadding="5" cellspacing="0">
  <tbody>
    <tr>
      <td>Tgl. Kirim</td>
      <td></td>
    </tr>
    <tr>
      <td>Tanggal<select name="tanggalkp">
        <option value="20">20</option>
        <?php
        for ($t=1;$t<32;$t++)
        { echo "<option value=$t>$t</option>";}
        ?>
        </select>
        Bulan<select name="bulankp">
        <option value="8">Agustus</option>
        <?php
        $bulankp=array("Januari","Februari","Maret","April",
        "Mei","Juni","Juli","Agustus","September",
        "Oktober","November","Desember");
        for ($b=0;$b<12;$b++)
        {
        $i=$b+1;
        echo "<option value=$i>$bulankp[$b]</option>";
        }
        ?>
        </select>
        Tahun<select name="tahunkp">
        <option value="2014">2014</option>
        <?php
        for ($t=2000;$t<2020;$t++)
        { echo "<option value=$t>$t</option>";}
        ?>
        </select>
        <value="<?php echo $data['tgl_kirim']; ?>" />
      </td>
      </tr>
    <tr>
      <td>Tgl. Sampai</td>
      <td></td>
    </tr>
    <tr>
      <td>Tanggal<select name="tanggalsp" value="<?php echo $data['tgl_sampai']; ?>" />
        <option value="-">-</option>
        <?php
        for ($t=1;$t<32;$t++)
        { echo "<option value=$t>$t</option>";}
        ?>
        </select>
        Bulan<select name="bulansp">
        <option value="8">Agustus</option>
        <?php
        $bulansp=array("Januari","Februari","Maret","April",
        "Mei","Juni","Juli","Agustus","September",
        "Oktober","November","Desember");
```

```

for ($b=0;$b<12;$b++) {
    $i=$b+1;
    echo "<option value=$i>$bulansp[$b]</option>"; }
?>
</select>
Tahun<select name="tahunsp">
<option value="2014">2014</option>
<?php
for ($t=2000;$t<2020;$t++)
{ echo "<option value=$t>$t</option>";}
?>
</select>
<value="<?php echo $data['tgl_sampai']; ?>"/></td> </tr>
<tr> <td>Status Pengiriman</td> <td></td>
<td><select name="status_pengiriman" >
<option value= "Manifested" selected="selected"> Manifested </option>
<option value= "On transit" > On transit </option>
<option value= "On process" > On process </option>
<option value= "Received on Destination" > Received on Destination </option>
<option value= "Delivered" > Delivered </option>
<option value= "Antar Ulang" > Antar Ulang </option>
<option value= "BA/Bad address" > BA/Bad address </option>
<option value= "CC(criscross)" > CC(criscross) </option>
<option value= "Redelivery" > Redelivery </option>
<option value= "Closed Once Delivery Attempt" > Closed Once Delivery Attempt </option>
<option value= "NTH(Not at Home)/Not Home" > NTH(Not at Home)/Not Home </option>
</select></td></tr>
<tr>
<td>Lokasi Barang</td>
<td></td>
<td><select name="lokasi_barang" >
<option value= "Ponorogo" selected="selected"> Ponorogo</option>
<option value= "Madiun" > Madiun </option>
<option value= "Surabaya" > Surabaya </option>
<option value= "Malang" > Malang </option>
<option value= "Solo" > Solo </option>
<option value= "Yogyakarta" > Yogyakarta </option>
<option value= "Semarang" > Semarang </option>
<option value= "Bandung" > Bandung </option>
<option value= "Jakarta" > Jakarta </option>
</select>
<value="<?php echo $data['lokasi_barang']; ?>"/></td>
</tr>
<tr>
<td>Petunjuk Arah</td>
<td></td>
<td><input type="text" name="petunjuk_arah" maxlength="100" required="required"
value="<?php echo $data['petunjuk_arah']; ?>"/></td>
</tr>
<tr>
<td align="right" colspan="3"><input type="submit" name="submit" value="Simpan" /></td>
</tr>
</tbody>
</table>
</form>

```

Lampiran 10 : Source Code Proses Pelacakan Barang

```
<?php
mysql_connect("localhost", "root", "");
mysql_select_db("dt_pengiriman_brg");
$bagianWhere = "";
if (isset($_POST['no_resi']))
{
    $no_resi = $_POST['no_resi'];
    if (empty($bagianWhere))
    {
        $bagianWhere .= "no_resi = '$no_resi'";
    }
}
$query = "SELECT * FROM tb_pelacakan WHERE ".$bagianWhere;
$hasil = mysql_query($query);
echo "<table border='1'>";
echo "
<tr>
<td>No. Resi</td>
<td>Nama Pelanggan</td>
<td>Alamat Pelanggan</td>
<td>Nama Penerima</td>
<td>Alamat Penerima</td>
<td>Nama Barang</td>
<td>Tgl. Kirim</td>
<td>Tgl. Sampai</td>
<td>Status Pengiriman</td>
<td>Lokasi Barang</td>
<td>Petunjuk Arah</td>
</tr>";
while ($data = mysql_fetch_array($hasil))
{
    echo "
<tr>
<td>".$data['no_resi']. "</td>
<td>".$data['nama_pelanggan']. "</td>
<td>".$data['alamat_pelanggan']. "</td>
<td>".$data['nama_penerima']. "</td>
<td>".$data['alamat_penerima']. "</td>
<td>".$data['nama_brg']. "</td>
<td>".$data['tgl_kirim']. "</td>
<td>".$data['tgl_sampai']. "</td>
<td>".$data['status_pengiriman']. "</td>
<td>".$data['lokasi_barang']. "</td>
<td>".$data['petunjuk_arah']. "</td>
</tr>";
}
echo "</table>";
?>
```