

LAMPIRAN-LAMPIRAN

1. Kode Sumber Login Page

```
<!DOCTYPE html>
<!-- saved from url=(0029)http://bootswatch.com/amelia/ -->
<html lang="en"><head><meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
  <title>... Aplikasi Managemen Surat ...</title>

  </style>
  <link rel="stylesheet" href="<?php echo base_url();
?>aset/css/bootstrap.css" media="screen">
  <!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and
media queries -->
  <!--[if lt IE 9]>
  <script
src=" ../bower_components/bootstrap/assets/js/html5shiv.js"></script>
  <script
src=" ../bower_components/bootstrap/assets/js/respond.min.js"></script>
  <![endif]-->

  <script src="<?php echo base_url();
?>aset/js/jquery.min.js"></script>
  <script src="<?php echo base_url();
?>aset/js/bootstrap.min.js"></script>
  <script src="<?php echo base_url();
?>aset/js/bootswatch.js"></script>
  <script src="<?php echo base_url();
?>aset/js/jquery.chained.js"></script>
  <body style="">
  <div class="navbar navbar-inverse navbar-fixed-top">
  <div class="container">
  <div class="navbar-header">
  <span class="navbar-brand"><strong style="font-family: verdana;
margin-left: -50px">Arsip Digital</strong></span>
  <button class="navbar-toggle" type="button" data-
toggle="collapse" data-target="#navbar-main">
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
  </button>
  </div>
  </div>
  </div>

  <?php
  $q_instansi = $this->db->query("SELECT * FROM tr_instansi LIMIT
1")->row();
  ?>
  <div class="container">

  <br><br>

  <div class="container-fluid" style="margin-top: 30px">
```

```

<div class="row-fluid">
  <div style="width: 400px; margin: 0 auto">
    <div class="well well-sm">
      
      <h3 style="margin: 5px 0 0.4em 0; font-size:
21px; color: #000; font-weight: bold"><?php echo $q_instansi->nama;
?></h3>
      <div style="color: #000; font-size: 13px"
class="clearfix"><?php echo $q_instansi->alamat; ?></div>
    </div>
  </div>

  <div class="well" style="width: 400px; margin: 20px auto;
border: solid 1px #d9d9d9; padding: 30px 20px; border-radius: 8px">
    <form action="<?=-base_URL()?>admin/do_login" method="post">
    <legend>Login Admin</legend>
    <?=$this->session->flashdata("k")?>
    <table align="center" style="margin-bottom: 0" class="table-
form" width="90%">
      <tr><td width="40%">Username</td><td><input
type="text" name="u" required style="width: 200px" autofocus class="form-
control"></td></tr>
      <tr><td>Password</td><td><input type="password"
name="p" required style="width: 200px" class="form-control"></td></tr>
      <tr><td>Tahun</td><td><select name="ta" class="form-
control" required><option value="">--</option>
      <?php
      for ($i = 2012; $i <= (date('Y')); $i++) {
        if (date('Y') == $i) {
          echo "<option value='$i'
selected>$i</option>";
        } else {
          echo "<option value='$i'>$i</option>";
        }
      }
      ?>
    </select>
    </td></tr>
      <tr><td></td><td><input type="submit" class="btn btn-
success" value="Login"></td></tr>
    </table>
    <center style="font-size: 11px">Username : <b>admin</b>,
Password : <b>admin</b></center>
    </form>
  </div><!--/span-->
</div><!--/row-->

</div><!--/.fluid-container-->

<script type="text/javascript">
$(document).ready(function(){
  $("#alert" ).fadeOut(6000);
});
</script>

</div>

</body></html>

```

2. Kode Sumber Halaman Utama

```
<!DOCTYPE html>

<html lang="en"><head><meta http-equiv="Content-Type"
content="text/html; charset=UTF-8">
  <head>
    <title>.: APLIKASI MANAJEMEN SURAT SMK NEGERI 1 MAGETAN
    :.:</title>
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <meta charset="utf-8">
    <style type="text/css">
      font-weight: 400;
      src: local('Cabin Regular'), local('Cabin-Regular'), url(<?php
echo base_url(); ?>aset/font/satu.woff) format('woff');
    }
    @font-face {
      font-family: 'Cabin';
      font-style: normal;
      font-weight: 700;
      src: local('Cabin Bold'), local('Cabin-Bold'), url(<?php echo
base_url(); ?>aset/font/dua.woff) format('woff');
    }
    @font-face {
      font-family: 'Lobster';
      font-style: normal;
      font-weight: 400;
      src: local('Lobster'), url(<?php echo base_url();
?>aset/font/tiga.woff) format('woff');
    }

  </style>
  <link rel="stylesheet" href="<?php echo base_url();
?>aset/css/bootstrap.css" media="screen">

  <link rel="stylesheet" href="<?php echo base_url();
?>aset/js/jquery/jquery-ui.css" />

  <script src="<?php echo base_url();
?>aset/js/jquery.min.js"></script>
  <script src="<?php echo base_url();
?>aset/js/bootstrap.min.js"></script>
  <script src="<?php echo base_url();
?>aset/js/bootswatch.js"></script>
  <script src="<?php echo base_url(); ?>aset/js/jquery/jquery-
ui.js"></script>
  <script type="text/javascript">

    $(document).ready(function () {
      $(function () {
        $("#kode_surat" ).autocomplete({
          source: function(request, response) {
            $.ajax({
              url: "<?php echo
site_url('admin/get_klasifikasi'); ?>",
              data: { kode:
$("#kode_surat").val()},
              dataType: "json",
```

```

        type: "POST",
        success: function(data){
            response(data);
        }
    });
},
});
});

$(function () {
    $("#dari" ).autocomplete({
        source: function(request, response) {
            $.ajax({
                url: "<?php echo
site_url('admin/get_instansi_lain'); ?>",
                data: { kode: $("#dari").val()},
                dataType: "json",
                type: "POST",
                success: function(data){
                    response(data);
                }
            });
        },
    });

$(function() {
    $("#tgl_surat" ).datepicker({
        changeMonth: true,
        changeYear: true,
        dateFormat: 'yy-mm-dd'
    });
});
// ]]>
</script>
</head>

<body style="">
    <div class="navbar navbar-inverse navbar-fixed-top">
        <div class="container">
            <div class="navbar-header">
                <span class="navbar-brand"><strong style="font-family:
verdana;">E-SURAT</strong></span>
                <button class="navbar-toggle" type="button" data-
toggle="collapse" data-target="#navbar-main">
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>
            <div class="navbar-collapse collapse" id="navbar-main">
                <ul class="nav navbar-nav">
                    <li><a href="<?php echo base_url(); ?>admin"><i
class="icon-home icon-white"> </i> Beranda</a></li>
                    <li class="dropdown">
                        <a class="dropdown-toggle" data-
toggle="dropdown" href="#" id="themes"><i class="icon-th-list icon-
white"> </i> Referensi <span class="caret"></span></a>
                        <ul class="dropdown-menu" aria-
labelledby="themes">
                            <li><a tabindex="-1" href="<?php echo
base_url(); ?>admin/klas_surat">Kode Surat</a></li>

```

```

        </ul>
    </li>
        <li class="dropdown">
            <a class="dropdown-toggle" data-toggle="dropdown" href="#"
id="themes"><i class="icon-random icon-white"> </i> Pencatatan <span
class="caret"></span></a>
            <ul class="dropdown-menu" aria-labelledby="themes">
                <li><a tabindex="-1" href="<?php echo base_url();
?>admin/surat_masuk">Surat Masuk</a></li>
                <li><a tabindex="-1" href="<?php echo base_url();
?>admin/surat_keluar">Surat Keluar</a></li>
            </ul>
        </li>
        <?php
        if ($this->session->userdata('admin_level') ==
"Super Admin") {
            ?>
            <li class="dropdown">
                <a class="dropdown-toggle" data-toggle="dropdown" href="#"
id="themes"><i class="icon-file icon-white"> </i> Cetak Buku Agenda
<span class="caret"></span></a>
                <ul class="dropdown-menu" aria-labelledby="themes">
                    <li><a tabindex="-1" href="<?php echo base_url();
?>admin/agenda_surat_masuk"> Surat Masuk</a></li>
                    <li><a tabindex="-1" href="<?php echo base_url();
?>admin/agenda_surat_keluar"> Surat Keluar</a></li>
                </ul>
            </li>
            <?php
            }
            ?>
            <?php
            if ($this->session->userdata('admin_level') ==
"Super Admin") {
                ?>
                <li class="dropdown">
                    <a class="dropdown-toggle" data-toggle="dropdown" href="#"
id="themes"><i class="icon-wrench icon-white"> </i> Pengaturan <span
class="caret"></span></a>
                    <ul class="dropdown-menu" aria-labelledby="themes">
                        <li><a tabindex="-1" href="<?php echo base_url();
?>admin/pengguna">Instansi Pengguna</a></li>
                        <li><a tabindex="-1" href="<?php echo base_url();
?>admin/manage_admin">Manajemen Admin</a></li>
                    </ul>
                </li>
                <?php
                }
                ?>
            </ul>
            <ul class="nav navbar-nav navbar-right">
                <li class="dropdown">
                    <a class="dropdown-toggle" data-toggle="dropdown" href="#"
id="themes"><i class="icon-user icon-white"></i> User <span
class="caret"></span></a>
                    <ul class="dropdown-menu" aria-labelledby="themes">
                        <li><a tabindex="-1" href="<?php echo base_url();
?>admin/passwod">Rubah Password</a></li>
                        <li><a tabindex="-1" href="<?php echo base_url();
?>admin/logout">Logout</a></li>
                    </ul>
                </li>
            </ul>
        </li>
    </ul>

```

```

        </ul>

        </div>
    </div>
</div>

    <?php
    $q_instansi = $this->db->query("SELECT * FROM tr_instansi LIMIT
1")->row();
    echo $this->session->userdata('admin_level');
    ?>
    <div class="container">

        <div class="page-header" id="banner">
            <div class="row">
                <div class="" style="padding: 15px 15px 0 15px;">
                    <div class="well well-sm">
                        
                            <h2 style="margin: 15px 0 10px 0; color: #000;"><?php
echo $q_instansi->nama; ?></h2>
                            <div style="color: #000; font-size: 16px; font-family:
Tahoma" class="clearfix"><b>Alamat : <?php echo $q_instansi->alamat;
?></b></div>
                        </div>
                    </div>
                </div>
            </div>
            <?php $this->load->view('admin/'.$page); ?>

            <div class="span12 well well-sm">

                <h6>Waktu Eksekusi : {elapsed_time}, Penggunaan Memori :
{memory_usage}</h6>
            </div>

        </div>
    </body></html>

```

3. Kode Sumber Halaman Kode Surat

```

<div class="clearfix">
<div class="row">
    <div class="col-lg-12">

        <div class="navbar navbar-inverse">
            <div class="container">
                <div class="navbar-header">
                    <a class="navbar-brand" href="#">Kode Surat
Depdagri</a>
                </div>
                <div class="navbar-collapse collapse navbar-inverse-
collapse" style="margin-right: -20px">
                    <ul class="nav navbar-nav navbar-right">
                        <form class="navbar-form navbar-left"
method="post" action="<?=base_URL(?)>admin/klas_surat/cari">
                            <input type="text" class="form-control"
name="q" style="width: 200px" placeholder="Kata kunci pencarian ...">

```

```

required>
                                <button type="submit" class="btn btn-
danger"><i class="icon-search icon-white"> </i> Cari</button>
                                </form>
                                </ul>
                                </div><!-- /.nav-collapse -->
                                </div><!-- /.container -->
                                </div><!-- /.navbar -->

</div>
</div>

<?php echo $this->session->flashdata("k");?>

<table class="table table-bordered table-hover">
    <thead>
        <tr>
            <th width="10%">Kode</th>
            <th width="60%">Uraian</th>
            <th width="30%">Aksi</th>
        </tr>
    </thead>

    <tbody>
        <?php
        if (empty($data)) {
            echo "<tr><td colspan='4' style='text-align: center;
font-weight: bold'>--Data tidak ditemukan--</td></tr>";
        } else {
            $no = ($this->uri->segment(4) + 1);
            foreach ($data as $b) {
                <?>
                <tr>
                    <td><?php echo $b->kode;?></td>
                    <td><?=$b->uraian?></td>

                    <?php
                    if ($this->session->userdata('admin_level') == "Super
Admin") {
                        <?>
                        <td class="ctr">
                            <div class="btn-group">
                                <a
href="<?=base_URL()?>admin/klas_surat/edt/<?=$b->id?>" class="btn btn-
success btn-sm"><i class="icon-edit icon-white"> </i> Edit</a>
                                </div>
                            </td>
                        <?php
                        } else {
                            echo "<td class='ctr'> -- </td>";
                        }
                    <?>
                </tr>
                <?php
                $no++;
            }
        }
        <?>
    </tbody>
</table>
<center><ul class="pagination"><?php echo $pagi; ?></ul></center>
</div>

```

4. Kode Sumber Halaman Pencatatan Surat Masuk

```
<div class="clearfix">
<div class="row">
  <div class="col-lg-12">

    <div class="navbar navbar-inverse">
      <div class="container">
        <div class="navbar-header">
          <a class="navbar-brand" href="#">Surat
Masuk</a>
        </div>
        <div class="navbar-collapse collapse navbar-inverse-
collapse" style="margin-right: -20px">
          <?php
            if ($this->session->userdata('admin_level') == "Super
Admin") {
              <?>
              <ul class="nav navbar-nav">
                <li><a href="<?php echo base_URL();
?>admin/surat_masuk/add" class="btn-info"><i class="icon-plus-sign icon-
white"> </i> Tambah Data</a></li>
              </ul>
              <?php
            }
            <?>

              <ul class="nav navbar-nav navbar-right">
                <form class="navbar-form navbar-left"
method="post" action="<?=base_URL()?>admin/surat_masuk/cari">
                  <input type="text" class="form-control"
name="q" style="width: 200px" placeholder="Kata kunci pencarian ..."
required>
                  <button type="submit" class="btn btn-
danger"><i class="icon-search icon-white"> </i> Cari</button>
                </form>
              </ul>
            </div><!-- /.nav-collapse -->
          </div><!-- /.container -->
        </div><!-- /.navbar -->
      </div>
    </div>

    <?php echo $this->session->flashdata("k");?>

    <table class="table table-bordered table-hover">
      <thead>
        <tr>
          <th width="10%">No. Agd/Kode</th>
          <th width="27%">Isi Ringkas, File</th>
          <th width="25%">Asal Surat</th>
          <th width="15%">Nomor, Tgl. Surat</th>
          <th width="23%">Aksi</th>
        </tr>
      </thead>
      <tbody>
        <?php
          if (empty($data)) {
            echo "<tr><td colspan='5' style='text-align: center;
font-weight: bold'>--Data tidak ditemukan--</td></tr>";
          }
        </?php
      </tbody>
    </table>
  </div>
</div>
```

```

    } else {
        $no = ($this->uri->segment(4) + 1);
        foreach ($data as $b) {
            ?>
            <tr>
                <td><?php echo $b->no_agenda."/".$b->kode;?></td>
                <td><?=$b->isi_ringkas."<br><b>File : </b><i><a
href='".base_URL()."upload/surat_masuk/".$b->file."'
target='_blank'>".$b->file."</a>?></td>
                <td><?=$b->dari?></td>
                <td><?=$b->no_surat."<br><i>".tgl_jam_sql($b-
>tgl_surat)."</i>?></td>

                <td class="ctr">
                    <?php
                    if ($b->pengolah == $this->session-
>userdata('admin_id')) {
                        ?>
                        <div class="btn-group">
                            <a
href="<?=base_URL()?>admin/surat_masuk/edt/<?=$b->id?>" class="btn btn-
success btn-sm" title="Edit Data"><i class="icon-edit icon-white"> </i>
Edt</a>

                            <a
href="<?=base_URL()?>admin/surat_masuk/del/<?=$b->id?>" class="btn btn-
warning btn-sm" title="Hapus Data" onclick="return confirm('Anda
Yakin..?')"><i class="icon-trash icon-remove"> </i> Del</a>

                            <a
href="<?=base_URL()?>admin/surat_disposisi/<?=$b->id?>" class="btn btn-
default btn-sm" title="Disposisi Surat"><i class="icon-trash icon-list">
</i> Disp</a>

                            <a
href="<?=base_URL()?>admin/disposisi_cetak/<?=$b->id?>" class="btn btn-
info btn-sm" target="_blank" title="Cetak Disposisi"><i class="icon-print
icon-white"> </i> Ctk</a>

                        </div>
                        <?php
                    } else {
                        ?>
                        <div class="btn-group">
                            <a
href="<?=base_URL()?>admin/disposisi_cetak/<?=$b->id?>" class="btn btn-
info btn-sm" target="_blank" title="Cetak Disposisi"><i class="icon-print
icon-white"> </i> Ctk</a>

                        </div>
                        <?php
                    }
                </td>
            </tr>
            <?php
                $no++;
            }
        }
    }
?>
</tbody>
</table>
<center><ul class="pagination"><?php echo $pagi; ?></ul></center>
</div>

```

5. Kode Sumber Tambah Data Surat Masuk

```
<?php
$mode          = $this->uri->segment(3);

if ($mode == "edt" || $mode == "act_edt") {
    $act        = "act_edt";
    $idp        = $datapil->id;
    $no_agenda  = $datapil->no_agenda;
    $indek_berkas= $datapil->indek_berkas;
    $kode       = $datapil->kode;
    $dari       = $datapil->dari;
    $no_surat   = $datapil->no_surat;
    $tgl_surat  = $datapil->tgl_surat;
    $uraian     = $datapil->isi_ringkas;
    $ket        = $datapil->keterangan;
} else {
    $act        = "act_add";
    $idp        = "";
    $no_agenda  = "";
    $indek_berkas="";
    $kode       = "";
    $dari       = "";
    $no_surat   = "";
    $tgl_surat  = "";
    $uraian     = "";
    $ket        = "";
}
?>
<div class="navbar navbar-inverse">
    <div class="container">
        <div class="navbar-header">
            <span class="navbar-brand" href="#">Surat Masuk</span>
        </div>
    </div><!-- /.container -->
</div><!-- /.navbar -->

    <form action="<?=base_URL()?>admin/surat_masuk/<?php echo $act; ?>"
method="post" accept-charset="utf-8" enctype="multipart/form-data">

    <input type="hidden" name="idp" value="<?php echo $idp; ?>">

    <div class="row-fluid well" style="overflow: hidden">

    <div class="col-lg-6">
        <table class="table-form">
            <?php
                $servername = "localhost";
                $username   = "root";
                $password   = "";
                $dbname     = "db_surat";

                $conn = new mysqli($servername, $username, $password,
$dbname);

                if ($conn->connect_error) {
                    die("Connection failed: " . $conn-
>connect_error);
                }

                $sql = "SELECT no_agenda FROM t_surat_masuk ORDER BY
```

```

id DESC LIMIT 1";
        $result = $conn->query($sql);

        if ($result->num_rows > 0) {
            while($row = $result->fetch_assoc()) {
                echo "Nomor Agenda Surat Masuk Terakir Adalah : " .
                $row["no_agenda"]. "<br>";
            }
        } else {
            echo "Nomor Agenda Surat Masuk Terakir Adalah :
            Belum ada data";
        }
        $conn->close();

        ?>

<br>
<tr><td width="20%">No. Agenda</td><td><b><input type="text"
name="no_agenda" required value="<?php echo $no_agenda; ?>" style="width:
100px" class="form-control"></b></td></tr>
<tr><td width="20%">Asal Surat</td><td><b><input type="text"
name="dari" required value="<?php echo $dari; ?>" id="dari" style="width:
400px" class="form-control"></b></td></tr>
<tr><td width="20%">Nomor Surat</td><td><b><input
type="text" name="no_surat" required value="<?php echo $no_surat; ?>"
style="width: 300px" class="form-control"></b></td></tr>
<tr><td width="20%">Isi Ringkas</td><td><b><textarea
name="uraian" required style="width: 400px; height: 90px" class="form-
control"><?php echo $uraian; ?></textarea></b></td></tr>
<tr><td colspan="2">
<br><button type="submit" class="btn btn-
primary">Simpan</button>
<a href="<?base_URL()>admin/surat_masuk" class="btn btn-
success">Kembali</a>
</td></tr>
</table>
</div>

<div class="col-lg-6">
<table class="table-form">
<tr><td width="20%">Kode Klasifikasi</td><td><b><input
type="text" name="kode" id="kode_surat" required value="<?php echo $kode;
?>" style="width: 100px" class="form-control"></b></td></tr>
<tr><td width="20%">Indeks Berkas</td><td><b><input
type="text" name="indek_berkas" required value="<?php echo $indek_berkas;
?>" style="width: 300px" class="form-control"></b></td></tr>
<tr><td width="20%">Tanggal Surat</td><td><b><input
type="text" name="tgl_surat" required value="<?php echo $tgl_surat; ?>"
id="tgl_surat" style="width: 100px" class="form-control"></b></td></tr>
<tr><td width="20%">File Surat (Scan)</td><td><b><input
type="file" name="file_surat" class="form-control" style="width:
200px"></b></td></tr>
<tr><td width="20%">Keterangan</td><td><b><input type="text"
name="ket" required value="<?php echo $ket; ?>" style="width: 400px"
class="form-control"></b></td></tr>
</table>
</div>

</div>

</form>

```

6. Kode Sumber Halaman Disposisi Surat Masuk

```
<div class="clearfix">
<div class="row">
  <div class="col-lg-12">

    <div class="navbar navbar-inverse">
      <div class="container">
        <div class="navbar-header">
          <a class="navbar-brand" href="#">Disposisi
Surat</a>
        </div>
        <div class="navbar-collapse collapse navbar-inverse-
collapse" style="margin-right: -20px">
          <ul class="nav navbar-nav">
            <li><a href="<?php echo base_URL();
?>admin/surat_disposisi/<?php echo $this->uri->segment(3)?>/add"
class="btn-info"><i class="icon-plus-sign icon-white"> </i> Tambah
Data</a></li>
            <li><a href="<?php echo base_URL();
?>admin/surat_masuk" class="btn-info"><i class="icon-share icon-white">
</i> Kembali</a></li>
          </ul>

          <ul class="nav navbar-nav navbar-right">
            <form class="navbar-form navbar-left"
method="post" action="<?base_URL()?>admin/surat_disposisi/<?php echo
$this->uri->segment(3)?>/cari">
              <input type="text" class="form-control"
name="q" style="width: 200px" placeholder="Kata kunci pencarian ..."
required>
              <button type="submit" class="btn btn-
danger"><i class="icon-search icon-white"> </i> Cari</button>
            </form>
          </ul>
        </div><!-- /.nav-collapse -->
      </div><!-- /.container -->
    </div><!-- /.navbar -->

  </div>
</div>

<?php echo $this->session->flashdata("k");?>

<!--
<div class="alert alert-dismissable alert-success">
  <button type="button" class="close" data-dismiss="alert">x</button>
  <strong>Well done!</strong> You successfully read <a
href="http://bootswatch.com/amelia/#" class="alert-link">this important
alert message</a>.
</div>

<div class="alert alert-dismissable alert-danger">
  <button type="button" class="close" data-dismiss="alert">x</button>
  <strong>Oh snap!</strong> <a href="http://bootswatch.com/amelia/#"
class="alert-link">Change a few things up</a> and try submitting again.
</div>
-->
<b>Perihal Surat</b> : <i><?php echo $judul_surat; ?></i><br><br>
<table class="table table-bordered table-hover">
  <thead>
    <tr>
      <th width="5%">ID</th>
      <th width="25%">Tujuan Disposisi</th>
```

```

        <th width="35%">Isi Disposisi</th>
        <th width="20%">Sifat, Batas Waktu</th>
        <th width="15%">Aksi</th>
    </tr>
</thead>

<tbody>
    <?php
    if (empty($data)) {
        echo "<tr><td colspan='5' style='text-align: center;
font-weight: bold'>--Data tidak ditemukan--</td></tr>";
    } else {
        $no = ($this->uri->segment(4) + 1);
        foreach ($data as $b) {
            <?>
            <tr>
                <td class="ctr"><?php echo $no;?></td>
                <td><?php echo $b->kpd_yth; ?></td>
                <td><?php echo $b->isi_disposisi; ?></td>
                <td><?=$b->sifat."<br><i>Batas waktu s.d.
                .tgl_jam_sql($b->batas_waktu)."</i>"?></td>
                <td class="ctr">
                    <div class="btn-group">
                        <a
href="<?=>base_URL()?>admin/surat_disposisi/<?php echo $this->uri-
>segment(3)?>/edt/<?=$b->id?>" class="btn btn-success btn-sm"><i
class="icon-edit icon-white"> </i> Edit</a>
                        <a
href="<?=>base_URL()?>admin/surat_disposisi/<?php echo $this->uri-
>segment(3)?>/del/<?=$b->id?>" class="btn btn-warning btn-sm"
onclick="return confirm('Anda Yakin..?')">
                            <i class="icon-trash icon-white"> </i>
Hapus</a>
                    </div>
                </td>
            </tr>
            <?php
                $no++;
            }
        <?>
    </tbody>
</table>
<center><ul class="pagination"><?php echo $pagi; ?></ul></center>
</div>

```

7. Kode Sumber Halaman Tambah Data Disposisi Surat Masuk

```

<?php
$mode = $this->uri->segment(4);

if ($mode == "edt" || $mode == "act_edt") {
    $act = "act_edt";
    $idp = $datpil->id;
    $id_surat = $datpil->id_surat;
    $kpd_yth = $datpil->kpd_yth;
    $isi_disposisi = $datpil->isi_disposisi;
    $sifat = $datpil->sifat;
    $batas_waktu = $datpil->batas_waktu;
    $catatan = $datpil->catatan;
}

```

```

} else {
    $act          = "act_add";
    $idp          = "";
    $id_surat     = $this->uri->segment(3);
    $kpd_yth     = "";
    $isi_disposisi = "";
    $sifat       = "";
    $batas_waktu = "";
    $catatan     = "";
}
?>
<div class="navbar navbar-inverse">
    <div class="container">
        <div class="navbar-header">
            <span class="navbar-brand" href="#">Disposisi
Surat</span>
        </div>
    </div><!-- /.container -->
</div><!-- /.navbar -->

    <form action="<?=base_URL()>admin/surat_disposisi/<?php
echo $this->uri->segment(3)?>/<?php echo $act; ?>" method="post"
accept-charset="utf-8" enctype="multipart/form-data">

        <input type="hidden" name="idp" value="<?php echo $idp; ?>">
        <input type="hidden" name="id_surat" value="<?php echo
$id_surat; ?>">

        <b>Perihal Surat</b> : <i><?php echo $judul_surat;
?></i><br><br>

        <div class="row-fluid well" style="overflow: hidden">

            <div class="col-lg-6">
                <table width="100%" class="table-form">
                    <tr><td width="20%">Tujuan Disposisi</td><td><b><input
type="text" name="kpd_yth" required value="<?php echo $kpd_yth;
?>" style="width: 400px" class="form-control"></b></td></tr>
                    <tr><td width="20%">Isi Disposisi</td><td><b><textarea
name="isi_disposisi" required style="width: 400px; height: 60px"
class="form-control"><?php echo $isi_disposisi;
?></textarea></b></td></tr>
                    <tr><td colspan="2">
                        <br><button type="submit" class="btn btn-
primary">Simpan</button>
                        <a href="<?=base_URL()>admin/surat_disposisi/<?php
echo $this->uri->segment(3); ?>" class="btn btn-
success">Kembali</a>
                    </td></tr>
                </table>
            </div>

            <div class="col-lg-6">
                <table width="100%" class="table-form">
                    <tr><td width="20%">Sifat</td><td><b>
<select name="sifat" class="form-control"

```

```

style="width: 200px" required><option value=""> - sifat -
</option>

        <?php
            $l_sifat =
array('Biasa', 'Segera', 'Perlu Perhatian Khusus', 'Perhatian Batas
Waktu');

            for ($i = 0; $i < sizeof($l_sifat); $i++)
{
                if ($l_sifat[$i] == $sifat) {
                    echo "<option selected
value='". $l_sifat[$i]. "'>". $l_sifat[$i]. "</option>";
                } else {
                    echo "<option
value='". $l_sifat[$i]. "'>". $l_sifat[$i]. "</option>";
                }
            }
        ?>
        </select>
        </b></td></tr>
        <tr><td width="20%">Batas
Waktu</td><td><b><input type="text" name="batas_waktu" required
value="<?php echo $batas_waktu; ?>" id="tgl_surat" style="width:
100px" class="form-control"></b></td></tr>
        <tr><td width="20%">Catatan</td><td><b><input
type="text" name="catatan" required value="<?php echo $catatan;
?>" style="width: 400px" class="form-control"></b></td></tr>

        </table>
    </div>

</div>

</form>

```

8. Kode Sumber Halaman Cetak Disposisi Surat Masuk

```

<?php
$q_instansi = $this->db->query("SELECT * FROM tr_instansi LIMIT
1")->row();
?>

<html>
<head>
<style type="text/css" media="print">
    table {border: solid 1px #000; border-collapse: collapse;
width: 100%}
    tr { border: solid 1px #000}
    td { padding: 7px 5px}
    h3 { margin-bottom: -17px }
    h2 { margin-bottom: 0px }
</style>
<style type="text/css" media="screen">
    table {border: solid 1px #000; border-collapse: collapse;
width: 60%}
    tr { border: solid 1px #000}

```



```

.....<br>
.....</td></tr>
</table>
</body>
</html>

```

9. Kode Sumber Halaman Data Surat Keluar

```

<div class="clearfix">
<div class="row">
  <div class="col-lg-12">

    <div class="navbar navbar-inverse">
      <div class="container">
        <div class="navbar-header">
          <a class="navbar-brand" href="#">Surat
Keluar</a>
        </div>
        <div class="navbar-collapse collapse navbar-inverse-
collapse" style="margin-right: -20px">
          <?php
            if ($this->session->userdata('admin_level') == "Super
Admin") {
              <?>
              <ul class="nav navbar-nav">
                <li><a href="<?php echo base_URL();
?>admin/surat_keluar/add" class="btn-info"><i class="icon-plus-sign icon-
white"> </i> Tambah Data</a></li>
              </ul>
              <?php
            }
          <?>

          <ul class="nav navbar-nav navbar-right">
            <form class="navbar-form navbar-left"
method="post" action="<?=base_URL()?>admin/surat_keluar/cari">
              <input type="text" class="form-control"
name="q" style="width: 200px" placeholder="Kata kunci pencarian ..."
required>
              <button type="submit" class="btn btn-
danger"><i class="icon-search icon-white"> </i> Cari</button>
            </form>
          </ul>
        </div><!-- /.nav-collapse -->
      </div><!-- /.container -->
    </div><!-- /.navbar -->

  </div>
</div>

<?php echo $this->session->flashdata("k");?>

<!--
<div class="alert alert-dismissable alert-success">
  <button type="button" class="close" data-dismiss="alert">x</button>
  <strong>Well done!</strong> You successfully read <a
href="http://bootswatch.com/amelia/#" class="alert-link">this important
alert message</a>.
</div>

<div class="alert alert-dismissable alert-danger">

```

```

<button type="button" class="close" data-dismiss="alert">x</button>
<strong>Oh snap!</strong> <a href="http://bootswatch.com/amelia/#"
class="alert-link">Change a few things up</a> and try submitting again.
</div>
-->

<table class="table table-bordered table-hover">
  <thead>
    <tr>
      <th width="10%">No. Agd/Kode</th>
      <th width="30%">Isi Ringkas, File</th>
      <th width="25%">Tujuan Surat</th>
      <th width="20%">Nomor, Tgl. Surat</th>
      <th width="15%">Aksi</th>
    </tr>
  </thead>

  <tbody>
    <?php
      if (empty($data)) {
        echo "<tr><td colspan='5' style='text-align: center;
font-weight: bold'>--Data tidak ditemukan--</td></tr>";
      } else {
        $no = ($this->uri->segment(4) + 1);
        foreach ($data as $b) {
          ?>
          <tr>
            <td><?php echo $b->no_agenda."/".$b->kode;?></td>
            <td><?=$b->isi_ringkas."<br><b>File : </b><i><a
href=".".base_URL()."upload/surat_keluar/".$b->file."'
target='_blank'>".$b->file."</a>?></td>
            <td><?=$b->tujuan?></td>
            <td><?=$b->no_surat."<br><i>".tgl_jam_sql($b-
>tgl_surat)."</i>?></td>
            <td class="ctr">
              <?php
                if ($b->pengolah == $this->session-
>userdata('admin_id')) {
                  ?>
                  <div class="btn-group">
                    <a
href="<?=base_URL()?>admin/surat_keluar/edt/<?=$b->id?>" class="btn btn-
success btn-sm"><i class="icon-edit icon-white"> </i> Edit</a>
                    <a
href="<?=base_URL()?>admin/surat_keluar/del/<?=$b->id?>" class="btn btn-
warning btn-sm" onclick="return confirm('Anda Yakin..?')">
                      <i class="icon-trash icon-white"> </i>
Hapus</a>
                  </div>
                  <?php } else { ?>
                    No Action
                  <?php } ?>
                </td>
          </tr>
          <?php
            $no++;
          }
        }
      ?>
    </tbody>
  </table>
<center><ul class="pagination"><?php echo $pagi; ?></ul></center>
</div>

```

10. Kode Sumber Tambah Data Surat Keluar

```
<?php
$mode          = $this->uri->segment(3);

if ($mode == "edt" || $mode == "act_edt") {
    $act        = "act_edt";
    $idp        = $datpil->id;
    $no_agenda  = $datpil->no_agenda;
    $kode       = $datpil->kode;
    $dari       = $datpil->tujuan;
    $no_surat   = $datpil->no_surat;
    $tgl_surat  = $datpil->tgl_surat;
    $uraian     = $datpil->isi_ringkas;
    $ket        = $datpil->keterangan;
} else {
    $act        = "act_add";
    $idp        = "";
    $no_agenda  = "";
    $kode       = "";
    $dari       = "";
    $no_surat   = "";
    $tgl_surat  = "";
    $uraian     = "";
    $ket        = "";
}
?>
<div class="navbar navbar-inverse">
    <div class="container" style="z-index: 0">
        <div class="navbar-header">
            <span class="navbar-brand" href="#">Surat Keluar
        </span>
        </div>
    </div><!-- /.container -->
</div><!-- /.navbar -->

    <form action="<?=base_URL()>admin/surat_keluar/<?php echo $act;
?>" method="post" accept-charset="utf-8" enctype="multipart/form-data">

    <input type="hidden" name="idp" value="<?php echo $idp; ?>">

    <div class="row-fluid well" style="overflow: hidden">

    <div class="col-lg-6">
        <table width="100%" class="table-form">
            <?php
            $servername = "localhost";
            $username   = "root";
            $password   = "";
            $dbname     = "db_surat";

            $conn = new mysqli($servername, $username, $password,
            $dbname);

            if ($conn->connect_error) {
                die("Connection failed: " . $conn-
                >connect_error);
            }

            $sql = "SELECT no_agenda FROM t_surat_keluar ORDER BY
            id DESC LIMIT 1";
            $result = $conn->query($sql);
```

```

        if ($result->num_rows > 0) {
            while($row = $result->fetch_assoc()) {
                echo "Nomor Agenda Surat Keluar Terakhir Adalah : " .
                $row["no_agenda"]. "  
>";
            }
        } else {
            echo "Nomor Agenda Surat Keluar Terakhir Adalah
: Belum ada data";
        }
        $conn->close();

        ?>
        <tr><td width="20%">No. Agenda</td><td><b><input type="text"
name="no_agenda" required value="<?php echo $no_agenda; ?>" style="width:
100px" class="form-control"></b></td></tr>
        <tr><td width="20%">Tujuan Surat</td><td><b><input
type="text" name="dari" required value="<?php echo $dari; ?>" id="dari"
style="width: 400px" class="form-control"></b></td></tr>
        <tr><td width="20%">Nomor Surat</td><td><b><input
type="text" name="no_surat" required value="<?php echo $no_surat; ?>"
style="width: 300px" class="form-control"></b></td></tr>
        <tr><td width="20%">Isi Ringkas</td><td><b><textarea
name="uraian" required style="width: 400px; height: 60px" class="form-
control"><?php echo $uraian; ?></textarea></b></td></tr>
        <tr><td colspan="2">
        <br><button type="submit" class="btn btn-
primary">Simpan</button>
        <a href="<?base_URL()>admin/surat_keluar" class="btn btn-
success">Kembali</a>
        </td></tr>
        </table>
    </div>

    <div class="col-lg-6">
        <table width="100%" class="table-form">
            <tr><td width="20%">Kode
Klasifikasi</td><td><b><input type="text" name="kode" required
value="<?php echo $kode; ?>" id="kode_surat" style="width: 100px"
class="form-control"></b></td></tr>
            <tr><td width="20%">Tanggal Surat</td><td><b><input
type="text" name="tgl_surat" required value="<?php echo $tgl_surat; ?>"
id="tgl_surat" style="width: 100px" class="form-control"></b></td></tr>
            <tr><td width="20%">File Surat
(Scan)</td><td><b><input type="file" name="file_surat" class="form-
control" style="width: 200px"></b></td></tr>
            <tr><td width="20%">Keterangan</td><td><b><input
type="text" name="ket" required value="<?php echo $ket; ?>" style="width:
400px" class="form-control"></b></td></tr>
        </table>
    </div>

</div>

</form>

```

11. Kode Sumber Halaman Cetak Agenda Surat Masuk dan Keluar

```

<div class="navbar navbar-inverse">
    <div class="container">
        <div class="navbar-header">

```

```

                <span class="navbar-brand" href="#">Cetak
Agenda</span>
            </div>
        </div><!-- /.container -->
</div><!-- /.navbar -->

<form action="{<?=base_URL()?>admin/cetak_agenda" target="blank"
method="post" accept-charset="utf-8" enctype="multipart/form-data">
    <input type="hidden" name="tipe" value="{<?php echo $this->uri-
>segment(2); ?>">

    <table class="table-form" width="100%">
        <tr><td width="20%">Dari Tanggal</td><td><b><input type="text"
name="tgl_start" id="tgl_start" class="form-control" style="width: 150px"
required></b></td></tr>
        <tr><td width="20%">Sampai Tanggal</td><td><b><input type="text"
name="tgl_end" id="tgl_end" class="form-control" style="width: 150px"
required></b></td></tr>

        <tr><td colspan="2">
        <br>
        <button type="submit" class="btn btn-primary">Cetak</button>
        <a href="{<?=base_URL()?>admin" class="btn btn-success">Kembali</a>
        </td></tr>
    </table>
</fieldset>
</form>

<script type="text/javascript">
$(function() {
    $( "#tgl_start" ).datepicker({
        changeMonth: true,
        changeYear: true,
        dateFormat: 'yy-mm-dd'
    });
    $( "#tgl_end" ).datepicker({
        changeMonth: true,
        changeYear: true,
        dateFormat: 'yy-mm-dd'
    });
});
</script>

```

12. Kode Sumber Halaman Agenda Surat Masuk

```

<html>
<head>
<style type="text/css" media="print">
table {border: solid 1px #000; border-collapse: collapse; width:
100%}
tr { border: solid 1px #000; page-break-inside: avoid;}
td { padding: 7px 5px; font-size: 10px}
th {
    font-family:Arial;
    color:black;
    font-size: 11px;
    background-color:lightgrey;
}
thead {
    display:table-header-group;
}

```

```

tbody {
    display:table-row-group;
}
h3 { margin-bottom: -17px }
h2 { margin-bottom: 0px }
</style>
<style type="text/css" media="screen">
table {border: solid 1px #000; border-collapse: collapse; width:
100%}
tr { border: solid 1px #000}
th {
    font-family:Arial;
    color:black;
    font-size: 11px;
    background-color: #999;
    padding: 8px 0;
}
td { padding: 7px 5px;font-size: 10px}
h3 { margin-bottom: -17px }
h2 { margin-bottom: 0px }
</style>
<title>Cetak Agenda Surat Masuk</title>
</head>

<body onload="window.print()">
    <center><b style="font-size: 20px">AGENDA SURAT MASUK SMK NEGERI 1
MAGETAN</b><br>
    Dari tanggal <b><?php echo tgl_jam_sql($tgl_start)."</b> sampai
dengan tanggal <b>".tgl_jam_sql($tgl_end)."</b>"; ?>
    </center><br>

    <table>
    <table border=1>
        <thead>
            <tr>
                <th width="3%">No</th>
                <th width="5%">Kode Klas</th>
                <th width="28%">Isi Ringkas</th>
                <th width="18%">Dari</th>
                <th width="17%">Nomor Surat</th>
                <th width="7%">Tgl. Surat</th>
                <th width="10%">Pengolah</th>
                <th width="7%">Tgl, Paraf</th>
                <th width="5%">Ket</th>
            </tr>
        </thead>
        <tbody>
            <?php
            if (!empty($data)) {
                $no = 0;
                foreach ($data as $d) {
                    $no++;
                ?>
                <tr>
                    <td><?php echo $no; ?></td>
                    <td><?php echo $d->kode; ?></td>
                    <td><?php echo $d->isi_ringkas; ?></td>
                    <td><?php echo $d->dari; ?></td>
                    <td><?php echo $d->no_surat; ?></td>
                    <td><?php echo tgl_jam_sql($d->tgl_surat);
?></td>
                    <td><?php echo gval("t_admin", "id", "nama",
$d->pengolah); ?></td>
                    <td><?php echo tgl_jam_sql($d->tgl_diterima);

```

```

?></td>
                                <td><?php echo $d->keterangan; ?></td>
                                </tr>
                                <?php
                                } else {
                                echo "<tr><td style='text-align: center'>Tidak
ada data</td></tr>";
                                }
                                ?>
                                </tbody>
                                </table>
</body>
</html>

```

13. Kode Sumber Halaman Agenda Surat Keluar

```

<html>
<head>
<style type="text/css" media="print">
table {border: solid 1px #000; border-collapse: collapse; width:
100%}
tr { border: solid 1px #000; page-break-inside: avoid;}
td { padding: 7px 5px; font-size: 10px}
th {
font-family:Arial;
color:black;
font-size: 11px;
background-color:lightgrey;
}
thead {
display:table-header-group;
}
tbody {
display:table-row-group;
}
h3 { margin-bottom: -17px }
h2 { margin-bottom: 0px }
</style>
<style type="text/css" media="screen">
table {border: solid 1px #000; border-collapse: collapse; width:
100%}
tr { border: solid 1px #000}
th {
font-family:Arial;
color:black;
font-size: 11px;
background-color: #999;
padding: 8px 0;
}
td { padding: 7px 5px;font-size: 10px}
h3 { margin-bottom: -17px }
h2 { margin-bottom: 0px }
</style>
<title>Cetak Agenda Surat Keluar</title>
</head>

<body onload="window.print()">
<center><b style="font-size: 20px">AGENDA SURAT KELUAR SMK NEGERI
1 MAGETAN</b><br>
Dari tanggal <b><?php echo tgl_jam_sql($tgl_start)."</b> sampai
dengan tanggal <b>" . tgl_jam_sql($tgl_end). "</b>" ; ?>
</center><br>

```

```

<table>
<table border=1>
  <thead>
    <tr>
      <th width="3%">No</th>
      <th width="5%">Kode Klas</th>
      <th width="28%">Isi Ringkas</th>
      <th width="25%">Tujuan Surat</th>
      <th width="17%">Nomor Surat</th>
      <th width="7%">Tgl. Surat</th>
      <th width="10%">Pengolah</th>
      <th width="5%">Ket</th>
    </tr>
  </thead>
  <tbody>
    <?php
    if (!empty($data)) {
      $no = 0;
      foreach ($data as $d) {
        $no++;
      >
      <tr>
        <td><?php echo $no; ?></td>
        <td><?php echo $d->kode; ?></td>
        <td><?php echo $d->isi_ringkas; ?></td>
        <td><?php echo $d->tujuan; ?></td>
        <td><?php echo $d->no_surat; ?></td>
        <td><?php echo tgl_jam_sql($d->tgl_surat);
?></td>
        <td><?php echo gval("t_admin", "id", "nama",
$d->pengolah); ?></td>
        <td><?php echo $d->keterangan; ?></td>
      </tr>
    <?php
    } else {
      echo "<tr><td style='text-align: center'
colspan='9'>Tidak ada data</td></tr>";
    }
    ?>
  </tbody>
</table>
</body>
</html>

```

14. Kode Sumber Halaman Edit Instansi Pengguna

```

<div class="navbar navbar-inverse">
  <div class="container">
    <div class="navbar-header">
      <span class="navbar-brand" href="#">Edit Instansi
Pengguna</span>
    </div>
  </div><!-- /.container -->
</div><!-- /.navbar -->

  <form action="<?=base_URL()>admin/pengguna/act_edt" method="post"
accept-charset="utf-8" enctype="multipart/form-data">

  <input type="hidden" name="idp" value="<?php echo $data->id; ?>">
  <div class="row-fluid well" style="overflow: hidden">

```

```

        <div class="col-lg-6">
            <table width="100%" class="table-form">
                <tr><td width="20%">Nama</td><td><b><input type="text"
name="nama" required value="<?php echo $data->nama; ?>" style="width:
400px" class="form-control"></b></td></tr>
                <tr><td width="20%">Alamat Instansi</td><td><b><textarea
name="alamat" required style="width: 400px; height: 90px" class="form-
control"><?php echo $data->alamat; ?></textarea></b></td></tr>
                <tr><td colspan="2">
                    <br><button type="submit" class="btn btn-
primary">Simpan</button>
                    <a href="<?base_URL()>admin" class="btn btn-
success">Kembali</a>
                </td></tr>
            </table>
        </div>

        <div class="col-lg-6">
            <table width="100%" class="table-form">
                <tr><td width="20%">Nama Pimpinan</td><td><b><input
type="text" name="kepsek" required value="<?php echo $data->kepsek; ?>"
style="width: 300px" class="form-control"></b></td></tr>
                <tr><td width="20%">NIP Pimpinan</td><td><b><input
type="text" name="nip_kepsek" required value="<?php echo $data-
>nip_kepsek; ?>" style="width: 300px" class="form-control"></b></td></tr>
                <tr><td width="20%">File Logo</td><td><b><input
type="file" name="logo" style="width: 300px" class="form-
control"></b></td></tr>
            </table>
        </div>

    </div>

</form>

```

15. Kode Sumber Halaman Manajemen Admin

```

<div class="clearfix">
<div class="row">
    <div class="col-lg-12">

        <div class="navbar navbar-inverse">
            <div class="container">
                <div class="navbar-header">
                    <span class="navbar-brand">Manage Admin</span>
                </div>
                <div class="navbar-collapse collapse navbar-inverse-
collapse" style="margin-right: -20px">
                    <ul class="nav navbar-nav">
                        <li><a href="<?php echo base_URL();
?>admin/manage_admin/add" class="btn-info"><i class="icon-plus-sign icon-
white"> </i> Tambah Data</a></li>
                    </ul>

                    <ul class="nav navbar-nav navbar-right">
                        <form class="navbar-form navbar-left"
method="post" action="<?base_URL()>admin/manage_admin/cari">
                            <input type="text" class="form-control"
name="q" style="width: 200px" placeholder="Kata kunci pencarian ..."
required>
                            <button type="submit" class="btn btn-
danger"><i class="icon-search icon-white"> </i> Cari</button>

```

```

        </form>
    </ul>
</div><!-- /.nav-collapse -->
</div><!-- /.container -->
</div><!-- /.navbar -->

</div>
</div>

<?php echo $this->session->flashdata("k");?>

<table class="table table-bordered table-hover">
    <thead>
        <tr>
            <th width="5%">ID</th>
            <th width="30%">Username</th>
            <th width="30%">Nama, NIP</th>
            <th width="20%">Level</th>
            <th width="15%">Aksi</th>
        </tr>
    </thead>

    <tbody>
        <?php
        if (empty($data)) {
font-weight: bold'>--Data tidak ditemukan--</td></tr>";
        } else {
            $no = ($this->uri->segment(4) + 1);
            foreach ($data as $b) {
        <?>
        <tr>
            <td class="ctr"><?php echo $b->id;?></td>
            <td><?=$b->username?></td>
            <td><?=$b->nama."<br>".$b->nip?></td>
            <td><?=$b->level?></td>
            <td class="ctr">
                <div class="btn-group">
                    <a
href="<?=base_URL()?>admin/manage_admin/edt/<?=$b->id?>" class="btn btn-
success btn-sm" title="Edit Data"><i class="icon-edit icon-white"> </i>
Edit</a>
                    <a
href="<?=base_URL()?>admin/manage_admin/del/<?=$b->id?>" class="btn btn-
warning btn-sm" title="Hapus Data" onclick="return confirm('Anda
Yakin..?')"><i class="icon-trash icon-remove"> </i> Del</a>
                </div>
            </td>
        </tr>
        <?php
            $no++;
        }
        <?>
    </tbody>
</table>
<center><ul class="pagination"><?php echo $pagi; ?></ul></center>
</div>

```

16. Kode Sumber Halaman Tambah Data Admin

```
<?php
$mode          = $this->uri->segment(3);

if ($mode == "edt" || $mode == "act_edt") {
    $act        = "act_edt";
    $idp        = $datpil->id;
    $username   = $datpil->username;
    $password   = "-";
    $nama       = $datpil->nama;
    $nip        = $datpil->nip;
    $level      = $datpil->level;

} else {
    $act        = "act_add";
    $idp        = "";
    $username   = "";
    $password   = "";
    $nama       = "";
    $nip        = "";
    $level      = "";
}
?>
<div class="navbar navbar-inverse">
    <div class="container" style="z-index: 0">
        <div class="navbar-header">
            <span class="navbar-brand" href="#">Manage
Admin</span>
        </div>
    </div><!-- /.container -->
</div><!-- /.navbar -->

    <form action="<?=base_URL()>admin/manage_admin/<?php echo $act;
?>" method="post" accept-charset="utf-8" enctype="multipart/form-data">

    <input type="hidden" name="idp" value="<?php echo $idp; ?>">

    <div class="row-fluid well" style="overflow: hidden">

    <div class="col-lg-6">
        <table width="100%" class="table-form">
            <tr><td width="20%">Username</td><td><b><input type="text"
name="username" required value="<?php echo $username; ?>" style="width:
300px" class="form-control"></b></td></tr>
            <tr><td width="20%">Password</td><td><b><input
type="password" name="password" required value="<?php echo $password; ?>"
id="dari" style="width: 300px" class="form-control"></b></td></tr>
            <tr><td width="20%">Ulangi Password</td><td><b><input
type="password" name="password2" required value="<?php echo $password;
?>" id="dari" style="width: 300px" class="form-control"></b></td></tr>
            <tr><td colspan="2">
                <br><button type="submit" class="btn btn-
primary">Simpan</button>
                <a href="<?=base_URL()>admin/surat_keluar" class="btn btn-
success">Kembali</a>
            </td></tr>
        </table>
    </div>

    <div class="col-lg-6">
        <table width="100%" class="table-form">
            <tr><td width="20%">Nama</td><td><b><input type="text"
name="nama" required value="<?php echo $nama; ?>" style="width: 300px"

```

```

class="form-control"></b></td></tr>
    <tr><td width="20%">N I P</td><td><b><input type="text"
name="nip" required value="<?php echo $nip; ?>" style="width: 300px"
class="form-control"></b></td></tr>
    <tr><td width="20%">Level</td><td><b>
    <select name="level" class="form-control"
style="width: 200px" required><option value=""> - Level - </option>
    <?php
        $l_sifat      = array('Super Admin','Admin');

        for ($i = 0; $i < sizeof($l_sifat); $i++) {
            if ($l_sifat[$i] == $level) {
                echo "<option selected
value='\".$l_sifat[$i].\"'>\".$l_sifat[$i].\"</option>";
            } else {
                echo "<option
value='\".$l_sifat[$i].\"'>\".$l_sifat[$i].\"</option>";
            }
        }
    <?>
    </select>
    </b></td></tr>

</table>
</div>

</div>

</form>

```

17. Kode Sumber Halaman Rubah Password

```

<div class="navbar navbar-inverse">
    <div class="container">
        <div class="navbar-header">
            <a class="navbar-brand" href="#">Rubah
Password</a>
        </div>
    </div><!-- /.container -->
</div><!-- /.navbar -->

<?php echo $this->session->flashdata("k_passwod");?>

<form action="<?=base_URL()?>admin/passwod/simpan" method="post" accept-
charset="utf-8" enctype="multipart/form-data">

    <table class="table-form" width="100%">
        <tr><td width="20%">Username</td><td><b><input type="text"
name="username" class="form-control" readonly value="<?=$this->session-
>userdata('admin_user')?>" style="width: 200px"></b></td></tr>
        <tr><td>Password lama</td><td><input type="password" name="p1"
class="form-control" style="width: 200px" autofocus required></td></tr>

        <tr><td>Password baru</td><td><input type="password" name="p2"
class="form-control" style="width: 200px" required></td></tr>
        <tr><td>Ulangi Password baru</td><td><input type="password"
class="form-control" name="p3" style="width: 200px" required></td></tr>

    <tr><td colspan="2">

```

```
<br>
<button type="submit" class="btn btn-primary">Simpan</button>
<a href="<?=base_URL()?>admin" class="btn btn-success">Kembali</a>
</td></tr>
</table>
</fieldset>
</form>
```