

## LAMPIRAN

### Login.php

```
<?php
session_start();
?>
<html>
<head>
<title>Login</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
</head>
<body>
<?php
if(!isset($_SESSION['user'])) {
if(!isset($_GET['submit'])) {
?>
<form name="login" method="get" action="<?php echo
$_SERVER['PHP_SELF']; ?>" id="searchform">
<b> Username : </b><input type="text" id="username"
name="username" size="18" maxlength="140" />
<br>
<b> Password : </b><input type="password" id="password"
name="password" size="18" maxlength="140" />
<br>
<input type="submit" name="submit" value="Login" />
</form>
<?php
} else {
$user = $_GET['username'];
$_SESSION['user'] = $user;
echo "<b> Selamat datang </b> ";
echo "<br>";
echo $_SESSION['user'];
echo "<br>";
?>
<a href="#">logout</a>
<?php
}
} else
{
echo "<b> SELAMAT DATANG </b>" ;
echo "<br>";
echo $_SESSION['user'];
}
?>
</body>
</html>
```

## Index.php

```
<?php
session_start();
?>
<html>
<head>
<title>Page title for browser</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<meta name="description" content="Website Title (h1)">
<meta name="keywords" content="Summary description of
content (h2)">
<meta name="Author" content="Your Company Ltd">
<meta name="Copyright" content="Your Company Ltd">
<meta http-equiv="Language" content="En">
<meta name="Robots" content="index, follow" />
<style type="text/css"><!--></style>
<link rel="stylesheet" href="styletext.css" type="text/css">
<link rel="stylesheet" href="stylelayout.css"
type="text/css">
<link rel="stylesheet" href="stylecolor.css"
type="text/css"><link rel="shortcut icon"
href="http://www.csswizard.net/favicon.ico">
<!--[if lt IE 7]><link rel="stylesheet" href="xie6hack.css"
type="text/css"><![endif]-->
</head>
<body>
<div id="bodywrap-top"><div id="bodywrap-btm"><div
id="bodywrap-r"><div id="bodywrap-l"><div id="bodywrap-
tl"><div id="bodywrap-tr"><div id="bodywrap-br"><div
id="bodywrap-bl"><div id="bodywrap-in">
<div id="pageframe">
<div id="titlearea">
<h1>MASJID LILLAHI WONOASRI</h1>
<h2>Sistem Informasi Penerimaan dan Penyaluran Zakat Fitrah
dan Infaq</h2>
</div><!-- titlearea close -->
<div id="topmenuback">
<div class="menutopbox">
<a class="topmenutext" title="Top menu access to Home"
tabindex="1" accesskey="1"
href="index.php?">
Home</a>
</div>
<div class="menutopbox">
<a class="topmenutext" title="Top menu access to Home"
tabindex="1" accesskey="1"
href="index.php?leftmenu=menuinput">
Input Zakat</a>
</div>
<div class="menutopbox">
```

```

<a class="topmenutext" title="Top menu access to Home"
tabindex="1" accesskey="1"
href="index.php?leftmenu=menuinputinfaq">
Input Infaq</a>
</div>
<div class="menutopbox">
<a class="topmenutext" title="Top menu access to Home"
tabindex="1" accesskey="1"
ref="index.php?leftmenu=menulaporan">
Laporan</a>
</div>
<div class="menutopbox">
<a class="topmenutext" title="Top menu access to Home"
tabindex="1" accesskey="1"
href="index.php?leftmenu=logout">
Logout</a>
</div>
</div><!-- topmenuback close -->
<!--XXXXXXXXXXXXXXXXXXXXThe side bar region starts
hereXXXXXXXXXXXXXXXXXXXX-->
<div id="leftarea">
<div id="loginform"><?php include ('login.php') ?></div>
<div class="menubox"><?php
if(isset($_GET['leftmenu'])) {
$mymenu = $_GET['leftmenu'];
$menu = $mymenu.".php";
include ($menu) ;
}
?></div>
<p>&nbsp;</p>
</div><!-- sidearea close -->
<!-- column3 close -->
<div id="centerarea">
<?php
if(isset($_GET['content'])) {
$mycon=$_GET['content'];
$content = $mycon.".php";
include ($content);
}?>
<br />
</div><!-- centerarea close -->
<div id="bottombar">
<h6>&copy; CahyanaHelmy , all rightsreserved.</h6>
</div><!-- bottombar close -->
<div class="spacer"></div>
</div><!-- frame close -->
</div></div></div></div></div></div></div></div><!--
bodywrap close -->
</body>
</html>

```

## Menuinput.php

```
<html>
<head>
<title>Menu Input</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<style type="text/css">
</style></head>
<body>
<span class="sidemenutextlive"><a class="sidemenutextlive"
title="Side menu access to Home, Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menuinput&content=muzakki">Muzakki</a></
span>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menuinput&content=mustahiq">Mustahiq</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menuinput&content=penerimaan">Penerimaan
</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menuinput&content=penyaluran">Penyaluran
</a>
</body>
</html>
```

## Muzakki.php

```
</head>
<body>
</body>
</html>
<?
session_start();
if(!session_is_registered("password")){
header("location:../login.php");
exit;
}
?>
<?php
```

```

require('koneksi.php');
if(!isset($_POST['submit'])){
?>
<form action="<?php echo $_SERVER['PHP_SELF']; ?>"
method="post">
<table>
<tr><td colspan="3" bgcolor="#CCCCCC" style="color:#FFFFFF;
font:Calibri">Input Muzakki</td></tr>
<tr>
<tr><td>NIK</td><td>:</td><td><input type="text" name="NIK"
size="30"></td></tr>
<tr><td>Nama</td><td>:</td><td><input type="text"
name="nama" size="30"></td></tr>
<tr><td>Jenis Kelamin</td><td>:</td><td><input type="radio"
name="JK" value="1">Laki-Laki<input type="radio" name="JK"
value="2">Perempuan</td></tr>
<tr><td>Alamat</td><td>:</td><td><textarea
name="alamat"></textarea></td></tr>
<tr><td colspan="3"><input type="submit" name="submit"
value="simpan"><input type="reset" name="cancel"
value="reset"></td></tr></table></form>
<?php
}else{
$id = $_POST['nik'];
$nama = $_POST['nama'];
$JK = $_POST['sex'];
$alamat = $_POST['alamat'];
$query = "insert into muzakki values(null,
'".addslashes($id)."',
'".addslashes($nama)."',
'".addslashes($JK)."',
'".addslashes($alamat)."'
)";
echo "Data telah disimpan";
}
?>
</body>
</html>

```

### **Mustahiq.php**

```

</head>
<body>
<?php
require('koneksi.php');
if(!isset($_POST['submit'])){
?>
<form action="<?php echo $_SERVER['PHP_SELF']; ?>"
method="post">
<table>

```

```

<tr><td colspan="3" bgcolor="#CCCCCC" style="color:#FFFFFF;
font:Calibri">Input Data
Mustahiq</td></tr><tr><td>NIK</td><td>:</td><td><input
type="text" name="NIK"
size="30"></td></tr><tr><td>Nama</td><td>:</td><td><input
type="text" name="nama" size="30"></td></tr>
<tr><td>Jenis Kelamin</td><td>:</td><td><input type="radio"
name="JK" value="Laki-laki">Laki-Laki<input type="radio"
name="JK" value="Perempuan">Perempuan</td></tr>
<tr><td>Alamat</td><td>:</td><td><textarea
name="alamat"></textarea></td></tr><tr>
<td>Telp.</td><td>:</td><td><input type="text" name="telp"
size="30"></td></tr>
<td>Jenis.</td><td>:</td><td><input type="text" name="jenis"
size="30"></td></tr>
<tr><td colspan="3"><input type="submit" name="submit"
value="simpan"><input type="reset" name="cancel"
value="reset"></td></tr>
</table></form>
<?php
}else{
$NIK = $_POST['NIK'];
$nama = $_POST['nama'];
$JK = $_POST['JK'];
$alamat = $_POST['alamat'];
$telp = $_POST['telp'];
$jenis_must = $_POST['jenis'];
$query = "insert into mustahiq values (null,
'".addslashes($NIK)."',
'".addslashes($nama)."',
'".addslashes($JK)."',
'".addslashes($alamat)."',
'".addslashes($telp)."',
'".addslashes($jenis_must)."'
)";
echo "Data telah disimpan";
}
?>
</body>
</html>

```

### **Penerimaan.php**

```

<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<script language="javascript">

```

```

var
monthtext=['Jan','Feb','Mar','Apr','May','Jun','Jul','Aug','
Sept','Oct','Nov','Dec'];
function populatedropdown(dayfield, monthfield, yearfield){
var today=new Date()
var dayfield=document.getElementById(dayfield)
var monthfield=document.getElementById(monthfield)
var yearfield=document.getElementById(yearfield)
for (var i=1; i<32; i++)
dayfield.options[i]=new Option(i, i)
dayfield.options[today.getDate()]=new
Option(today.getDate(), today.getDate(), true, true)
//select today's day
for (var m=0; m<12; m++)
monthfield.options[m]=new Option(monthtext[m], m)
monthfield.options[today.getMonth()]= new
Option(monthtext[today.getMonth()], today.getMonth() , true,
true) //select today's month
var thisyear=today.getFullYear()
for (var y=0; y<20; y++){
yearfield.options[y]=new Option(thisyear, thisyear)
thisyear+=1
}
yearfield.options[0]=new Option(today.getFullYear(),
today.getFullYear(), true, true) //select today's year
}
function cari(){
window.open('carimuzakki.php','cmuzakki','width=600','height
=400','toolbar=no','status=no');
}
function GetValueMuzakki(myid, mynama)
{
//document.getElementById('nofaktur').value = myNof;
document.getElementById('idmuz').value = myid;
document.getElementById('muzakki').value = mynama;
}
function har(){
var myday = document.myfrm.day.value;
var mymonth = parseInt(document.myfrm.month.value)+1;
var myyear = document.myfrm.year.value;
var mydate = new Date(myyear, mymonth, myday);
var tanggal = myday + "/" + mymonth + "/" + myyear ;
document.myfrm.tanggal.value = tanggal;
}
</script>
</head><body>
<?php
require('koneksi.php');
if(!isset($_POST['submit'])){
?>
<form name="myfrm" method="post" action="<?php echo
$_SERVER['PHP_SELF']; ?>">

```

```

<table>
<tr><td colspan="3" bgcolor="#CCCCCC" style="color:#FFFFFF;
font:Calibri">Input Penerimaan Zakat</td></tr>
<tr><td>Muzakki</td><td>:</td><td><input type="text"
size="30" name="muzakki" id="muzakki"><input type="button"
value="cari" onClick="cari()"><input type="hidden"
name="idmuz" id="idmuz"></td></tr>
<tr><td>Tanggal</td><td>:</td><td><select id="daydropdown"
name="day">
</select>
<select id="monthdropdown" name="month">
</select>
<select id="yeardropdown" name="year">
</select></td>
</tr>
<tr>
<td>Jml. Diterima</td><td>:</td><td><input type="text"
size="30" name="jumlah"></td></tr>
<tr><td colspan="3"><input type="submit" name="submit"
value="simpan" onClick="har()"><input type="reset"
name="cancel" value="cancel"></td></tr>
</table>
<input type="hidden" name="tanggal">
</form>
<script type="text/javascript">
//populatedropdown(id_of_day_select, id_of_month_select,
id_of_year_select)
window.onload=function(){
populatedropdown("daydropdown", "monthdropdown",
"yeardropdown")
}
</script>
<?php
}else{
$idmuzakki = $_POST['idmuzakki'];
$tanggal = $_POST['tanggal_salur'];
$idpetugas = 1;
$jumlah = $_POST['jumlah'];
$query = "insert into penerimaan values(null,
.addslashes($idmuzakki).",
.addslashes($tanggal).",
.addslashes($jumlah).",)";
$hsl = mysql_db_query($db, $query, $koneksi);
//echo "data telah disimpan";
echo "<script language=javascript>
window.location='index.php?leftmenu=menuinput&content=peneri
maan';</script>";
}
?>
</body>
</html>

```



## Getcarimustahiq.php

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<script language="javascript">
function tes(){
document.muzakki.myid.value = 1;
}
</script>
</head>
<body>
<?php
require('koneksi.php');
$muzakki = $_GET['muzakki'];
$query = "select muzakki.id, muzakki.nik, muzakki.nama,
muzakki.sex, muzakki.alamat, kecamatan.kecamatan, job.job
from muzakki inner join kecamatan on(muzakki.id_kec =
kecamatan.id) inner join job on(muzakki.id_job = job.id)
where muzakki.nama like '$muzakki%'";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml_rec = mysql_num_rows($hasil);
?>
<form name="muzakki">
<table>
<thead><tr><td></td><td>NIK</td><td>Nama</td><td>Jenis
Kelamin</td><td>Alamat</td></tr></thead>
<?php
while(list($id, $nik, $nama, $sex, $alamat, $kec, $job) =
mysql_fetch_row($hasil)){
?>
<tr>
<td><input type="radio" value="<?php echo $id ?>"
name="idmuzakki" onClick="pilihan()"></td>
<td><?php echo $nik ?></td><td><?php echo $nama ?><input
type="hidden" name="nama" value="<?php echo $nama ?>"></td>
<td><?php echo $sex ?></td><td><?php echo $alamat ?></td>
</tr>
<?php
}
mysql_free_result($hasil);
?>
</table>
<input type="button" value="pilih" name="pilih"
onClick="SendValueToParent()"><input type="text" name="myid"
id="myid"><input type="text" name="mynama"
id="mynama"><input type="hidden" name="jml" id="jml"
value="<?php echo $jml_rec ?>">
</form>
</body>
</html>
```

## Penyaluran.php

```
<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<script language="javascript">
var
monthtext=['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', '
Sept', 'Oct', 'Nov', 'Dec'];
function populatedropdown(dayfield, monthfield, yearfield){
var today=new Date()
var dayfield=document.getElementById(dayfield)
var monthfield=document.getElementById(monthfield)
var yearfield=document.getElementById(yearfield)
for (var i=1; i<32; i++)
dayfield.options[i]=new Option(i, i)
dayfield.options[today.getDate()]=new
Option(today.getDate(), today.getDate(), true, true)
//select today's day
for (var m=0; m<12; m++)
monthfield.options[m]=new Option(monthtext[m], m)
monthfield.options[today.getMonth()]= new
Option(monthtext[today.getMonth()], today.getMonth() , true,
true) //select today's month
var thisyear=today.getFullYear()
for (var y=0; y<20; y++){
yearfield.options[y]=new Option(thisyear, thisyear)
thisyear+=1
}
yearfield.options[0]=new Option(today.getFullYear(),
today.getFullYear(), true, true) //select today's year
}
function har(){
var myday = document.myfrm.day.value;
var mymonth = parseInt(document.myfrm.month.value)+1;
var myyear = document.myfrm.year.value;
var mydate = new Date(myyear, mymonth, myday);
var tanggal = myday + "/" + mymonth + "/" + myyear ;
document.myfrm.tanggal.value = tanggal;
}
function cari(){
window.open('carimustahiq.php', 'cmustahiq', 'width=600', 'heig
ht=400', 'toolbar=no', 'status=no');
}
function GetValueMustahiq(myid, mynama)
{
//document.getElementById('nofaktur').value = myNof;
document.getElementById('idmus').value = myid;
document.getElementById('mustahiq').value = mynama;
}
}
```

```

</script>
</head>
<body>
<?php
require('koneksi.php');
if(!isset($_POST['submit'])) {
?>
<form action="<?php echo $_SERVER['PHP_SELF']; ?>"
method="post" name="myfrm">
<table>
<tr><td colspan="3" bgcolor="#CCCCCC" style="color:#FFFFFF;
font:Calibri">Input Penyaluran Zakat</td></tr>
<tr>
<td>Mustahiq</td><td>:</td><td><input type="text" size="30"
name="mustahiq" id="mustahiq"><input type="button"
value="cari" onClick="cari()"><input type="hidden"
name="idmus" id="idmus"></td></tr>
<tr><td>Tanggal</td><td>:</td><td><select id="daydropdown"
name="day">
</select>
<select id="monthdropdown" name="month">
</select>
<select id="yeardropdown" name="year">
</select></td></tr>
<tr><td>Jumlah disalurkan</td><td>:</td><td><input
type="text" size="30" name="jumlah"></td></tr>
<tr><td colspan="3"><input type="submit" name="submit"
value="simpan" onClick="har()"><input type="reset"
name="cancel" value="cancel"></td></tr>
</table>
<input type="hidden" name="tanggal">
</form>
<script type="text/javascript">
//populatedropdown(id_of_day_select, id_of_month_select,
id_of_year_select)
window.onload=function(){
populatedropdown("daydropdown", "monthdropdown",
"yeardropdown")
}
</script>
<?php
}else{
$idmustahiq = $_POST['idmus'];
$tanggal = $_POST['tanggal'];
$idpetugas = 1;
//$idjenis = $_POST['jenis'];
$jumlah = $_POST['jumlah'];
echo $idmuzakki;
echo "<br>";
echo $tanggal;
echo "<br>";
echo $idpetugas;

```

```

echo "<br>";
echo $jumlah;
echo "<br>";
$query = "insert into penyaluran values(null,
".addslashes($idmustahiq).",
'".addslashes($tanggal)."',
".addslashes($jumlah).",
".addslashes($idpetugas). "
)";
$hsl = mysql_db_query($db, $query, $koneksi);
echo "data telah disimpan";
}
?>
</body>
</html>

```

### **Getcarimustahiq.php**

```

<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<script language="javascript">
function tes(){
document.muzakki.myid.value = 1;
}
</script>
</head>
<?php
error_reporting(0);
?>
<body>
<?php
require('koneksi.php');
$muzakki = $_GET['muzakki'];
$query = "select mustahiq.id, mustahiq.nik, mustahiq.nama,
mustahiq.sex, mustahiq.alamat, kecamatan.kecamatan, job.job
from mustahiq inner join
kecamatan on(mustahiq.id_kec = kecamatan.id) inner join job
on(mustahiq.id_job = job.id) where mustahiq.nama like
'$muzakki%'";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml_rec = mysql_num_rows($hasil);
?>
<form name="muzakki">
<table>
<thead><tr><td></td><td>NIK</td><td>Nama</td><td>Jenis
Kelamin</td><td>Alamat</td></tr></thead>
<?php

```

```

while(list($id, $nik, $nama, $sex, $alamat, $kec, $job) =
mysql_fetch_row($hasil)){
?>
<tr>
<td><input type="radio" value="<?php echo $id ?>"
name="idmuzakki" onClick="pilihan()"></td>
<td><?php echo $nik ?></td><td><?php echo $nama ?><input
type="hidden" name="nama" value="<?php echo $nama ?>"></td>
<td><?php echo $sex ?></td><td><?php echo $alamat ?></td>
</tr>
<?php
}
mysql_free_result($hasil);
?>
</table>
<input type="button" value="pilih" name="pilih"
onClick="SendValueToParent()"><input type="text" name="myid"
id="myid"><input type="text" name="mynama"
id="mynama"><input type="hidden" name="jml" id="jml"
value="<?php echo $jml_rec ?>">
</form>
</body>
</html>

```

### **Menuinputinfaq.php**

```

<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<style type="text/css">
</style></head>
<body>
<span class="sidemenutextlive">
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber-
-->" href=
"index.php?leftmenu=menuinputinfaq&content=penerimaanInfaq">
Penerimaan</a></span>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
-->" href=
"index.php?leftmenu=menuinputinfaq&content=penyaluranInfaq">
Penyaluran</a>
</body>
</html>

```

## **Penerimaaninfreq.php**

```
<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<script language="javascript">
var
monthtext=['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', '
Sept', 'Oct', 'Nov', 'Dec'];
function populatedropdown(dayfield, monthfield, yearfield){
var today=new Date()
var dayfield=document.getElementById(dayfield)
var monthfield=document.getElementById(monthfield)
var yearfield=document.getElementById(yearfield)
for (var i=1; i<32; i++)
dayfield.options[i]=new Option(i, i)
dayfield.options[today.getDate()]=new
Option(today.getDate(), today.getDate(), true, true)
//select today's day
for (var m=0; m<12; m++)
monthfield.options[m]=new Option(monthtext[m], m)
monthfield.options[today.getMonth()]= new
Option(monthtext[today.getMonth()], today.getMonth() , true,
true) //select today's month
var thisyear=today.getFullYear()
for (var y=0; y<20; y++){
yearfield.options[y]=new Option(thisyear, thisyear)
thisyear+=1
}
yearfield.options[0]=new Option(today.getFullYear(),
today.getFullYear(), true, true) //select today's year
}
function har(){
var myday = document.myfrm.day.value;
var mymonth = parseInt(document.myfrm.month.value)+1;
var myyear = document.myfrm.year.value;
var mydate = new Date(myyear, mymonth, myday);
var tanggal = myday + "/" + mymonth + "/" + myyear ;
document.myfrm.tanggal.value = tanggal;
}
</script>
</head>
<body>
<?php
require('koneksi.php');
if(!isset($_POST['submit'])){
?>
<form name="myfrm" method="post" action="<?php echo
$_SERVER['PHP_SELF']; ?>">
<table>
```

```

<tr><td colspan="3" bgcolor="#CCCCCC" style="color:#FFFFFF;
font:Calibri">Input Penerimaan Infaq</td></tr>
<td>Pemberi</td><td>:</td><td><input type="text" size="30"
name="pemberi"></td></tr>
<tr><td>Tanggal</td><td>:</td><td><select id="daydropdown"
name="day">
</select><select id="monthdropdown" name="month">
</select><select id="yeardropdown"
name="year"></select></td>
</tr>
<tr>
<td>Jml. Diterima</td><td>:</td><td><input type="text"
size="30" name="jumlah"></td></tr>
<tr><td colspan="3"><input type="submit" name="submit"
value="simpan" onClick="har()"><input type="reset"
name="cancel" value="cancel"></td></tr>
</table>
<input type="hidden" name="tanggal">
</form>
<script type="text/javascript">
//populatedropdown(id_of_day_select, id_of_month_select,
id_of_year_select)
window.onload=function(){
populatedropdown("daydropdown", "monthdropdown",
"yeardropdown")
}
</script>
<?php
}else{
$ pemberi = $_POST['pemberi'];
$ tanggal = $_POST['tanggal_terima'];
$ jumlah = $_POST['jumlah'];
$query = "insert into penerimaaninfaq values(null,
".addslashes($pemberi).",
' ".addslashes($tanggal)." ',
".addslashes($jumlah)." ,
)";
$hsl = mysql_db_query($db, $query, $koneksi);
//echo "data telah disimpan";
echo "<script language=javascript>
window.location='index.php?leftmenu=menuinputinfaq&content=p
enerimaanInfaq';</script>";
}
?>
</body>
</html>

```

## Penyaluraninfaq.php

```
<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
<script language="javascript">
var
monthtext=['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', '
Sept', 'Oct', 'Nov', 'Dec'];
function populatedropdown(dayfield, monthfield, yearfield){
var today=new Date()
var dayfield=document.getElementById(dayfield)
var monthfield=document.getElementById(monthfield)
var yearfield=document.getElementById(yearfield)
for (var i=1; i<32; i++)
dayfield.options[i]=new Option(i, i)
dayfield.options[today.getDate()]=new
Option(today.getDate(), today.getDate(), true, true)
//select today's day
for (var m=0; m<12; m++)
monthfield.options[m]=new Option(monthtext[m], m)
monthfield.options[today.getMonth()]= new
Option(monthtext[today.getMonth()], today.getMonth() , true,
true) //select today's month
var thisyear=today.getFullYear()
for (var y=0; y<20; y++){
yearfield.options[y]=new Option(thisyear, thisyear)
thisyear+=1
}
yearfield.options[0]=new Option(today.getFullYear(),
today.getFullYear(), true, true) //select today's year
}
function har(){
var myday = document.myfrm.day.value;
var mymonth = parseInt(document.myfrm.month.value)+1;
var myyear = document.myfrm.year.value;
var mydate = new Date(myyear, mymonth, myday);
var tanggal = myday + "/" + mymonth + "/" + myyear ;
document.myfrm.tanggal.value = tanggal;
}
</script>
</head>
<body>
<?php
require('koneksi.php');
if(!isset($_POST['submit'])){
?>
<form action="<?php echo $_SERVER['PHP_SELF'];?>"
method="post" name="myfrm">
<table>
```



```

<tr><td colspan="3" bgcolor="#CCCCCC" style="color:#FFFFFF;
font:Calibri">Input Penyaluran Infaq</td></tr>
<tr>
<td>Penerima</td><td>:</td><td><input type="text" size="30"
name="penerima"></td></tr>
<tr><td>Tanggal</td><td>:</td><td><select id="daydropdown"
name="day">
</select><select id="monthdropdown" name="month">
</select><select id="yeardropdown" name="year">
</select></td></tr>
<tr><td>Jumlah disalurkan</td><td>:</td><td><input
type="text" size="30" name="jumlah"></td></tr>
<tr><td colspan="3"><input type="submit" name="submit"
value="simpan" onClick="har()"><input type="reset"
name="cancel" value="cancel"></td></tr>
</table>
<input type="hidden" name="tanggal">
</form>
<script type="text/javascript">
//populatedropdown(id_of_day_select, id_of_month_select,
id_of_year_select)
window.onload=function(){
populatedropdown("daydropdown", "monthdropdown",
"yeardropdown")
}
</script>
<?php
}else{
$penerima = $_POST['penerima'];
$tanggal = $_POST['tgl_salur'];
$jumlah = $_POST['jumlah'];
echo $penerima;
echo "<br>";
echo $tanggal;
echo "<br>";
echo $jumlah;
echo "<br>";
$query = "insert into penyaluraninfaq values(null,
".addslashes($penerima).",
'".addslashes($tanggal)."',
".addslashes($jumlah).")";
);
$hsl = mysql_db_query($db, $query, $koneksi);
echo "data telah disimpan";
}
?>
</body>
</html>

```

## Menulaporan.php

```
<html>
<head>
<title>Laporan Zakat</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
</head>
<body>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>"
href="index.php?leftmenu=menulaporan&content=daftarmuzakki">
Daftar Muzakki</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=daftarmustahiq">Daft
ar Mustahiq</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=daftarpenerimaan">La
poran Penerimaan Zakat</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=daftarpenyaluran">La
poran Penyaluran Zakat</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=daftarpenerimaaninfa
q">Laporan Penerimaan Infaq</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=daftarpenyaluraninfa
q">Laporan Penyaluran Infaq</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=daftararterimabulan">P
enerimaan Bulanan Infaq</a>
```

```

<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=daftarsalurbulan">Pe
nyaluran Bulanan Infaq</a>
<a class="sidemenutextlive" title="Side menu access to Home,
Alt<!--@Groupnumber--> key"
tabindex="<!--@Groupnumber-->" accesskey="<!--@Groupnumber--
>" href=
"index.php?leftmenu=menulaporan&content=rekap">Rekapitulasi<
/a>
</body>
</html>

```

### **Getdaftarmuzakki.php**

```

<html>
<head>
<title>Daftar Muzakki</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
</head>
<body>
<?php
require('koneksi.php');
$muzakki = $_GET['muzakki'];
$query = "select muzakki.id, muzakki.nik, muzakki.nama,
muzakki.sex, muzakki.alamat from muzakki where muzakki.nama
like '$muzakki%'";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>NIK</td><td>Nama</td><td>Jenis
Kelamin</td><td>Alamat</td></tr></thead>
<?php
while(list($id, $nik, $nama, $sex, $alamat,) =
mysql_fetch_row($hasil)){
?>
<tr><td><?php echo $nik ?></td><td><?php echo $nama ?></td>
<td><?php echo $sex ?></td><td><?php echo $alamat ?></td>
</tr>
<?php
}
}else
{
echo "tidak ada data";
}

```

```

mysql_free_result($hasil);
?>
</table>
<script type="text/javascript">
function printPage() { print(document); }
</script><a href="getmuzakki.php"></a>
</body>
</html>

```

### **Getmustahiq.php**

```

<html>
<head>
<title>Daftar Mustahiq</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
</head>
<body>
<?php
require('koneksi.php');$mustahiq = $_GET['mustahiq'];
$query = "select mustahiq.id, mustahiq.nik, mustahiq.nama,
mustahiq.sex, mustahiq.alamat, mustahiq.telp,
mustahiq.jenis_must from mustahiq where mustahiq.nama like
'$mustahiq%'";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>NIK</td><td>Nama</td><td>Jenis
Kelamin</td><td>Alamat</td><td>Telp.</td><td>Jenis</td></tr>
</thead>
<?php
while(list($id, $nik, $nama, $JK, $alamat, $telp, $jenis) =
mysql_fetch_row($hasil)){
?>
<tr><td><?php echo $nik ?></td><td><?php echo $nama ?></td>
<td><?php echo $JK ?></td><td><?php echo $alamat ?></td>
<td><?php echo $telp ?></td><td><?php echo $jenis ?></td>
</tr>
<?php
}

```

```

}else
{
echo "tidak ada data";
}
mysql_free_result($hasil);
?>
</table>
<script type="text/javascript">
function printPage() { print(document); }
</script><a href="getmustahiq.php"></a>
</body>
</html>

```

### **Getdaftarsalur.php**

```

<html>
<head>
<title>Daftar Penyaluran Zakat</title>
<meta http-equiv="Content-Type" content="text/html;
<?php
require('koneksi.php');
$datapage = 5;
if(isset($_GET['page']))
{
$noPage = $_GET['page'];
}
else
{
$noPage = 1;
}
$offset = ($noPage - 1) * $datapage;
$tanggal = $_GET['tanggal'];
//echo $tanggal;
if ($tanggal == "0"){
$sql = "";
}else{
$sql = "WHERE penyaluran.tanggal_salur = '$tanggal'";
}
$query = "select penyaluran.id, mustahiq.nik, mustahiq.nama,
mustahiq.alamat, penyaluran.tanggal_salur, penyaluran.jumlah

```

```

from penyaluran inner join mustahiq
on(penyaluran.id_mustahiq = mustahiq.id)".$sql." ORDER BY id
LIMIT $offset, $datapage";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>NIK</td><td>Nama</td><td>Alamat</td><td>Tangg
al</td><td>Jumlah</td></tr></thead>
<?php
while(list($id, $nik, $nama, $alamat, $tanggal, $jumlah) =
mysql_fetch_row($hasil)){
?>
<tr><td><?php echo $nik ?></td><td><?php echo $nama ?></td>
<td><?php echo $alamat ?></td><td><?php echo $tanggal
?></td>
<td><?php echo $jumlah ?></td>
</tr>
<?php
}
?>
</table>
<?php
$queryre = "SELECT COUNT(*) AS jumData FROM penyaluran";
$hasilre = mysql_query($queryre);
$data = mysql_fetch_array($hasilre);
$jumData = $data['jumData'];
$jumPage = ceil($jumData/$datapage);
if ($noPage > 1) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarpeneri
maan&mypage=\".$(noPage-1).\"'>&lt;&lt; Prev</a>";
for($page = 1; $page <= $jumPage; $page++)
{
if ((($page >= $noPage - 3) && ($page <= $noPage + 3)) ||
($page == 1) || ($page == $jumPage))
{
if (($showPage == 1) && ($page != 2)) echo "...";
if(($showPage != ($jumPage - 1)) && ($page == $jumPage))
echo "...";
if ($page == $noPage) echo " <b>\".$page.\"</b> ";
else echo " <a
href='\".\"index.php?leftmenu=menulaporan&content=daftarpeneri
maan&mypage=\".$page.\"'>\" . $page.\"</a> ";
$showPage = $page;
}
}
}

```

```

}
// menampilkan link next
if ($noPage < $jumPage) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarpeneri
maan&mypage=\".($noPage+1).\"'>Next &gt;&gt;</a>";
}
else
{
echo "tidak ada data";
}
mysql_free_result($hasil);
?>
</table>
</body>
</html>

```

### **Getdaftarterima.php**

```

<html>
<head>
<title>Daftar Penerimaan Zakat</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
</head>
<body>
<?php
require('koneksi.php');
$datapage = 5;
if(isset($_GET['page']))
{
$noPage = $_GET['page'];
}
else
{
$noPage = 1;
}
$offset = ($noPage - 1) * $datapage;
$tanggal = $_GET['tanggal'];
//echo $tanggal;
if ($tanggal == "0"){
$sql = "";
}else{
$sql = "WHERE penerimaan.tanggal_salur = '$tanggal'";
}

```

```

$query = "select penerimaan.id, muzakki.nik, muzakki.nama,
muzakki.alamat, penerimaan.tanggal_salur, penerimaan.jumlah
from penerimaan inner join
muzakki on(penerimaan.id_muzakki = muzakki.id)".$sql. "ORDER
BY id LIMIT $offset, $datapage ";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>NIK</td><td>Nama</td><td>Alamat</td><td>Tangg
al</td><td>Jumlah</td></tr></thead>
<?php
while(list($id, $nik, $nama, $alamat, $tanggal, $jumlah) =
mysql_fetch_row($hasil)){
?>
<tr><td><?php echo $nik ?></td><td><?php echo $nama ?></td>
<td><?php echo $alamat ?></td><td><?php echo $tanggal
?></td>
<td><?php echo $jumlah ?></td></tr>
<?php
}
?>
</table>
<?php
$queryre = "SELECT COUNT(*) AS jumData FROM penerimaan";
$hasilre = mysql_query($queryre);
$data = mysql_fetch_array($hasilre);
$jumData = $data['jumData'];
$jumPage = ceil($jumData/$datapage);
if ($noPage > 1) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarpeneri
maan&mypage=\".($noPage-1).\"'>&lt;&lt; Prev</a>";
for($page = 1; $page <= $jumPage; $page++)
{
if (($page >= $noPage - 3) && ($page <= $noPage + 3)) ||
($page == 1) || ($page == $jumPage)
{
if (($showPage == 1) && ($page != 2)) echo "...";
if(($showPage != ($jumPage - 1)) && ($page == $jumPage))
echo "...";
if ($page == $noPage) echo " <b>\".$page.\"</b> ";
else echo " <a
href='\".\"index.php?leftmenu=menulaporan&content=daftarpeneri
maan&mypage=\".$page.\"'>\" . $page.\"</a> ";
$showPage = $page;

```



```

}
}
if ($noPage < $jumPage) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarpeneri
maan&mypage=\".($noPage+1).\"'>Next &gt;&gt;</a>";
}
else
{
echo "tidak ada data";
}
mysql_free_result($hasil);
?>
</body>
</html>

```

### **Getdaftarsalurinfo.php**

```

<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
</head>
<body>
<?php
require('koneksi.php');
$penyaluran = $_GET['penyaluraninfo'];
$query = "select penyaluraninfo.id,
penyaluraninfo.penerima, penyaluraninfo.tgl_salur,
penyaluraninfo.jumlah from penyaluraninfo where
penyaluraninfo.penerima like '$penyaluran%'";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>ID</td><td>Penerima</td><td>Tanggal
Salur</td><td>Jumlah</td></tr></thead>
<?php
while(list($id, $penerima, $tanggal, $jumlah,) =
mysql_fetch_row($hasil)){
?><tr><td><?php echo $id ?></td><td><?php echo $penerima
?></td>

```

```

<td><?php echo $tanggal ?></td><td><?php echo $jumlah
?></td></tr>
<?php
}
}else
{
echo "tidak ada data";
}
mysql_free_result($hasil);
?>
</table>
<script type="text/javascript">
function printPage() { print(document); }
</script><a href="getdaftarsalurinfo.php"></a>
</body>
</html>

```

### **Getdafterimainfaq.php**

```

<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html;
charset=iso-8859-1">
</head>
<body>
<?php
require('koneksi.php');
$penerimaan = $_GET['penerimaaninfo'];
$query = "select penerimaaninfo.id,
penerimaaninfo.pemberi, penerimaaninfo.tanggal_terima,
penerimaaninfo.jumlah from penerimaaninfo where
penerimaaninfo.pemberi like '$penerimaan%'";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>ID</td><td>Pemberi</td><td>Tanggal
Terima</td><td>Jumlah</td></tr></thead>

```

```

<?php
while(list($id, $pemberi, $tanggal, $jumlah,) =
mysql_fetch_row($hasil)){
?>
<tr><td><?php echo $id ?></td><td><?php echo $pemberi
?></td>
<td><?php echo $tanggal ?></td><td><?php echo $jumlah
?></td></tr>
<?php
}
}else
{
echo "tidak ada data";
}
mysql_free_result($hasil);
?>
</table>
<script type="text/javascript">
function printPage() { print(document); }
</script><a href="getdaftarterimainfaq.php"></a>
</body>
</html>

```

### **Getsalurbulan.php**

```

<html>
<head>
<title>Daftar Penyaluran Infaq Bulanan</title>
<meta http-equiv="Content-Type" content="text/html;
</style>
</head>
<body>
<?php
require('koneksi.php');
$datapage = 5;
if(isset($_GET['page']))
{
$noPage = $_GET['page'];
}
else
{

```

```

$noPage = 1;
}
$offset = ($noPage - 1) * $datapage;
$bulan = $_GET['bulan'];
echo $bulan;
if($bulan == 0){
$sql="";
}else{
$sql = "WHERE
month(STR_TO_DATE(penyaluraninfaq.tgl_salur,'%d/%m/%Y')) =".
$bulan;
}
$query = "select penyaluraninfaq.id,
penyaluraninfaq.penerima, penyaluraninfaq.tgl_salur,
penyaluraninfaq.jumlah,
month(STR_TO_DATE(penyaluraninfaq.tgl_salur,'%d/%m/%Y')) as
bulan from penyaluraninfaq".$sql."
ORDER BY id LIMIT $offset, $datapage
";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>ID</td><td>Nama</td><td>Tanggal</td><td>Jumla
h</td></tr></thead>
<?php
while(list($id, $penerima, $tanggal, $jumlah, $bulan) =
mysql_fetch_row($hasil)){
?>
tr><td><?php echo $id ?></td><td><?php echo $penerima
?></td>
<td><?php echo $tanggal ?></td><td><?php echo $jumlah
?></td></tr>
<?php
}
?>
</table>
<?php
$queryre = "SELECT COUNT(*) AS jumData FROM
penyaluraninfaq";
$hasilre = mysql_query($queryre);
$data = mysql_fetch_array($hasilre);
$jumData = $data['jumData'];
$jumPage = ceil($jumData/$datapage);

```

```

if ($noPage > 1) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarsalurb
ulan&mypage=\".($noPage-1).\"'>&lt;&lt; Prev</a>";
for($page = 1; $page <= $jumPage; $page++)
{
if ((($page >= $noPage - 3) && ($page <= $noPage + 3)) ||
($page == 1) || ($page == $jumPage))
{
if (($showPage == 1) && ($page != 2)) echo "...";
if(($showPage != ($jumPage - 1)) && ($page == $jumPage))
echo "...";
if ($page == $noPage) echo " <b>\".$page.\"</b> ";
else echo " <a
href='\".\"index.php?leftmenu=menulaporan&content=daftarsalurb
ulan&mypage=\".$page.\"'>\" . $page.\"</a> ";
$showPage = $page;
}
}
if ($noPage < $jumPage) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarsalurb
ulan&mypage=\".($noPage+1).\"'>Next &gt;&gt;</a>";
}
else
{
echo "tidak ada data";
}
mysql_free_result($hasil);
?>
<script type="text/javascript">
function printPage() { print(document); }
</script><a href="getsalurbulan.php"></a>
</body>
</html>

```

### **Getterimabulan.php**

```

<html>
<head>
<title>Daftar Penyaluran Infaq Bulanan</title>
<meta http-equiv="Content-Type" content="text/html;

```

```

</style>
</head>
<body>
<?php
require('koneksi.php');
$datapage = 5;
if(isset($_GET['page']))
{
$noPage = $_GET['page'];
}
else
{
$noPage = 1;
}
$offset = ($noPage - 1) * $datapage;
$bulan = $_GET['bulan'];
echo $bulan;
if($bulan == 0){
$sql="";
}else{
$sql = "WHERE
month(STR_TO_DATE(penyaluraninfaq.tgl_salur,'%d/%m/%Y')) =".
$bulan;
}
$query = "select penyaluraninfaq.id,
penyaluraninfaq.penerima, penyaluraninfaq.tgl_salur,
penyaluraninfaq.jumlah,
month(STR_TO_DATE(penyaluraninfaq.tgl_salur,'%d/%m/%Y')) as
bulan
from penyaluraninfaq".$sql."
ORDER BY id LIMIT $offset, $datapage
";
$hasil = mysql_db_query($db, $query, $koneksi);
$jml = mysql_num_rows($hasil);
if($jml > 0){
?>
<table>
<thead><tr><td>ID</td><td>Nama</td><td>Tanggal</td><td>Jumla
h</td></tr></thead>
<?php
while(list($id, $penerima, $tanggal, $jumlah, $bulan) =
mysql_fetch_row($hasil)){
?>
<tr><td><?php echo $id ?></td><td><?php echo $penerima
?></td>

```

```

<td><?php echo $tanggal ?></td><td><?php echo $jumlah
?></td>
</tr>
<?php
}
?>
</table>
<?php
$queryre = "SELECT COUNT(*) AS jumData FROM
penyaluraninfaq";
$hasilre = mysql_query($queryre);
$data = mysql_fetch_array($hasilre);
$jumData = $data['jumData'];
$jumPage = ceil($jumData/$datapage);
if ($noPage > 1) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarsalurb
ulan&mypage=\".($noPage-1).\"'>&lt;&lt; Prev</a>";
for($page = 1; $page <= $jumPage; $page++)
{
if (($page >= $noPage - 3) && ($page <= $noPage + 3) ||
($page == 1) || ($page == $jumPage))
{
if (($showPage == 1) && ($page != 2)) echo "...";
if(($showPage != ($jumPage - 1)) && ($page == $jumPage))
echo "...";
if ($page == $noPage) echo " <b>\".$page.\"</b> ";
else echo " <a
href='\".\"index.php?leftmenu=menulaporan&content=daftarsalurb
ulan&mypage=\".$page.\"'>\" . $page.\"</a> ";
$showPage = $page;
}
}
if ($noPage < $jumPage) echo "<a
href='\".\"index.php?leftmenu=menulaporan&content=daftarsalurb
ulan&mypage=\".($noPage+1).\"'>Next &gt;&gt;</a>";
}
else
{
echo "tidak ada data";
}
mysql_free_result($hasil);
?>
<script type="text/javascript">
function printPage() { print(document); }
</script><a href="getsalurbulan.php"></a>
</body>
</html>
```

## **Rekap.php**

```
<html>
<head>
<title>Rekapitulasi</title>
<meta http-equiv="Content-Type" content="text/html;
</style>
</head>
<body>
<?php
require('koneksi.php');
$queryT = "select sum(jumlah)from penerimaan";
$hasilT = mysql_db_query($db, $queryT, $koneksi);
$a = mysql_fetch_array($hasilT);
//echo $a[0];
//mysql_free_result($hasilT);
?>
<?php
$queryS = "select sum(jumlah)from penyaluran";
$hasilS = mysql_db_query($db, $queryS, $koneksi);
$b= mysql_fetch_array($hasilS);
//echo $b[0];
//mysql_free_result($hasilS);
?>
<?php
require('koneksi.php');
$queryX = "select sum(jumlah)from penerimaaninfaq";
$hasilX = mysql_db_query($db, $queryX, $koneksi);
$c = mysql_fetch_array($hasilX);
//echo $c[0];
//mysql_free_result($hasilX);
?>
<?php
require('koneksi.php');
$queryY = "select sum(jumlah)from penyaluraninfaq";
$hasilY = mysql_db_query($db, $queryY, $koneksi);
$d = mysql_fetch_array($hasilY);
//echo $d[0];
```



```

//mysql_free_result($hasilY);
?>
REKAPITULASI ZAKAT
<table>
<thead><tr><td>Uraian</td><td>Jumlah</td></tr></thead>
<tr><td>Penerimaan</td><td><?php echo $a[0] ?></td></tr>
<tr><td>Penyaluran</td><td><?php echo $b[0] ?></td></tr>
<tfoot><tr><td>Selisih</td><td><?php echo $a[0] - $b[0]
?></td></tr></tfoot>
</table>
<?php
mysql_free_result($hasilT);
mysql_free_result($hasilS);
?>
REKAPITULASI INFAQ
<table>
<thead><tr><td>Uraian</td><td>Jumlah</td></tr></thead>
<tr><td>Penerimaan</td><td><?php echo $c[0] ?></td></tr>
<tr><td>Penyaluran</td><td><?php echo $d[0] ?></td></tr>
<tfoot><tr><td>Selisih</td><td><?php echo $c[0] - $d[0]
?></td></tr></tfoot>
</table>
<?php
mysql_free_result($hasilX);
mysql_free_result($hasilY);
?>
<script type="text/javascript">
function printPage() { print(document); }
</script><a href="rekap.php"></a>
</body>
</html>

```