

## LAMPIRAN

### *Source code halaman login admin*

```
<?php require_once('Connections/koneksi.php'); ?>
<?php
if (!function_exists("GetSQLValueString")) {
function GetSQLValueString($theValue, $theType,
$theDefinedValue = "", $theNotDefinedValue = "") {
    if (PHP_VERSION < 6) {
        $theValue = get_magic_quotes_gpc() ? 
stripslashes($theValue) : $theValue;
    }

    $theValue =
function_exists("mysql_real_escape_string") ?
mysql_real_escape_string($theValue) :
mysql_escape_string($theValue);

    switch ($theType) {
        case "text":
            $theValue = ($theValue != "") ? "'" .
theValue . "'" : "NULL";
            break;
        case "long":
        case "int":
            $theValue = ($theValue != "") ?
intval($theValue) : "NULL";
            break;
        case "double":
            $theValue = ($theValue != "") ?
doubleval($theValue) : "NULL";
            break;
        case "date":
            $theValue = ($theValue != "") ? "'" .
theValue . "'" : "NULL";
            break;
        case "defined":
            $theValue = ($theValue != "") ?
$theDefinedValue : $theNotDefinedValue;
            break;
    }
    return $theValue;
}
}
?>
<?php
```

### **Source code halaman utama admin**

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<link rel='shortcut icon' type='image icon'
href='../../1.jpg'/>
<link rel='stylesheet' type='text/css'
href='../library/bootstrap/bootstrap.css' />
<link rel='stylesheet' type='text/css'
href='../library/bootstrap/style.css' />
<script
src="../library/bootstrap/jquery.min.js"></script>

<title>SIPM</title>
</head>
<body>
<?php include("navbar.php"); ?>
<span class="style1">Selamat Datang
<b>ADMINISTRATOR</b></span>
<strong>SIPM SUKOSARI</strong>
<p style='margin-top:10px'>
<p><strong>Sistem Informasi Pelayanan Medis
(SIPM) Puskesmas Sukosari - Babadan -
Ponorogo</strong>, mempermudah mengelola data,
informasi dan kegiatan yang ada dalam Puskesmas
serta meningkatkan pelayanan kepada
masyarakat.</p>
</div>
</div>

<?php include("../library/inc/footer.php") ?>
</div>
</body>
</html>
```

### **Source code halaman pasien**

```
<?php require_once ('../Connections/koneksi.php');?  
<?php  
if (!function_exists("GetSQLValueString")) {  
function GetSQLValueString($theValue, $theType,  
$theDefinedValue = "", $theNotDefinedValue = "")  
{  
    if (PHP_VERSION < 6) {  
        $theValue = get_magic_quotes_gpc() ?  
stripslashes($theValue) : $theValue;  
    }  
  
    $theValue =  
function_exists("mysql_real_escape_string") ?  
mysql_real_escape_string($theValue) :  
mysql_escape_string($theValue);  
  
    switch ($theType) {  
        case "text":  
            $theValue = ($theValue != "") ? "'" .  
$theValue . "'" : "NULL";  
            break;  
        case "long":  
        case "int":  
            $theValue = ($theValue != "") ?  
intval($theValue) : "NULL";  
            break;  
        case "double":  
            $theValue = ($theValue != "") ?  
doubleval($theValue) : "NULL";  
            break;  
        case "date":  
            $theValue = ($theValue != "") ? "'" .  
$theValue . "'" : "NULL";  
            break;  
        case "defined":  
            $theValue = ($theValue != "") ?  
$theDefinedValue : $theNotDefinedValue;  
            break;  
    }  
    return $theValue;  
}  
}
```

### **Source code halaman Laboratorium**

```
<?php require_once ('../Connections/koneksi.php');?  
<?php  
if (!function_exists("GetSQLValueString")) {  
function GetSQLValueString($theValue, $theType,  
$theDefinedValue = "",  
$theNotDefinedValue = "")  
    $theValue =  
    function_exists("mysql_real_escape_string") ?  
    mysql_real_escape_string($theValue) :  
    mysql_escape_string($theValue);  
  
    switch ($theType)  
{  
        case "text":  
            $theValue = ($theValue != "") ? "'" .  
$theValue . "'" : "NULL";  
            break;  
        case "long":  
        case "int":  
  
            $theValue =  
            ($theValue != "") ? intval($theValue) : "NULL";  
            break;  
        case "double":  
            $theValue = ($theValue != "") ?  
            doubleval($theValue) : "NULL";  
            break;  
        case "date":  
            $theValue =  
            ($theValue != "") ? "'" . $theValue . "'" :  
            "NULL";  
            break;  
        case "defined":  
            $theValue = ($theValue != "") ?  
            $theDefinedValue : $theNotDefinedValue;  
            break;  
    }  
    return $theValue;  
}  
}
```

### **Source code halaman tindakan**

```
<?php require_once ('../Connections/koneksi.php');?  
<?php  
if (!function_exists("GetSQLValueString")) {  
function GetSQLValueString($theValue, $theType,  
$theDefinedValue = "", $theNotDefinedValue = "")  
{  
    if (PHP_VERSION < 6) {  
        $theValue = get_magic_quotes_gpc() ?  
stripslashes($theValue) : $theValue;  
    }  
  
    $theValue =  
function_exists("mysql_real_escape_string") ?  
mysql_real_escape_string($theValue) :  
mysql_escape_string($theValue);  
  
    switch ($theType) {  
        case "text":  
            $theValue = ($theValue != "") ? "'" .  
$theValue . "'" : "NULL";  
            break;  
        case "long":  
        case "int":  
            $theValue = ($theValue != "") ?  
intval($theValue) : "NULL";  
            break;  
        case "double":  
            $theValue = ($theValue != "") ?  
doubleval($theValue) : "NULL";  
            break;  
        case "date":  
            $theValue = ($theValue != "") ? "'" .  
$theValue . "'" : "NULL";  
            break;  
        case "defined":  
            $theValue = ($theValue != "") ?  
$theDefinedValue : $theNotDefinedValue;  
            break;  
    }  
    return $theValue;  
}  
}  
}  
$editFormAction = $_SERVER['PHP_SELF'];  
if (isset($_SERVER['QUERY_STRING'])) {
```

### **Source code halaman obat**

```
<?php require_once ('../Connections/koneksi.php');?  
<?php  
if (!function_exists("GetSQLValueString")) {  
function GetSQLValueString($theValue, $theType,  
$theDefinedValue = "", $theNotDefinedValue = "")  
{  
    if (PHP_VERSION < 6) {  
        $theValue = get_magic_quotes_gpc() ?  
stripslashes($theValue) : $theValue;  
    }  
  
    $theValue =  
function_exists("mysql_real_escape_string") ?  
mysql_real_escape_string($theValue) :  
mysql_escape_string($theValue);  
  
switch ($theType) {  
    case "text":  
  
        $theValue = ($theValue != "") ? "'" .  
$theValue . "'："NULL";  
        break;  
    case "long":  
    case "int":  
        $theValue = ($theValue != "") ?  
intval($theValue) : "NULL";  
        break;  
    case "double":  
        $theValue = ($theValue != "") ?  
doubleval($theValue) : "NULL";  
        break;  
    case "date":  
        $theValue = ($theValue != "") ? "'" .  
$theValue . "'："NULL";  
        break;  
    case "defined":  
        $theValue = ($theValue != "") ?  
$theDefinedValue : $theNotDefinedValue;  
        break;  
    }  
    return $theValue;  
}  
}  
  
$maxRows_tampil = 10;
```

```

$pageNum_tampil = 0;
if (isset($_GET['pageNum_tampil'])) {
    $pageNum_tampil = $_GET['pageNum_tampil'];
}
$startRow_tampil = $pageNum_tampil *
$maxRows_tampil;

mysql_select_db($database_koneksi, $koneksi);
$query_tampil = "SELECT kd_obat, nm_obat, jml_obat
FROM obat";
$query_limit_tampil = sprintf("%s LIMIT %d, %d",
$query_tampil, $startRow_tampil, $maxRows_tampil);
$tampil = mysql_query($query_limit_tampil,
$koneksi) or die(mysql_error());
$row_tampil = mysql_fetch_assoc($tampil);

if (isset($_GET['totalRows_tampil'])) {
    $totalRows_tampil = $_GET['totalRows_tampil'];
} else {
    $all_tampil = mysql_query($query_tampil);
    $totalRows_tampil = mysql_num_rows($all_tampil);
}

```

### **Source code halaman kunjungan**

```

<?php require_once('../Connections/koneksi.php');
?>
<?php
if (!function_exists("GetSQLValueString")) {
function GetSQLValueString($theValue, $theType,
theValue = "", $theDefinedValue = "")
{
    if (PHP_VERSION < 6) {
        $theValue = get_magic_quotes_gpc() ?
stripslashes($theValue) : $theValue;
    }

    $theValue =
function_exists("mysql_real_escape_string") ?
mysql_real_escape_string($theValue) :
mysql_escape_string($theValue);
    $theValue = ($theValue != "") ? "'" .
theValue . "'": "NULL";
    break;
}

```

```

        case "long":
        case "int":
            $theValue = ($theValue != "") ? 
intval($theValue) : "NULL";
            break;
        case "double":
            $theValue = ($theValue != "") ? 
doubleval($theValue) : "NULL";
            break;
        case "date":
            $theValue = ($theValue != "") ? "'" . 
$theValue . "'" : "NULL";
            break;
        case "defined":
            $theValue = ($theValue != "") ? 
$theDefinedValue : $theNotDefinedValue;
            break;
        }
        return $theValue;
}
}

```

### **Source code halaman dokter**

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<link rel='shortcut icon' type='image icon'
href='../1.jpg'/>
<link rel='stylesheet' type='text/css'
href='../library/bootstrap/bootstrap.css' />
<link rel='stylesheet' type='text/css'
href='../library/bootstrap/style.css' />
<script
src="../library/bootstrap/jquery.min.js"></script>
<title> </title>
</head>
<body>
<div class='container-fluid' style='margin-
top:20px;'>
<?php include("navbar.php"); ?>
<div class='row-fluid'>

```

```

<?php include("sidebar.php"); ?>
    <div class="span9">
        <div class='well' fixed center;'>
            <b> </b>
            <p style='margin-top:10px'>
                <a href='dokterbaru.php' class='btn btn-primary'><i class='icon icon-white icon-plus'></i>
                    Tambah Dokter</a>
                <table style='margin-top:10px;background:white'
                    class="table table-bordered table-striped table-hover">
                    <tr>
                        <td>Nama Dokter</td>
                        <td>Tanggal Kunjungan</td>
                        <td>Kode Dokter</td>

                        <td>Aksi</td>
                    </tr>
                    <?php do { ?>
                    <tr>
                        <td><?php echo
                            $row_tampil['nm_dokter']; ?></td>

```

### **Source code halaman poliklinik**

```

if ((isset($_POST["MM_insert"])) &&
($_POST["MM_insert"] == "form1")) {
    $insertSQL = sprintf("INSERT INTO poliklinik
    (nm_poli, lantai) VALUES (%s, %s)",
    GetSQLValueString($_POST['nm_poli'], "text"),
    GetSQLValueString($_POST['lantai'], "int"));

    mysql_select_db($database_koneksi, $koneksi);
    $Result1 = mysql_query($insertSQL, $koneksi) or
    die(mysql_error());

    $insertGoTo = "datapoliklinik.php";
    if (isset($_SERVER['QUERY_STRING'])) {
        $insertGoTo .= (strpos($insertGoTo, '?')) ?
        "&" : "?";
        $insertGoTo .= $_SERVER['QUERY_STRING'];
    }
}

```

```

    header(sprintf("Location: %s", $insertGoto));
} $maxRows_tampil = 10;
$pageNum_tampil = 0;
if (isset($_GET['pageNum_tampil'])) {
    $pageNum_tampil = $_GET['pageNum_tampil'];
}
$startRow_tampil = $pageNum_tampil *
$maxRows_tampil;

mysql_select_db($database_koneksi, $koneksi);
$query_tampil = "SELECT * FROM poliklinik";
$query_limit_tampil = sprintf("%s LIMIT %d, %d",
$query_tampil, $startRow_tampil, $maxRows_tampil);
$tampil = mysql_query($query_limit_tampil,
$koneksi) or die(mysql_error());
$row_tampil = mysql_fetch_assoc($tampil);

if (isset($_GET['totalRows_tampil'])) {
    $totalRows_tampil = $_GET['totalRows_tampil'];
} else {
    $all_tampil = mysql_query($query_tampil);
    $totalRows_tampil = mysql_num_rows($all_tampil);
}
$totalPages_tampil =
ceil($totalRows_tampil/$maxRows_tampil)-1;
?>
```