

LAMPIRAN

1. Halaman Utama

Source code :

```
<?php
    include 'fungsi.php';
?>
<!DOCTYPE html>
<html>
<head>
    <title>Karaoke</title>
    <meta http-equiv="content-type" content="text/html;
charset=UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <link rel="SHORTCUT ICON" href="img/favicon.png"/>
    <!-- Bootstrap -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <!-- Custom CSS -->
    <link rel="stylesheet" type="text/css"
href="css/gaya.css">

    <link rel="stylesheet" type="text/css"
href="css/jquery-ui.min.css">
    <link rel="stylesheet"
href="css/colorbox/colorbox.css" />
    <link rel="stylesheet"
href="css/jquery.datetimepicker.css" />

    <!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->
    <!-- WARNING: Respond.js doesn't work if you view
the page via file:// -->
    <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5sh
iv.js"></script>
        <script
src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respon
d.min.js"></script>
    <![endif]-->

    <!-- jQuery (necessary for Bootstrap's JavaScript
plugins) -->
    <script src="js/jquery-2.0.3.min.js"></script>
    <script type="text/javascript" src="js/jquery-ui-
1.10.3.min.js"></script>
```

```

        <script type="text/javascript"
src="js/jquery.colorbox.js"></script>
        <script type="text/javascript"
src="js/jquery.datetimepicker.js"></script>
        <!-- Include all compiled plugins (below), or
include individual files as needed -->
        <script src="js/bootstrap.min.js"></script>
        <!-- Custom JS -->
        <script type="text/javascript"
src="js/skrip.js"></script>
</head>
<body>
        <div class="container container-<?php echo
isset($_GET['page']) ? $_GET['page'] : 'home' ; ?>">
                <div class="row">
                        <div class="col-md-12 col-sm-12 header
menu">
                                <!-- header menu -->
                                <?php include 'menu.php'; ?>
                        </div>
                        <div class="col-md-12 col-sm-12 header
cover">
                                <!-- header cover -->
                        </div>
                </div>
                <div class="row">
                        <div class="col-md-6 col-sm-6 col-sm-push-
3 content" data-page="<?php echo isset($_GET['page']) ?
$_GET['page'] : 'home' ; ?>">
                                <!-- content -->
                                <?php include $content; ?>
                        </div>
                        <div class="col-md-3 col-sm-3 col-sm-pull-
6 sidebar">
                                <!-- sidebar 1 -->
                                <?php include 'sidebar_kiri.php'; ?>
                        </div>
                        <div class="col-md-3 col-sm-3 sidebar">
                                <!-- sidebar 2 -->
                                <?php include 'sidebar_kanan.php'; ?>
                        </div>
                </div>
                <div class="row">
                        <div class="col-md-12 footer">
                                <?php include 'footer.php'; ?>
                        </div>
                </div>
        </div>

</body>
</html>

```

2. Halaman Profil

Source Code :

```
<div class="tabbable" style="background: white; border-
radius:6px; padding: 2px;"><!-- Only required for
left/right tabs -->
<ul class="nav nav-tabs">
<li class="active"><a href="#tab1" data-
toggle="tab">Welcome</a></li>
<li class="aktif"><a href="#tab2" data-
toggle="tab"></a></li>
<li class="populer"><a href="#tab3" data-
toggle="tab"></a></li>
<li class="tempo"><a id="tempo" href="#tab4" data-
toggle="tab"></a></li>
</ul>
<div class="tab-content" style="padding: 5px;">
<div class="tab-pane active" id="tab1">
<!--Welcome-->
<div class="hero-unit">
<h1>Selamat Datang <?php $nm=explode("
",$_SESSION['nama']); echo $nm[0]; ?> !</h1>
<p>Selamat datang di Sistem Informasi Perpustakaan
<?php echo getVersion(); ?></p>
<p>
<a class="btn btn-primary btn-large" href="buku.php">
<div class="profile">
    <div class="profile-title">
        Profil Perusahaan
    </div>
    <div class="profile-content">
        <p align="center"></p>
        <p><?php echo
nl2br(get_setting('profil_perusahaan')) ?></p>
    </div>
</div>
</div>
```

3. Halaman Room

Source Code :

```
<?php
    $a_kategori = get_all_kategori_room();

    $id_kategori_room = isset($_GET['kategori']) ?
$_GET['kategori'] : 'all';
    $a_room = get_room_by_kategori($id_kategori_room);
```

```

    // print_rq($a_room);
?>

<div class="room">

    <div class="room-title">
        ROOM
    </div>

    <div class="room-menu">
        <ul>
            <li>
                <a
href="?.?page=room&kategori=all" class="<?php if
($id_kategori_room == 'all') echo 'active' ?>" >
                    Semua
                </a>
            </li>

            <?php foreach ($a_kategori as $key =>
$kategori): ?>
                <li>
                    <a
href="?.?page=room&kategori=<?php echo
$kategori['id_kategori_room'] ?>" class="<?php if
($id_kategori_room == $kategori['id_kategori_room'])
echo 'active' ?>" >
                        <?php echo
$kategori['kategori_room'] ?>
                    </a>
                </li>
            <?php endforeach ?>
        </ul>
        <div class="clear"></div>
    </div>

    <div class="clear"></div>

    <?php foreach ($a_room as $key => $room) : ?>
        <div class="room-item">
            <div class="room-content">
                <div class="room-caption">
                    Room <?php echo $room['no_room']
?>

                </div>
                <div class="room-image">
                    <div class="room-image-bg"
style="background-image: url('img/room/<?php echo
$room['no_room'] ?>.jpg')">
                </div>
            </div>
        </div>
    </div>

```

```

                <div class="room-detail">
                    <table>
                        <tr>
                            <td>Type</td><td>:</td><td><?php echo
                            $room['kategori_room'] ?></td>
                                </tr>
                                <tr>
                                    <td>Kapasitas</td><td>:</td><td><?php echo
                                    $room['kapasitas'] ?> orang</td>
                                        </tr>
                                        <tr>
                                            <td>Tarif</td><td>:</td><td>Rp. <?php echo
                                            format_rupiah( $room['harga_room'] ) ?> / jam</td>
                                                </tr>
                                                </table>
                                            </div>
                                        </div>
                                    <div class="room-button">
                                        <a
                                        href=".?page=pesan&no_room=<?php echo
                                        $room['no_room'] ?>" class="pull-left">Pesan</a><a
                                        href="javascript::" class="pull-right room-button-
                                        detail">Detail</a>
                                            <div class="clear"></div>
                                                </div>
                                            <?php endforeach ?>
                                        </div>

```

4. Halaman Status Room

Source Code :

```

<?php
    $a_room = get_room_by_kategori('all');
    $status = unserialize( get_setting('status_room') );
?>

<div class="status-room">
    <div class="status-room-title">
        Status Room Sekarang
    </div>

    <table class="table table-striped tabel-status-
    room">
        <thead>
            <tr>

```

```

        <th>No Room</th>
        <th>Kategori</th>
        <th>Status</th>
        <th>Durasi</th>
        <th>Jam Checkin</th>
        <th>Jam Checkout</th>
    </tr>
</thead>
<tbody>
    <?php foreach ($a_room as $key => $room):
?>
        <tr class="room-item">
            <td><?php echo $room['no_room']
?></td>
            <td><?php echo
            $room['kategori_room'] ?></td>
            <td class="<?php
            if($status['status-'. $room['no_room']] == 'on') echo
            'on' ?>"><?php echo ($status['status-'. $room['no_room']]
            == 'on') ? 'ON' : 'OFF' ?></td>
            <td><?php echo ($status['status-
            '. $room['no_room']] == 'on') ? $status['durasi-
            '. $room['no_room']] . ' jam' : '0' ?></td>
            <td><?php echo ($status['status-
            '. $room['no_room']] == 'on') ? $status['checkin-
            '. $room['no_room']] : '0' ?></td>
            <td><?php echo ($status['status-
            '. $room['no_room']] == 'on') ? $status['checkout-
            '. $room['no_room']] : '0' ?></td>
        </tr>
        tr class="room-item">
            <td><?php echo $room['no_room']
            ?></td>
            <td><?php echo
            $room['kategori_room'] ?></td>
            <td class="<?php
            if($status['status-'. $room['no_room']] == 'on') echo
            'on' ?>"><?php echo ($status['status-'. $room['no_room']]
            == 'on') ? 'ON' : 'OFF' ?></td>
            <td>
                <?php endforeach ?>
        </tbody>
</table>
</div>

```

5. Halaman Room Dipesan

Source Code :

```

<?php
    $a_dipesan = get_room_dipesan();

```

```

?>

<div class="room-dipesan">
  <div class="room-dipesan-title">
    Tampilan Room Yang Sudah Dipesan
  </div>

  <table class="table table-striped tabel-room-
dipesan">
    <thead>
      <tr>
        <th>No ID</th>
        <th>No Room</th>
        <th>Tanggal</th>
        <th>Jam Checkin</th>
        <th>Jam Checkout</th>
      </tr>
    </thead>
    <tbody>
      <?php foreach ($a_dipesan as $key =>
$dipesan): ?>
        <tr class="dipesan-item">
          <td><?php echo $dipesan['no_id']
?></td>
          <td><?php echo
$dipesan['no_room'] ?></td>
          <td><?php echo
$dipesan['tanggal'
        </tbody>
      </table>

      <div class="room-dipesan-note">
        Jika anda sudah melakukan pembayaran maka data
pemesanan anda akan ditampilkan di sini.
      </div>
    </div>

```

6. Halaman Promo

Source Code :

```

<?php
  $a_promo_room = get_data_promo_by_jenis('room');
  $a_promo_fnb = get_data_promo_by_jenis('fnb');
?>

<div class="promo">

  <div class="promo-title">
    PROMO TERBARU
  </div>

```

```

<div class="promo-content">
  <div class="promo-subtitle">
    PROMO ROOM
  </div>
  <div class="promo-list">
    <?php foreach ($a_promo_room as $key =>
$promo): ?>
      <div class="promo-item" id="<?php
echo $promo['id_promo'] ?>">
        <div class="promo-item-title"><i
class="glyphicon glyphicon-chevron-right"></i><?php echo
$promo['title_promo'] ?></div>
        <div class="promo-text"><?php
echo nl2br($promo['isi_promo']) ?></div>
      </div>
    <?php endforeach ?>
  </div>
  <div class="promo-subtitle">
    PROMO FnB
  </div>
  <div class="promo-list">
    <?php foreach ($a_promo_fnb as $key =>
$promo): ?>
      <div class="promo-item" id="<?php
echo $promo['id_promo'] ?>">
        <div class="promo-item-title"><i
class="glyphicon glyphicon-chevron-right"></i><?php echo
$promo['title_promo'] ?></div>
        <div class="promo-text"><?php
echo nl2br($promo['isi_promo']) ?></div>
      </div>
    <?php endforeach ?>
  </div>
</div>

```

7. Halaman Food n Beverages

Source Code :

```

<?php
  $kategori = isset($_GET['kategori']) ?
$_GET['kategori'] : 'all';
  $a_fnb = get_fnb_by_kategori($kategori);

  // print_rq($a_fnb);
?>

<div class="fnb">

```



```

<div class="fnb-title">FOOD AND BEVERAGES</div>

<div class="fnb-menu">
  <ul>
    <li><a href=".?page=info-
fnb&katégori=all" class="<?php
if($_GET['katégori']=='all' || $_GET['katégori']=='')
echo 'active' ?>">Semua</a></li>
    <li><a href=".?page=info-
fnb&katégori=food" class="<?php
if($_GET['katégori']=='food') echo 'active'
?>">Food</a></li>
    <li><a href=".?page=info-
fnb&katégori=beverage" class="<?php
if($_GET['katégori']=='beverage') echo 'active'
?>">Beverages</a></li>
  </ul>
  <div class="clear"></div>
</div>

<div class="clear"></div>

<?php foreach ($a_fnb as $key => $fnb) : ?>
  <div class="fnb-item">
    <div class="fnb-content">
      <div class="fnb-caption">
        <?php echo $fnb['nama_fnb'] ?>
      </div>
      <div class="fnb-image">
        <div class="fnb-image-bg"
style="background-image: url('img/fnb/<?php echo
$fnb['id_fnb'] ?>.jpg')">
          </div>
        </div>
        <div class="fnb-harga">
          Rp. <?php echo
format_rupiah($fnb['harga']) ?>
          <div class="clear"></div>
        </div>
      </div>
    <?php endforeach ?>

```

8. Halaman Cara Pemesanan

Source Code :

```

<table name='kas' cellpadding='3' cellspacing='1'
width='80%' align='center' class="table table-striped
table-hover">

```

```

<tr><td></td><td colspan=5'><h2>Kas
Perpustakaan</h2></td></tr>
<tr>
<td colspan=6'>
<form action='' method='post' name='frm-kas'
class="input-prepend">
<span class="add-on">Rp.</span><input
id='prependedInput' type='text' name='val'
autocomplete='off'><span class="add-on">Ket</span>
<input type='text' name='ket' autocomplete='off'>
<select name='jenis' onchange='cek_ok()' id='sel'
style="width: 100px">
<option value='pilih'>Pilih</option>
<option
<?php
    $panduan = get_setting('panduan');
    $a_panduan = explode("\n", $panduan);
?>
<div class="panduan">
    <div class="panduan-title">
        Cara Pemesanan
    </div>
</div>
        value='keluar'>Keluar
    </option>
<option value='masuk'>Masuk</option>
</select>
<input type='submit' value='OK' disabled='disabled'
name='tombol' class="btn btn-success" >
</form>
</td>
</tr>

```

9. Halaman Login Admin

Source Code :

```

<div class="row">
    <div class="col-md-4 col-md-offset-4 login-box">
        <div class="login-title">
            LOGIN ADMIN
        </div>
        <form class="form-horizontal" role="form"
method="POST" action="">
            <div class="form-group">
                <label for="inputUsername1"
class="col-lg-4 control-label">Username</label>
                <div class="col-lg-8 input-
container">

```

```

                <input type="text" class="form-
control" id="inputUsername1" placeholder="Username"
name="username">
            </div>
        </div>
        <div class="form-group">
            <label for="inputPassword1"
class="col-lg-4 control-label">Password</label>
            <div class="col-lg-8 input-
container">
                <input type="password"
class="form-control" id="inputPassword1"
placeholder="Password" name="password">
            </div>
        </div>
        <div class="form-group pesan">
            <div class="col-lg-offset-4 col-lg-8
input-container">
                <?php echo $login_error; ?>
            </div>
        </div>
        <div class="form-group">
            <div class="col-lg-offset-4 col-lg-8
input-container text-center">
                <button type="submit" class="btn
btn-primary btn-lg">LOGIN <i class="glyphicon glyphicon-
log-in"></i></button>
            </div>
        </div>
    </form>
</div>
</div>
</div>

```

10. Halaman Utama Admin

===

Source Code :

```

<?php
    include 'fungsi.php';
?>

<!DOCTYPE html>
<html>

<head>
    <title>Admin</title>
    <meta http-equiv="content-type" content="text/html;
charset=UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <link rel="SHORTCUT ICON" href="img/favicon.png"/>

```

```

    <!-- Bootstrap -->
    <link href="../../css/bootstrap.min.css"
rel="stylesheet">
    <!-- Plugin CSS -->
    <link rel="stylesheet" type="text/css"
href="../../css/jquery-ui.min.css">
    <link rel="stylesheet"
href="../../css/colorbox/colorbox.css">
    <!-- Custom CSS -->
    <link rel="stylesheet" type="text/css"
href="css/gaya.css">
    <link rel="stylesheet"
href="../../css/jquery.datetimepicker.css" />

    <!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->
    <!-- WARNING: Respond.js doesn't work if you view
the page via file:// -->
    <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5sh
iv.js"></script>
        <script
src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respon
d.min.js"></script>
    <![endif]-->

    <!-- Plugin JS -->
    <script src="../../js/jquery-2.0.3.min.js"></script>
    <script type="text/javascript" src="../../js/jquery-ui-
1.10.3.min.js"></script>
    <script type="text/javascript"
src="../../js/jquery.colorbox.js"></script>
    <script type="text/javascript"
src="../../js/jquery.datetimepicker.js"></script>
    <!-- Bootstrap JS -->
    <script src="../../js/bootstrap.min.js"></script>
    <!-- Custom JS -->
    <script type="text/javascript"
src="js/skrip.js"></script>
</head>

<body>
    <div class="container container-<?php echo
isset($_GET['page']) ? $_GET['page'] : 'home' ; ?>">
        <div class="row">
            <div class="col-md-12 col-sm-12 header">
                <div class="caption">ADMIN AREA</div>
                <?php include 'menu.php'; ?>

```

```
        </div>
    </div>
    <div class="row">
        <div class="col-md-12 col-sm-12 content"
data-page="<?php echo isset($_GET['page']) ?
$_GET['page'] : 'home' ; ?>">
            <!-- content -->
            <?php include $content; ?>
        </div>
    </div>
    <div class="row">
        <div class="col-md-12 footer">
            <?php include 'footer.php'; ?>
        </div>
    </div>
</div>
</body>
</html>
```

