

LAMPIRAN

Source Code :

```
<?php session_start();
include"koneksi.php";
$uu=mysql_query("select * from user where
nip='$_SESSION[nip]'");
$aha=mysql_fetch_array($uu);
if(!session_is_registered("nip")){
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
dir="ltr" lang="en-US" xml:lang="en"><head>
<link rel="stylesheet" href="style.css"
type="text/css" media="screen" />
<!--[if IE 6]><link rel="stylesheet"
href="style.ie6.css" type="text/css"
media="screen" /><![endif]-->
<!--[if IE 7]><link rel="stylesheet"
href="style.ie7.css" type="text/css"
media="screen" /><![endif]-->
</head>
<body id="all">
<div class="PageBackgroundSimpleGradient">
</div>
<div class="PageBackgroundGlare">
<div
class="PageBackgroundGlareImage"></div>
</div>
<div class="Main">
<div class="Sheet">
<div class="Sheet-tl"></div>
<div class="Sheet-tr"></div>
<div class="Sheet-bl"></div>
<div class="Sheet-br"></div>
<div class="Sheet-tc"></div>
<div class="Sheet-bc"></div>
<div class="Sheet-cl"></div>
<div class="Sheet-cr"></div>
<div class="Sheet-cc"></div>
<div class="Sheet-body">
<div class="Header">
<div class="Header-
png"></div>
```



```
<div class="Header-jpeg"></div>
</div>
<div class="nav">
    <div class="l"></div>
    <div class="r"></div>
    <div id="dates"><div id="the-day">Hari, 00 Bulan 0000</div><div id="the-time">00:00:00</div></div></div>
    <div align="center" id="content"><div id="welcome"><marquee>Selamat Datang -----</marquee></div>
    <!--
    </body>
    </html>
<?php
}
else{
if($aha[hak_akses]=="admin") {
    $_SESSION['nip']=$data['nip'];
    echo "<meta http-equiv=\\"refresh\\" content=\\"0; url=uadmin.php\\>";
}
else if($aha[hak_akses]=="HRD") {
    $_SESSION['nip']=$data['nip'];
    echo "<meta http-equiv=\\"refresh\\" content=\\"0; url=uhrd.php\\>";
}
else if($aha[hak_akses]=="mandor") {
    $_SESSION['nip']=$data['nip'];
    echo "<meta http-equiv=\\"refresh\\" content=\\"0; url=umandor.php\\>";
}
else if($aha[hak_akses]=="keuangan") {
    $_SESSION['nip']=$data['nip'];
    echo "<meta http-equiv=\\"refresh\\" content=\\"0; url=ukeuangan.php\\>";
}
}
?>
```

Source Code :

```
<script src="Scripts/swfobject_modified.js"
type="text/javascript"></script>
<object id="FlashID" classid="clsid:D27CDB6E-
AE6D-11cf-96B8-444553540000" width="500"
height="133">
    <param name="movie" value="banner_025.swf">
    <param name="quality" value="high">
    <param name="wmode" value="opaque">
    <param name="swfversion" value="6.0.65.0">
        <!-- This param tag prompts users with Flash
        Player 6.0 r65 and higher to download the latest
        version of Flash Player. Delete it if you don't
        want users to see the prompt. -->
    <param name="expressinstall"
value="Scripts/expressInstall.swf">
        <!-- Next object tag is for non-IE browsers. So
        hide it from IE using IECC. -->
    <!--[if !IE]>-->
    <object type="application/x-shockwave-flash"
data="banner_025.swf" width="500" height="133">
        <!--<! [endif]-->
        <param name="quality" value="high">
        <param name="wmode" value="opaque">
        <param name="swfversion" value="6.0.65.0">
        <param name="expressinstall"
value="Scripts/expressInstall.swf">
            <!-- The browser displays the following
            alternative content for users with Flash Player
            6.0 and older. -->
        <div>
            <h4>Content on this page requires a newer
            version of Adobe Flash Player.</h4>
            <p><a
href="http://www.adobe.com/go/getflashplayer"><im
g
src="http://www.adobe.com/images/shared/download_
buttons/get_flash_player.gif" alt="Get Adobe
Flash player" /></a></p>
        </div>
        <!--[if !IE]>-->
    </object>
    <!--<! [endif]-->
</object>
<script type="text/javascript">
swfobject.registerObject("FlashID");
```

Source Code :

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<title>Data buruh</title>
</head>
<body>
<h1 align="left">Data Human Data Resource </h1>
<hr />
<?php
include('koneksi.php');
?>
<table width="80%" border="0" align="center"
class="tbls">
<tr>
<td width="27"><div
align="center"><strong>NIP</strong></div></td>
<td width="40"><div
align="center"><strong>Nama</strong></div></td>
<td width="48"><div
align="center"><strong>Alamat</strong></div></td>
<td width="113"><div
align="center"><strong>No. Telepon
</strong></div></td>
<td width="127"><div
align="center"><strong>No. Handphone
</strong></div></td>
<td width="51"><div
align="center"><strong>Email</strong></div></td>
<td width="109"><div
align="center"><strong>Edit</strong></div></td>
</tr>
<?php include "koneksi.php";
$sql=mysql_query("select * from hrd");
while($re=mysql_fetch_array($sql)){ ?>
<tr align="left" valign="top">
<td>
<?php echo $re[nip] ?>
</td>
<td>
<?php echo $re[nama_hrd]
?>
</td>
```

```
<td>
    <?php echo $re[alamat_hrd] ?>
    <td>
        <?php echo $re[telp_hrd]>
    ?>
    </td>
    <td>
        <?php echo $re[hp_hrd] ?>
    </td>
    <td>
        <?php echo $re[email_hrd]>
    ?>
    </td>
    <td align="center">
        <a href="?page=u-hrd&id=<?php echo $re[nip]; ?>">Update</a>
        <a href="?page=HRD&id=<?php echo $re[nip]; ?>" onClick="return confirm('Apakah Anda yakin menghapus data ini ?')">Delete</a>
    </td>
</tr>
<?php } ?>
</table>
<br/>
<table width="82%" border="0" align="center">
    <tr>
        <td>
            <div align="right">
                <a class="Button" href="?page=t_hrd">
                    <span class="btn">
                        <span class="l"></span>
                        <span class="r"></span>
                        <span class="t">Input Data</span>
                    </span>
                <?php
                if(isset($_GET[id])){
                    $del=mysql_query("delete from hrd where nip='$_GET[id]'");
                    $dil=mysql_query("delete from user where nip='$_GET[id]'");
                    echo"<script>window.alert('Berhasil')</script>";
                };
                echo"<meta http-equiv='refresh' content='0;URL=?page=HRD&ok' />";
            }
        ?>
```

Source Code :

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<title>Data buruh</title>
</head>
<body>
<h1 align="left">Data Keuangan </h1>
<hr />
<?php
include('koneksi.php');
?>
<table width="80%" border="0" align="center"
class="tbls">
<tr>
<td width="27"><div
align="center"><strong>NIP</strong></div></td>
<td width="40"><div
align="center"><strong>Nama</strong></div></td>
<td width="48"><div
align="center"><strong>Alamat</strong></div></td>
<td width="113"><div
align="center"><strong>No. Telepon
</strong></div></td>
<td width="127"><div
align="center"><strong>No. Handphone
</strong></div></td>
<td width="51"><div
align="center"><strong>Email</strong></div></td>
<td width="109"><div
align="center"><strong>Edit</strong></div></td>
</tr>
<?php include "koneksi.php";
$sql=mysql_query("select * from keuangan");
while($re=mysql_fetch_array($sql)){ ?>
<tr align="left" valign="top">
<td>
<?php echo $re[nip] ?>
</td>
<td>
```

```
<?php echo  
$re[nama_keuangan] ?> </td>  
<td> <?php echo  
$re[alamat_keuangan] ?> </td>  
<td> <?php echo  
$re[telp_keuangan] ?> </td>  
<td> <?php echo  
$re[hp_keuangan] ?> </td>  
<td align="center">  
    <a href="?page=u-  
keuangan&id=<?php echo $re[nip]; ?>">Update</a>  
    <a href="?page=keuangan&id=<?php echo $re[nip]; ?>"  
onClick="return confirm('Apakah Anda yakin  
menghapus data ini ?')">Delete</a>  
</td>  
</tr>  
<?php }?>  
</table>  
<br>  
<table width="80%" border="0" align="center">  
<tr>  
    <td> <div align="right">  
        <a class="Button" href="?page=t_keuangan">  
            <span class="btn">  
                <span class="l"></span>  
                <span class="r"></span>  
                <span class="t">Input Data</span>  
            </span>  
        </a>  
    </td>  
</tr>  
<?php  
if(isset($_GET[id])){  
    $del=mysql_query("delete from keuangan where  
nip='$_GET[id]'");  
    $dil=mysql_query("delete from user where  
nip='$_GET[id]'");  
    echo"<script>window.alert('Berhasil')</script>";  
    echo"<meta http-equiv='refresh'  
content='0;URL=?page=keuangan&ok' />";  
}  
?></body>
```

Source Code :

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<title>Data buruh</title>
</head>
<body>
<h1 align="left">Data Departemen </h1>
<hr />
<?php
include('koneksi.php');
?>
<table width="100%" border="0" align="center"
class="tbls">
<tr>
<td width="128"><div
align="center"><strong>Nama Departemen
</strong></div></td>
<td width="125"><div
align="center"><strong>Section</strong></div></td>
<td width="233"><div
align="center"><strong>Edit</strong></div></td>
</tr>
<?php include"koneksi.php";
$sql=mysql_query("select * from departemen");
while($re=mysql_fetch_array($sql)){ ?>
<tr align="left" valign="top">
<td>
<?php echo
$re[nama_departemen] ?>
<td>
<?php echo $re[section]
?>
</td>
<td align="center">
<a
href="?page=ubahdepartment&id=<?php echo
$re[id_departemen]; ?>">Update</a>
<a
href="?page=viewdepartment&id=<?php echo
$re[id_departemen]; ?>" onclick="return
confirm('Apakah Anda yakin menghapus data ini
```

? ') ?>">Delete </td>

```
</tr><?php }  
$sql=mysql_query("select * from  
departemen");  
$re=mysql_num_rows($sql);  
if($re==0){  
?>  
  
<tr align="left" valign="top">  
    <td colspan="4"><div  
align="center">Maaf Data Belum Data</div></td>  
</tr>  
<?php } ?>  
</table>  
<br/>  
<table width="100%" border="0" align="center">  
<p>&nbsp;</p>  
</body>  
</html>
```

