

## LAMPIRAN

- Script Kode Menu Utama

```
<?php
include "check.php";
if (!check())
{
include"login.php";
}
else
{?><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Main Menu Super Admin</title>
<link rel="stylesheet" href="STYLE.CSS" />
</head>
<body class="twoColElsLtHdr">
<div id="container">
<div id="header">
<h1>&nbsp;</h1>
<p>&nbsp;</p>
```

```
<p>&nbsp;</p>

<p>&nbsp;</p>

<!-- end #header --></div>

<div id="sidebar1">

  <div id="main_menu"><h3><p><a href="index.php">*Main Menu</h3></p>

  </div>

  <div id="isi_menu_kiri">

    <p><a href="user/index.php">* Admin Manager</a> </p>

    <p>

      <a href="product/index.php">* Menu Product</a> </p>

    <p>

      <a href="category/index.php">* Menu Category</a> </p>

    <p>

      <a href="order/index.php">* Menu Order</a> </p>

    <p>

      <a href="laporancoba.php">* Menu Laporan </a> </p>

    <p>

      <a href="logout.php">* logout</a> </p>

    <p>&nbsp;</p>

    <p>&nbsp;</p>

  </div>

<!-- end #sidebar1 --></div>

<div id="mainContent">

  <h3> Menu Utama</h3>
```

<p>&nbsp;</p>

<p>&nbsp;</p>

<table width="872" height="145">

<tr>

<td align="center" valign="middle">&nbsp;</td>

<td align="center" valign="middle"><a href="category/index.php"></a></td>

<td align="center" valign="middle">&nbsp;</td>

<td align="center" valign="middle">&nbsp;</td>

<td align="center" valign="middle"><a href="order/index.php"></a></td>

<td align="center" valign="middle">&nbsp;</td>

<td align="center" valign="middle"><a href="product/index.php"></a></td>

<td align="center" valign="middle"><a href="user/index.php"></a></td>

</tr>

<tr>

<td align="center" valign="middle">&nbsp;</td>

<td align="center" valign="middle" bgcolor="#FFFF00"><a href="category/index.php">Category</a></td>

<td align="center" valign="middle">&nbsp;</td>

<td align="center" valign="middle">&nbsp;</td>

```

        <td align="center" valign="middle" bgcolor="#FFFF00"><a
href="order/index.php">Order</a></td>

        <td align="center" valign="middle">&nbsp;</td>

        <td align="center" valign="middle" bgcolor="#FFFF00"><a
href="product/index.php">Product</a></td>

        <td align="center" valign="middle" bgcolor="#FFFF00"><a
href="user/index.php">User</a></td>

    </tr>

</table>

<p>&nbsp;</p>

</div>

<br class="clearfloat" />

<div id="footer">

    <center>

        <p> &copy; Powered 2016 All right reserved</p></center>

    <!-- end #footer --></div>

<!-- end #container --></div>

</body>

</html>

<?php
}
?>

```

- Script Kode Tambah Produk

```
<?php
```

```

include "../check.php";

if (!check())
{
echo "<script>alert('Anda tidak berhak mengakses halaman ini')</script>";
echo "Silakan <a href='../login.php'>Login Kembali</a>";
}
else
{?><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>New Produk</title>
<link rel="stylesheet" href="../STYLE.CSS" />
<!-- TinyMCE -->
<script
type="text/javascript"
src="../TINYMCE/JSCRIPTS/TINY_MCE/tiny_mce_src.js"></script>
<script type="text/javascript">
    tinyMCE.init({
        // General options
        mode : "textareas",
        theme : "advanced",
        plugins
        :
"safari,pagelbreak,style,layer,table,save,advhr,advimage,advlink,emotions,iespell,i

```

```

nlinepopups,insertdatetime,preview,media,searchreplace,print,contextmenu,paste,
directionality,fullscreen,noneditable,visualchars,nonbreaking,xhtmlxtras,template"
,

        // Theme options

theme_advanced_buttons1                                     :
"save,newdocument,|,bold,italic,underline,striktthrough,|,justifyleft,justifycenter,j
ustifyright,justifyfull,|,cut,copy,paste,pastetext,pasteword,|,search,replace,|" ,
theme_advanced_buttons2 :
"styleselect,formatselect,fontselect,fontsizeselect,forecolor,backcolor",
theme_advanced_buttons3                                     :
"bullist,numlist,|,outdent,indent,blockquote,|,undo,redo,|,link,unlink,anchor,image,
cleanup,help,code,|,insertdate,inserttime,preview,|" ,

        theme_advanced_toolbar_location : "top",
        theme_advanced_toolbar_align   : "left",
        theme_advanced_statusbar_location : "bottom",
        theme_advanced_resizing        : true,

        // Example content CSS (should be your site CSS)
        content_css : "css/content.css",

        // Drop lists for link/image/media/template dialogs
        template_external_list_url : "lists/template_list.js",
        external_link_list_url : "lists/link_list.js",
        external_image_list_url : "lists/image_list.js",
        media_external_list_url : "lists/media_list.js",

        // Replace values for the template plugin

```

```
        template_replace_values : {  
            username : "Some User",  
            staffid : "991234"  
        }  
    });
```

```
function convLinkVC(strUrl, node, on_save) {  
    strUrl=strUrl.replace("../", "");  
    return strUrl;  
}
```

```
function ajaxLoad() {  
    var ed = tinyMCE.get('elm');  
  
    // Do you ajax call here, window.setTimeout fakes ajax call  
    ed.setProgressState(1); // Show progress  
    window.setTimeout(function() {  
        ed.setProgressState(0); // Hide progress  
        ed.setContent('HTML content that got passed from server.');
```

```
    }, 3000);  
}  
  
function ajaxSave() {  
    var ed = tinyMCE.get('elm');
```

```

        // Do you ajax call here, window.setTimeout fakes ajax call
        ed.setProgressState(1); // Show progress

        window.setTimeout(function() {
            ed.setProgressState(0); // Hide progress
        }, 3000);
    }

</script>
<!-- /TinyMCE -->
</head>
<body class="twoColElsLtHdr">

<div id="container">
    <div id="header">
        <h1>&nbsp;</h1>
        <p>&nbsp;</p>
        <p>&nbsp;</p>
    <!-- end #header --></div>
    <div id="sidebar1">
        <div id="main_menu"><h3>Main Menu</h3></div>
        <div id="isi_menu_kiri">
            <a href=" ../user/index.php">* Admin Manager</a><a
href=" ../product/index.php">* Menu Product</a>

```



```

<a href="../category/index.php">* Menu Category</a>
<a href="../order/index.php">* Menu Order</a><a href="../logout.php">*
logout</a>
</div>
<!-- end #sidebar1 --></div>
<div id="mainContent">
<h3> New Product</h3>
<a
href="../category/new.php"></a><a href="index.php"></a>
<form action="new.php" method="post" name="newproduct"
enctype="multipart/form-data">
<table width="100%" border="0" id="table1">
<tr>
<th colspan="2" id="title">Add New Product</th>
</tr>
<tr>
<td id="judul">Code Product</td>
<td>:
<input type="text" name="code" maxlength="10" size="85" /></td>
</tr>
<tr>
<td width="140" id="judul">Product name</td>

```

```

        <td colspan="2">:
            <input type="text" name="name_product" maxlength="100" size="85"
/></td>
    </tr>
    <tr>
        <td id="judul">Description</td>
        <td>:</td></tr>
    <tr>
        <td colspan="2"><textarea name="description" cols="85"
rows="5"></textarea></td>
    </tr>
    <tr>
        <td id="judul">Category</td>
        <td>:
            <select name="category">
                <?php
                    include"koneksi.php";
                    $oke=mysql_query("select * from category order by
name_category asc");
                    while($data=mysql_fetch_array($oke)){
                        echo"<option value='$data[name_category]'->--
$data[name_category] --";
                    }
                ?>

```

```

        </option></select>
    </td>

</tr>

<tr>
    <td id="judul">Size</td>
    <td>:
        <input type="text" name="size" maxlength="10" size="25" /></td>
</tr>

<tr>
    <td id="judul">Price</td>
    <td>:
        <input type="text" name="price" maxlength="10" size="25" /></td>
</tr>

<tr>
    <td id="judul">Warna</td>
    <td>:
        <input name="color" type="text" value="" size="100" /></td>
</tr>

<tr>
    <td id="judul">Stock</td>
    <td>
        <label>
            :
            <input type="radio" name="stock" value="ada" id="stock_0" />

```



```

</tr>

<tr>

    <td colspan="2"><br /><center>

        <input type="submit" name="simpan" value="Simpan" />

        <input type="reset" name="reset" value="Reset" />

    </center></td>

</tr>

</table>

</form>

</div>

<br class="clearfloat" />

<div id="footer">

    <center>

        <p>&copy; Powered 2016 All right reserved</p></center>

    <!-- end #footer --></div>

<!-- end #container --></div>

</body>

</html>

<?php

if (isset($_POST['simpan']) != "")

{

//menyimpan gambar keserver//

```

```

if          ((($_FILES["picture"]["type"]=="image/gif")           ||
($_FILES["picture"]["type"]=="image/jpeg")                     ||
($_FILES["picture"]["type"]=="image/pjpeg")                   &&
($_FILES["picture"]["size"]<2000))
{
    if ($_FILES["picture"]["error"] > 0)
    {
        echo "Return Code: ".$_FILES["picture"]["error"]."<br />";
    }
    else
    {
        echo "Upload: ".$_FILES["picture"]["name"]."<br />";
        echo "Type: " . $_FILES["picture"]["type"]."<br />";
        echo "Size: " . ($_FILES["picture"]["size"] / 1024). " Kb<br />";
        echo "Temp file: " . $_FILES["picture"]["tmp_name"]."<br />";

        if (file_exists("upload/" . $_FILES["picture"]["name"]))
        {
            echo $_FILES["picture"]["name"]."already exists. ";
        }
        else
        {

```

```

        move_uploaded_file($_FILES["picture"]["tmp_name"],"upload/"
$_FILES["picture"]["name"]);echo "Stored in: " . "upload/"
$_FILES["picture"]["name"];

        $file_name=$_FILES['picture']['name'];
    }
}
}
else
{
echo "Invalid file";
}

//simpan kedatabases//
include "koneksi.php";

$code=$_POST['code'];

$name=$_POST['name_product'];

$description=$_POST['description'];

$category=$_POST['category'];

$size=$_POST['size'];

$price=$_POST['price'];

$color=$_POST['color'];

$status=$_POST['status'];

$stock=$_POST['stock'];

```

```

$data=mysql_query ("INSERT INTO product VALUES
('$code','$name','$category','$description','$price','$size','$color','$status',now(),'$
stock','$file_name','$_SESSION[username]') ") or die (mysql_error());

if ($data){
    echo "<script> alert ('Data Telah Tersimpan'); </script>" ;
}

else {
    echo "Anda gagal update";
}
}
?>

<?php } ?>

```

- Script Kode Pemesanan

```

<?php
if(isset($_POST['submit'])!="")
{
include "koneksi.php";
$name=$_POST['name'];
$no=$_POST['no'];
$telpon=$_POST['telpon'];
$email=$_POST['email'];
$address=$_POST['address'];
$city=$_POST['city'];
$poscode=$_POST['code-pos'];

```



```

$item=$_POST['item'];

//memeriksa apakah form kosong

if(($name==null)or($no==null)or($telpon==null)or($email==null)or($address==n
ull)or($item==null)){

    echo("<script> alert('Maaf, Isi data dengan lengkap')</script>");

    include("product.php");exit;}

    else{ $auth=true;}

//proses pengiriman

if($auth){

$data=mysql_query("INSERT INTO pemesanan
values(id_pemesan,'name_pemesan','identitas_pemesan','address_pemesan','city_p
emesan','postcode_pemesan','email_pemesan','phone_pemesan','item_pemesan',dat
e_pemesan,'status_pemesan'),(',$name','$no','$address','$city','$postcode','$email',
$telpon','$item',now(),'pending')") or die (mysql_error());

echo("<script> alert('Pemesanan anda sudah di kirim. Terima Kasih')</script>");

include "index.php";

exit; }

else{

echo("<script> alert('Maaf, pemesanan gagal silahkan coba lagi')</script>");

exit;}

}

?>

```