LAMPIRAN

Source Code:

```
<div id="container">
<h1>Selamat Datang di Sistem Informasi Akademik
Online</h1>
<div id="body">
<p>Silahkan login untuk mengakses informasi
akademik.</p>
<?php echo form_open('web/login'); ?>
<div id="bg-line">
Username :
<?php echo form_input($username); ?>
Password :
<?php echo form_input($password); ?>
<?php echo form_submit('submit', 'Log In', '
class="btn-kirim-login"');?>
<?php echo form_reset('submit', 'Hapus',' class="btn-
kirim-login"');?>
</div>
<?php echo form_close(); ?>
</div>
```

Source Code:

```php
<?php
if (defined('ENVIRONMENT'))
{
switch (ENVIRONMENT)
{
case 'development':
error_reporting(E_ALL);
break;
case 'testing':
case 'production':
error_reporting(0);
break;
default:
exit('The application environment is not set
correctly.');
}
}
* Normally you will set your default controller in the
routes.php file.
* You can, however, force a custom routing by hard-
coding a
* specific controller class/function here.  For most
applications, you
* WILL NOT set your routing here, but it's an option
for those
* special instances where you might want to override
the standard
* routing in a specific front controller that shares a
common CI installation.
*
* IMPORTANT:  If you set the routing here, NO OTHER
controller will be
* callable. In essence, this preference limits your
application to ONE
* specific controller.  Leave the function name blank
if you need
* to call functions dynamically via the URI.
*
```

Source Code:

```
<div id="container">
<h1>Kartu Rencana Studi - Sistem Informasi Akademik
Online</h1>
<div id="body">
<?php
echo $bio;
echo $menu;
?>
<div class="cleaner_h10"></div>
<p style="padding:10px; background-color:#0BE0F6; text-
align:center; margin:0px;">
Kartu Rencana Studi anda sudah disetujui. Untuk
melakukan perubahan jadwal atau jadwal kuliah, silahkan
hubungi dosen wali.</p>
<form name="datafrs" id="datafrs" method="POST"
action="<?php echo base_url(); ?>mahasiswa/simpan_krs">
<table border="0" width="100%" cellpadding="7"
cellspacing="0" style="border-collapse: collapse;">
<tr>
<td>NIM</td>
<td><input name="nim" value="<?php echo $nim; ?>"
type="text" readonly="readonly"  size="35"
class="input-read-only"/></td>
<td>Semester, Tahun Ajaran</td>
<td><input name="smstr_thn_ajaran" value="<?php echo
$tahun_ajaran; ?>" type="text" readonly="readonly"
size="35" class="input-read-only" /></td>
</tr>
<tr>
<td>Nama</td>
<td><input name="nama_mhs" value="<?php echo $nama; ?>"
type="text" readonly="readonly"   size="35"
class="input-read-only"/></td>
<td>IP Semester Lalu/Beban Study Maks</td>
<td><input name="ip" value="<?php echo $ipk; ?>"
type="text" size="10" readonly="readonly" class="input-
read-only" />
/ <input name="beban_study" value="<?php echo
$beban_studi; ?>" type="text" size="10"
readonly="readonly" class="input-read-only" />
</td>
</tr>
<tr>
<td>Jurusan</td>
```

```
<td><input name="jurusan" value="<?php echo $jurusan;
?>" type="text" readonly="readonly"  size="35"
class="input-read-only" /></td>
<td>Program Kelas</td>
<td><input name="program" value="<?php echo $program;
?>" type="text" readonly="readonly"  size="35"
class="input-read-only" />
</td>
</tr>
<tr>
</tr>
<tr>
<td align="center">Kode MK</td>
<td align="center">Mata Kuliah</td>
<td align="center">Smstr</td>
<td align="center">SKS</td>
<td align="center">Dosen</td>
<td align="center">Kelas</td>
<td align="center">Jadwal</td>
<td align="center">Quota</td>
<td align="center">Peserta</td>
<td align="center">Calon Peserta</td>
<?php
if($status=='0')
{
echo '<td align="center">Batalkan</td>';
}
?>
</tr>
```

Source Code:

```
<div id="container">
<h1>Nilai - Kartu Hasil Studi - Sistem Informasi
Akademik Online</h1>
<td align="center">No</td>
<td align="center">Kode Mata Kuliah</td>
<td align="center">Mata Kuliah</td>
<td align="center">Semester</td>
<td align="center">SKS</td>
<td align="center">Nilai</td>
<td align="center">Bobot</td>
<td align="center">SKS x Bobot</td>
</tr>
<?php
foreach($khs->result_array() as $value)
else if($value['semester_ditempuh']!=$temp)
{
$ip = 0;
if($totalNH !=0)
$ip = round($totalNH/$totalSKS, 2);
$rows[]='<tr>
<td colspan="4"><strong>Jumlah SKS :
'.$totalSKS.'</strong></td>
<td colspan="4"><strong>IP Semester :
'.$ip.'</strong></td>';
$rows[]='<tr>
<td colspan="8" bgcolor="#fff"><strong>Semester :
'.$value['semester_ditempuh'].'</strong></td>
</tr>';
$rows[]='<tr>
<td>'. $no.'</td>
<td>'. $value['kd_mk'].'</td>
<td> '. $value['nama_mk'].'</td>
<td align="center">'.
$value['semester_ditempuh'].'</td>
<td align="center">'. $value['jum_sks'].' </td>
<td align="center">'. $value['grade'].'</td>
<td align="center">'. $value['bobot'].'</td>
<td align="center">'. $value['NxH'].'</td>
</tr>';
$no++;
$totalNH =0;
$totalSKS=0;
<td colspan="4"><strong>Jumlah SKS :
'.$totalSKS.'</strong></td>
<td colspan="4"><strong>IP Semester :
'.$ip.'</strong></td>
```

```
</tr>';
foreach($rows as $row)
{
echo $row;
}
?>
</table>
</table>
</div>
```

Source Code:

```
<div id="container">
<h1>Daftar Mata Kuliah Sistem Informasi Akademik
Online</h1>
<div id="body">
<?php
echo $bio;
echo $menu;
?>
<div class="cleaner_h10"></div>
<?php echo $this->session->flashdata('save_akun'); ?>
<div class="cleaner_h10"></div>
<?php echo $this->session->flashdata('save_akun'); ?>
<form method="post" action="<?php echo base_url();
?>mahasiswa/simpan_akun">
<table border="1" width="100%" style="border-collapse:
collapse; font-size:12px;" cellpadding="5">
<tr>
<td>Password Lama</td>
<td>:</td>
<td><input type="text" name="pass_lama" /></td>
</tr>
<tr>
<td>Password Baru</td>
<td>:</td>
<td><input type="text" name="pass_baru" /></td>
</tr>
<tr>
<td>Ulangi Password Baru</td>
<td>:</td>
<td><input type="text" name="ulangi_pass" /></td>
</tr>
<tr>
<td></td>
<td></td>
<td><input type="submit" value="Simpan Data" /></td>
</tr>
</table>
</form>
</div>
```

Source Code:

```
<div id="container">
<h1>Manajemen Jadwal Kuliah - Sistem Informasi Akademik
Online</h1>
<div id="body">
<div class="cleaner_h10"></div>
<?php echo $this->session->flashdata('save_krs'); ?>
<table border="1" width="100%" style="border-collapse:
collapse;" cellpadding="5">
<td colspan="13" align="center" bgcolor="#fff"
style="text-transform:uppercase;"><strong>Mata Kuliah
yang Akan Ditempuh Pada Semester Ini :</strong></td>
</tr>
<th align="center">Kode MK</th>
<th align="center">Mata Kuliah</th>
<th align="center">Smstr</th>
<th align="center">SKS</th>
<th align="center" colspan="2">Dosen</th>
<th align="center">Kelas</th>
<th align="center">Jadwal</th>
<th align="center">Quota</th>
<th align="center">Peserta</th>
<th align="center">Calon Peserta</th>
<th align="center" colspan="2" width="200">
<?php
echo '<a href="'.base_url().'admin/tambah_jadwal"
rel="example_group" class="link"
style="float:left;">Tambah Jadwal</a>';
?>
</th>
<?php Tampilkan_Mata_Kuliah($jadwal); ?>
</table>
</div>
<?php
function Tampilkan_Mata_Kuliah($jdwl)
{
$rows=array();
$index=0;
$temp='';
$acuan=0;
$rowspan=1;
foreach ($jdwl->result_array() as $value)
{
if(($temp=='') || ($value['kd_mk']!=$temp)) {
$rows[$index] = '<tr>
<td align="center" rowspan="1">'.$value['kd_mk'].'</td>
```

```
<td rowspan="1"
id="'.'nama_'.$value['kd_mk'].'">'.$value['nama_mk'].'<
/td>
<td align="center"
rowspan="1">'.$value['semester'].'</td>
<td align="center" rowspan="1"
id="id'.$value['kd_mk'].'">'.$value['jum_sks'].'</td>';
```

Source Code:

```
<div id="container">
<h1>Daftar Mata Kuliah Sistem Informasi Akademik
Online</h1>

<div id="body">
<?php
echo $bio;
echo $menu;
?>
<div class="cleaner_h10"></div>
<table border="1" width="100%" style="border-collapse:
collapse; font-size:12px;" cellpadding="5">
<td colspan="12" align="center" bgcolor="#fff"
style="text-transform:uppercase;"><strong>DAFTAR MATA
KULIAH</strong></td>
</tr>
<tr>
<td align="center">Kode MK</td>
<td align="center">Nama MK</td>
<td align="center">Jumlah SKS</td>
<td align="center">Semester</td>
<td align="center">Jurusan</td>
<td align="center" colspan="3" width="50">
<?php
echo '<a href="'.base_url().'admin/tambah_mk"
rel="example_group" class="link"
style="float:left;">Tambah Mata Kuliah</a>';
<?php
foreach($mk->result_array() as $d)
{
?>
```