

LAMPIRAN

Source code I

```
<!DOCTYPE html>
<html lang="en">
<head>
<link href="<?php echo base_url();
?>system/application/views/home/css/bootstrap-
responsive.min.css" rel="stylesheet">
<link id="base-style" href="<?php echo base_url();
?>system/application/views/home/css/style.css"
rel="stylesheet">
<link id="base-style-responsive" href="<?php echo
base_url(); ?>system/application/views/home/css/style-
responsive.css" rel="stylesheet">
<link
href='http://fonts.googleapis.com/css?family=Open+Sans:
300italic,400italic,600italic,700italic,800italic,400,3
00,600,700,800&subset=latin,cyrillic-ext,latin-ext'
rel='stylesheet' type='text/css'>
<!-- end: CSS -->
<!-- The HTML5 shim, for IE6-8 support of HTML5
elements -->
<!--[if lt IE 9]>
<script
src="http://html5shim.googlecode.com/svn/trunk/html5.js
"></script>
<link id="ie-style" href="css/ie.css" rel="stylesheet">
<![endif]-->
<!--[if IE 9]>
<link id="ie9style" href="css/ie9.css"
rel="stylesheet">
<![endif]-->
<!-- start: Favicon -->
<link rel="shortcut icon" href="<?php echo base_url();
?>system/application/views/home/img/favicon.ico">
<!-- end: Favicon -->
<style type="text/css">
body { background: url(<?php echo base_url();
?>system/application/views/home/img/bg.jpg) !important;
}
</style>
</head>
<body>
<div class="container-fluid-full">
```

```
<div class="row-fluid">
<div class="row-fluid">
<div class="login-box">
<div class="icons">
<a href="index.html"><i class="halflings-icon
home"></i></a>
<a href="#"><i class="halflings-icon cog"></i></a>
</div>
```



Source code II

```
<div class="alert alert-block span10">
<!-- start: Content -->
<div id="content" class="span10">
<ul class="breadcrumb">
<li>
<i class="icon-home"></i>
<a href="index.html">Home</a>
<i class="icon-angle-right"></i>
</li>
<li><a href="#">Dashboard</a></li>
</ul>
<div class="row-fluid">
<div class="box span12">
<div class="box-header">
<h2><i class="halflings-icon th"></i><span
class="break"></span>Selamat Datang di Aplikasi POS
(Point Of Sales) Apotik</h2>
</div>
<div class="box-content">
<ul class="nav tab-menu nav-tabs" id="myTab">
<li class="active"><a href="#info">Info</a></li>
<li><a href="#custom">Custom</a></li>
<li><a href="#messages">Messages</a></li>
</ul>
<div class="tab-pane" id="custom">
<p>
Aplikasi POS (Point Of Sales) Apotik merupakan aplikasi
berbasis web yang dibangun dengan menggunakan bahasa
pemrograman PHP dan dengan menggunakan database MySQL.
</p>
</div>
<div class="tab-pane" id="messages">
<p>
Hak Akses User dibagi menjadi 2:<br />
1. Administrator<br />
2. Pimpinan
</p>
<p>
Selamat Bekerja
</p>
</div>
<div class="modal hide fade" id="myModal">
<div class="modal-header">
<button type="button" class="close" data-
dismiss="modal">x</button>
<h3>Settings</h3>

```

```
</div>  
<div class="modal-body">  
<p>Here settings can be configured...</p>  
</div>  
<div class="modal-footer">  
<a href="#" class="btn" data-dismiss="modal">Close</a>  
<a href="#" class="btn btn-primary">Save changes</a>  
</div>  
</div>
```



Source code III

```
<div id="content" class="span10">
<ul class="breadcrumb">
<li>
<i class="icon-home"></i>
<a href="index.html">Home</a>
<i class="icon-angle-right"></i>
</li>
<li><a href="<?php echo
base_url()?>index.php/admin/obat">Data Obat</a></li>
</ul>
<div class="row-fluid sortable">
<div class="box span12">
<div class="box-header">
<div class="box-icon">
<a href="<?php echo base_url();
?>index.php/admin/tambahobat"><i class='halflings-icon
plus-sign'></i></a>
<a href="#" class="btn-setting"><i class="halflings-
icon wrench"></i></a>
<a href="#" class="btn-minimize"><i class="halflings-
icon chevron-up"></i></a>
<a href="#" class="btn-close"><i class="halflings-icon
remove"></i></a>
</div>
</div>
<div class="box-content">
<table class="table table-bordered table-striped table-
condensed">
echo "<tr><td colspan='5'>Belum ada agenda</td></tr>";
<input type="text" class="input-xlarge datepicker"
id="tgl_masuk" name="tgl_masuk" placeholder="Masukan
Nama User">
</div>
<div class="modal-footer">
<button type="submit" class="btn btn-primary">Save
Data</button>
<button type="reset" class="btn">Cancel</button>
</div>
</div>
```

Source code IV

```
<div id="content" class="span10">
<ul class="breadcrumb">
<li>
<i class="icon-home"></i>
<a href="index.html">Home</a>
<i class="icon-angle-right"></i>
</li><li><a href="?php echo
base_url()?>index.php/admin/obat">Data Obat</a></li>
</ul>
class="halflings-icon plus-sign"></i></a>
<a href="#" class="btn-minimize"><i class="halflings-
icon chevron-up"></i></a>
<a href="#" class="btn-close"><i class="halflings-icon
remove"></i></a>
</div>
</div>
<tr>
<th>No</th>
<th>Nama Pasien</th>
<th>Nama</th>
<th>Kode Obat</th>
<th>Kategori</th>
<th>Harga</th>
<th>Tanggal Keluar</th>
<th>Jumlah Obat</th>
</tr>
</thead>
<tbody>
<?php
$nomor=$page+1;
if(count($query->result())>0){
foreach($query->result() as $t)
{
$harga = number_format($t->harga,0,"",".");
echo "<tr>
<td class='center'>".$nomor."</td>
<td class='center'>".$t->nama."</td>
<?php
echo $paginator;
?>
</ul>
</div>
</div>
```

Source code V

```
<div class="alert alert-block span10">
<h4 class="alert-heading">Warning!</h4>
<p>You need to have <a
href="http://en.wikipedia.org/wiki/JavaScript"
<input type="text" class="span6 typeahead"
id="nama_user" name="nama_user" placeholder="Masukan
Nama User">
<label class="control-label"
for="typeahead">NIP</label>
<input type="text" class="span6 typeahead" id="nip"
name="nip" placeholder="Masukan NIP Pegawai">
<label class="control-label"
for="typeahead">Jabatan</label>
<input type="text" class="span6 typeahead" id="jabatan"
name="jabatan" placeholder="Masukan Jabatan">
<label class="control-label" for="typeahead">Jenis
Kelamin</label>
<select id="selectError" name='jenis_kelamin'>
<option value="Laki-laki">Laki-laki</option>
<option value="Perempuan">Perempuan</option>
</select>
<label class="control-label"
for="typeahead">Username</label>
<input type="text" class="span6 typeahead"
id="username" name="username" placeholder="Masukan
Username">
<label class="control-label"
for="typeahead">Password</label>
<input type="text" class="span6 typeahead"
id="password" name="password" placeholder="Masukan
Password">
</div>
<div class="modal-footer">
<button type="submit" class="btn btn-primary">Save
Data</button>
<button type="reset" class="btn">Cancel</button>
</div>
</div>
```

Source code VI

```
<?php
echo "<tr>
<td class='center'>".$nomor."</td>
<td class='center'>".$t->nama_obat."</td>
<td class='center'>".$t->kode_obat."</td>
<td class='center'>".$t->kategori."</td>
<td class='center'>".$t->produsen."</td>
<td class='center'>Rp. ".$harga_beli."</td>
<td class='center'>Rp. ".$harga."</td>
<td class='center'>".$t->stok."</td>
<td class='center'>".$t->tgl_masuk."</td>
<td class='center'>
<div class="modal hide fade" id="myModal">
<?php echo
form_open_multipart('admin/pdf_data_jamkesmas');?>
<div class="modal-header">
<button type="button" class="close" data-
dismiss="modal">X</button>
<h3>ADD DATA USER</h3>
</div>
<div class="modal-body">
<label class="control-label"
for="typeahead">Tanggal</label>
<input type="text" class="input-xlarge datepicker"
id="tgl_masuk" name="tgl_masuk" placeholder="Masukan
Nama User">
</div>
<div class="modal-footer">
<button type="submit" class="btn btn-primary">Save
</div>
</div>
```


Source code VII

```
<div id="content" class="span10">
<ul class="breadcrumb">
<li>
<a href="#" class="btn-setting"><i class='halflings-
icon plus-sign'></i></a>
</div>
</div>
<div class="box-content">
<table class="table table-striped">
<thead>
<tr>
<th>No</th>
<th>Kategori</th>
<th>Sub Kategori</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$nomor=$page+1;
if(count($query->result())>0){
foreach($query->result() as $t)
{
if(($nomor%2)==0){
$warna="#C8E862";
} else{
$warna="#D6F3FF";
}
echo "<tr>
<td class='center'>".$nomor."</td>
<td class='center'>".$t->kategori."</td>
<td class='center'>".$t->nama_sub."</td>
<td class='center'>
<a class='btn btn-info'
href='".base_url()."index.php/admin/editsub/".$t-
>id_sub."' title='Edit'>
<i class='halflings-icon white edit'></i></a>
<a class='btn btn-danger'
href='".base_url()."index.php/admin/hapussub/".$t-
>id_sub."' onClick=\"return confirm('Anda yakin
}
else{
echo "<tr><td colspan='5'>Belum ada agenda</td></tr>";
}??>
```