



PEMERINTAH KABUPATEN MAGETAN
BADAN KESATUAN BANGSA DAN POLITIK

Jalan Basuki Rachmat Barat Nomor 1 Magetan Kode Pos 63314
Telepon (0351) 8198137 Fax. (0351) 8198137
E-mail: bakesbangpol.magetan@mail.com

SURAT KETERANGAN IZIN PENELITIAN

Nomor : 072 / 75 / 403.204 / 2016

- Membaca : Surat dari Universitas Muhammadiyah Ponorogo, nomor : 250/III.4/PN/2016 tgl. 31 Maret 2016 perihal permohonan ijin Penelitian..
- Mengingat : 1. Instruksi Menteri Dalam Negeri Nomor 3 Tahun 1972.
2. Surat Gubernur Jawa Timur tanggal 17 Juli 1972 Nomor : Gub./187/1972.
3. Radiogram Gubernur Jatim, tgl 30 Desember 1999 No.300/1885/303/1999 perihal proses perijinan Survey KKN, PKL dan sejenisnya.

Dengan ini menyatakan TIDAK KEBERATAN dilaksanakan Izin Penelitian yang diajukan oleh :

Nama : DENI RIYANTI
NIM : 12440432
Semester : VIII
Fakultas : Ekonomi
Jurusan : Akuntansi
Bidang : MUKM
Judul : " Pengaruh Kompetensi Sumber Daya Manusia dan Sistem Informasi Akuntansi Terhadap Kinerja UKM Pengrajin Kulit Magetan "


Nama Penanggung Jawab : Titi Rapini, SE., MM
Jabatan : Dekan
Alamat : Jl. Budi Utomo No. 10 Ponoorogo
Lokasi : Dinas Perindustrian dan Perdagangan Kabupaten Magetan
Waktu pelaksanaan : Bulan April s/d Juni 2016.

Dengan ketentuan – ketentuan sebagai berikut :

1. Dalam jangka waktu 1 x 24 jam setelah tiba ditempat yang dituju diwajibkan melaporkan kedatangannya kepada Camat dan Kepolisian setempat.
2. Mentaati ketentuan – ketentuan yang berlaku di Daerah Hukum Pemerintah setempat.
3. Menjaga tata tertib, keamanan, kesopanan dan kesusilaan serta menghindari pernyataan pernyataan, baik dengan lesan maupun tulisan / lukisan yang dapat melukai / menyinggung perasaan atau menghina agama, bangsa, negara dari suatu golongan penduduk.
4. Tidak diperkenankan menjalankan kegiatan lain diluar ketentuan yang telah ditetapkan sebagaimana tersebut diatas.
5. Setelah berakhirnya survey / research dan lain – lain, diwajibkan terlebih dahulu melaporkan kepada Pejabat Pemerintah setempat mengenai selesainya pelaksanaan survey / research dan lain – lain sebelum meninggalkan tempat survey / research dan lain – lain.
6. Selesai pelaksanaan kegiatan survey / research / penelitian dan lain – lain **diwajibkan** memberikan laporan hasil pelaksanaan kegiatan dan atau menyerahkan 1 (satu) eksemplar hasil penelitian **kepada Bakesbangpol Kabupaten Magetan.**

7. Surat keterangan ini akan dicabut dan dinyatakan tidak berlaku apabila ternyata pemegang surat ini tidak memenuhi ketentuan sebagaimana tersebut diatas.

Magetan, 1 April 2016
KEPALA BAKESBANGPOL
KABUPATEN MAGETAN



Drs. EHUD, M.Si, M.MKes
Pembina Utama MUda
NIP. 19610708 198301 1 002

Tembusan Yth :

1. Sdr. Kepala Bappeda Kabupaten Magetan.
2. Sdr. Kepala Dinas Perindustrian dan Perdagangan Kabupaten Magetan

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y

/METHOD=ENTER X1 X2.

```

Regression

Notes

Output Created	16-Aug-2016 18:50:44	
Comments		
Input	Data	E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1 X2.	
Resources	Processor Time	00:00:00.234
	Elapsed Time	00:00:00.099
	Memory Required	2428 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method

1	Penggunaan teknologi sistem informasi, Kompetensi sumber daya manusia ^a		. Enter
---	--	--	---------

a. All requested variables entered.

b. Dependent Variable: kinerja UKM

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.546 ^a	.298	.254	5.866

a. Predictors: (Constant), Penggunaan teknologi sistem informasi, Kompetensi sumber daya manusia

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	467.191	2	233.595	6.789	.003 ^a
	Residual	1100.980	32	34.406		
	Total	1568.171	34			

a. Predictors: (Constant), Penggunaan teknologi sistem informasi, Kompetensi sumber daya manusia

b. Dependent Variable: kinerja UKM

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	27.167	15.540		1.748	.090
	Kompetensi sumber daya manusia	.003	.206	.003	.016	.987
	Penggunaan teknologi sistem informasi	1.447	.427	.545	3.392	.002

a. Dependent Variable: kinerja UKM

FREQUENCIES VARIABLES=Umur Gender Pendidikan

/ORDER=ANALYSIS.

Frequencies

Notes

Output Created		21-May-2016 20:20:06
Comments		
Input	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Umur Gender Pendidikan /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.031
	Elapsed Time	00:00:00.014

[DataSet2]

Statistics

		Usia Responden	Jenis Kelamin	Pendidikan Terakhir
N	Valid	35	35	35
	Missing	0	0	0

Frequency Table

Usia Responden

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	26-30 Tahun	1	2.9	2.9	2.9

31-35 Tahun	5	14.3	14.3	17.1
36-40 Tahun	4	11.4	11.4	28.6
> 41 Tahun	25	71.4	71.4	100.0
Total	35	100.0	100.0	

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pria	30	85.7	85.7	85.7
	Wanita	5	14.3	14.3	100.0
	Total	35	100.0	100.0	

Pendidikan Terakhir

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	2	5.7	5.7	5.7
	SMP	5	14.3	14.3	20.0
	SMA	24	68.6	68.6	88.6
	S1	4	11.4	11.4	100.0
	Total	35	100.0	100.0	

```
SAVE OUTFILE='E:\OLAH DATA 1.sav'
/COMPRESSED.
```

```
DATASET CLOSE DataSet1.
```

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y

/METHOD=ENTER X1.

```

Regression

Notes

Output Created		16-Aug-2016 18:46:29
Comments		
Input	Data	E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X1.
Resources	Processor Time	00:00:00.140
	Elapsed Time	00:00:00.070
	Memory Required	2172 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
-------	-------------------	-------------------	--------

1	Kompetensi sumber daya manusia ^a		. Enter
---	---	--	---------

a. All requested variables entered.

b. Dependent Variable: kinerja UKM

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.213 ^a	.046	.017	6.735

a. Predictors: (Constant), Kompetensi sumber daya manusia

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	71.373	1	71.373	1.574	.219 ^a
	Residual	1496.799	33	45.358		
	Total	1568.171	34			

a. Predictors: (Constant), Kompetensi sumber daya manusia

b. Dependent Variable: kinerja UKM

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	36.381	17.568		2.071	.046
	Kompetensi sumber daya manusia	.273	.218	.213	1.254	.219

a. Dependent Variable: kinerja UKM


```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y

/METHOD=ENTER X2.

```

Regression

Notes

Output Created	16-Aug-2016 18:48:09	
Comments		
Input	Data	E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X2.	
Resources	Processor Time	00:00:00.188
	Elapsed Time	00:00:00.077
	Memory Required	2172 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method

1	Penggunaan teknologi sistem informasi ^a		. Enter
---	--	--	---------

a. All requested variables entered.

b. Dependent Variable: kinerja UKM

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.546 ^a	.298	.277	5.776

a. Predictors: (Constant), Penggunaan teknologi sistem informasi

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	467.182	1	467.182	14.003	.001 ^a
	Residual	1100.990	33	33.363		
	Total	1568.171	34			

a. Predictors: (Constant), Penggunaan teknologi sistem informasi

b. Dependent Variable: kinerja UKM

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	27.381	8.339		3.283	.002
	Penggunaan teknologi sistem informasi	1.450	.388	.546	3.742	.001

a. Dependent Variable: kinerja UKM

```

FREQUENCIES VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1
/STATISTICS=STDDEV MINIMUM MAXIMUM MEAN SUM

/ORDER=ANALYSIS.

```

Frequencies

Notes

Output Created		16-Aug-2016 16:50:45
Comments		
Input	Data	E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1 /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN SUM /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.062

Notes

Output Created		16-Aug-2016 16:50:45
Comments		
Input	Data	E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		<pre> FREQUENCIES VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1 /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN SUM /ORDER=ANALYSIS. </pre>
Resources	Processor Time	00:00:00.062
	Elapsed Time	00:00:00.021

[DataSet1] E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6	X1.7	X1.8	X1.9	X1.10	X1.11	X1.12
N	Valid	35	35	35	35	35	35	35	35	35	35	35	35
	Missing	0	0	0	0	0	0	0	0	0	0	0	0
Mean		4.60	4.34	4.46	4.43	4.66	4.49	4.37	4.54	4.40	4.46	4.49	4.43
Std. Deviation		.497	.482	.505	.502	.482	.507	.547	.505	.497	.505	.507	.502
Minimum		4	4	4	4	4	4	3	4	4	4	4	4
Maximum		5	5	5	5	5	5	5	5	5	5	5	5
Sum		161	152	156	155	163	157	153	159	154	156	157	155

Frequency Table

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	14	40.0	40.0	40.0
	5	21	60.0	60.0	100.0
Total		35	100.0	100.0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	23	65.7	65.7	65.7
	5	12	34.3	34.3	100.0
Total		35	100.0	100.0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	19	54.3	54.3	54.3
	5	16	45.7	45.7	100.0
	Total	35	100.0	100.0	

X1.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	20	57.1	57.1	57.1
	5	15	42.9	42.9	100.0
	Total	35	100.0	100.0	

X1.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	12	34.3	34.3	34.3
	5	23	65.7	65.7	100.0
	Total	35	100.0	100.0	

X1.6

		Frequency	Percent	Valid Percent	Cumulative Percent
--	--	-----------	---------	---------------	--------------------

Valid	4	18	51.4	51.4	51.4
	5	17	48.6	48.6	100.0
Total		35	100.0	100.0	

X1.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	2.9	2.9	2.9
	4	20	57.1	57.1	60.0
	5	14	40.0	40.0	100.0
Total		35	100.0	100.0	

X1.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	16	45.7	45.7	45.7
	5	19	54.3	54.3	100.0
Total		35	100.0	100.0	

X1.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	21	60.0	60.0	60.0
	5	14	40.0	40.0	100.0
Total		35	100.0	100.0	

X1.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	19	54.3	54.3	54.3
	5	16	45.7	45.7	100.0
	Total	35	100.0	100.0	

X1.11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	18	51.4	51.4	51.4
	5	17	48.6	48.6	100.0
	Total	35	100.0	100.0	

X1.12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	20	57.1	57.1	57.1
	5	15	42.9	42.9	100.0
	Total	35	100.0	100.0	

X1.13

		Frequency	Percent	Valid Percent	Cumulative Percent
--	--	-----------	---------	---------------	--------------------

Valid	3	1	2.9	2.9	2.9
	4	22	62.9	62.9	65.7
	5	12	34.3	34.3	100.0
Total		35	100.0	100.0	

X1.14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	17	48.6	48.6	48.6
	5	18	51.4	51.4	100.0
Total		35	100.0	100.0	

X1.15

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	16	45.7	45.7	45.7
	5	19	54.3	54.3	100.0
Total		35	100.0	100.0	

X1.16

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	16	45.7	45.7	45.7
	5	19	54.3	54.3	100.0
Total		35	100.0	100.0	

X1.17

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	17	48.6	48.6	48.6
	5	18	51.4	51.4	100.0
	Total	35	100.0	100.0	

X1.18

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	20	57.1	57.1	57.1
	5	15	42.9	42.9	100.0
	Total	35	100.0	100.0	

Kompetensi sumber daya manusia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	73	1	2.9	2.9	2.9
	74	1	2.9	2.9	5.7
	75	6	17.1	17.1	22.9
	76	6	17.1	17.1	40.0
	77	4	11.4	11.4	51.4
	83	2	5.7	5.7	57.1
	84	2	5.7	5.7	62.9

85	5	14.3	14.3	77.1
86	1	2.9	2.9	80.0
87	4	11.4	11.4	91.4
88	3	8.6	8.6	100.0
Total	35	100.0	100.0	

DESCRIPTIVES VARIABLES=X1 X2 Y

/STATISTICS=MEAN STDDEV MIN MAX.

Descriptives

Notes

Output Created		16-Aug-2016 18:35:44
Comments		
Input	Data	E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=X1 X2 Y /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.032
	Elapsed Time	00:00:00.008

[DataSet1] E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Kompetensi sumber daya manusia	35	73	88	80.51	5.305
Penggunaan teknologi sistem informasi	35	16	25	21.37	2.556
kinerja UKM	35	38	70	58.37	6.791
Valid N (listwise)	35				

```

FREQUENCIES VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2
/STATISTICS=STDDEV MINIMUM MAXIMUM MEAN SUM

/ORDER=ANALYSIS.

```

Frequencies

Notes

Output Created		16-Aug-2016 17:01:48
Comments		
Input	Data	E:\s k r i p s \DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2 /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN SUM /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.047
	Elapsed Time	00:00:00.023

[DataSet1] E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav

Statistics

	X2.1	X2.2	X2.3	X2.4	X2.5	Penggunaan teknologi sistem informasi
N Valid	35	35	35	35	35	35
Missing	0	0	0	0	0	0
Mean	4.14	4.40	4.20	4.29	4.34	21.37
Std. Deviation	.944	.553	.719	.750	.684	2.556
Minimum	2	3	3	3	3	16
Maximum	5	5	5	5	5	25

Statistics

		X2.1	X2.2	X2.3	X2.4	X2.5	Penggunaan teknologi sistem informasi
N	Valid	35	35	35	35	35	35
	Missing	0	0	0	0	0	0
Mean		4.14	4.40	4.20	4.29	4.34	21.37
Std. Deviation		.944	.553	.719	.750	.684	2.556
Minimum		2	3	3	3	3	16
Maximum		5	5	5	5	5	25
Sum		145	154	147	150	152	748

Frequency Table

X2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	5.7	5.7	5.7
	3	7	20.0	20.0	25.7
	4	10	28.6	28.6	54.3
	5	16	45.7	45.7	100.0
	Total	35	100.0	100.0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	2.9	2.9	2.9
	4	19	54.3	54.3	57.1
	5	15	42.9	42.9	100.0
	Total	35	100.0	100.0	

X2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	6	17.1	17.1	17.1

	4	16	45.7	45.7	62.9
	5	13	37.1	37.1	100.0
	Total	35	100.0	100.0	

X2.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	6	17.1	17.1	17.1
	4	13	37.1	37.1	54.3
	5	16	45.7	45.7	100.0
	Total	35	100.0	100.0	

X2.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	11.4	11.4	11.4
	4	15	42.9	42.9	54.3
	5	16	45.7	45.7	100.0
	Total	35	100.0	100.0	

Penggunaan teknologi sistem informasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	16	2	5.7	5.7	5.7
	17	1	2.9	2.9	8.6
	18	2	5.7	5.7	14.3
	19	2	5.7	5.7	20.0
	20	7	20.0	20.0	40.0
	21	3	8.6	8.6	48.6
	22	5	14.3	14.3	62.9
	23	3	8.6	8.6	71.4
	24	7	20.0	20.0	91.4
	25	3	8.6	8.6	100.0
	Total	35	100.0	100.0	


```

FREQUENCIES VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y
/STATISTICS=STDDEV MINIMUM MAXIMUM MEAN SUM

/ORDER=ANALYSIS.

```

Frequencies

Notes

Output Created		16-Aug-2016 17:03:31
Comments		
Input	Data	E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN SUM /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.094
	Elapsed Time	00:00:00.037

[DataSet1] E:\s k r i p s i\DATA uji valid. dan relia\OLAH DATA 1.sav

Statistics

		Y.1	Y.2	Y.3	Y.4	Y.5	Y.6	Y.7	Y.8	Y.9	Y.10	Y.11	Y.12
N	Valid	35	35	35	35	35	35	35	35	35	35	35	35
	Missing	0	0	0	0	0	0	0	0	0	0	0	0
Mean		4.26	3.97	4.20	3.86	4.03	3.94	4.17	3.97	4.54	4.09	4.54	3.97
Std. Deviation		.780	.822	.632	.845	.822	.938	.747	.857	.505	.781	.561	.954
Minimum		3	2	3	1	1	1	3	1	4	2	3	1
Maximum		5	5	5	5	5	5	5	5	5	5	5	5
Sum		149	139	147	135	141	138	146	139	159	143	159	139

Frequency Table

Y.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	20.0	20.0	20.0
	4	12	34.3	34.3	54.3
	5	16	45.7	45.7	100.0
Total		35	100.0	100.0	

Y.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	2.9	2.9	2.9
	3	9	25.7	25.7	28.6
	4	15	42.9	42.9	71.4
	5	10	28.6	28.6	100.0
	Total	35	100.0	100.0	

Y.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	11.4	11.4	11.4
	4	20	57.1	57.1	68.6
	5	11	31.4	31.4	100.0
	Total	35	100.0	100.0	

Y.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	2.9	2.9	2.9
	3	9	25.7	25.7	28.6
	4	18	51.4	51.4	80.0

	5	7	20.0	20.0	100.0
	Total	35	100.0	100.0	

Y.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	2.9	2.9	2.9
	3	5	14.3	14.3	17.1
	4	20	57.1	57.1	74.3
	5	9	25.7	25.7	100.0
	Total	35	100.0	100.0	

Y.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	2.9	2.9	2.9
	3	10	28.6	28.6	31.4
	4	13	37.1	37.1	68.6
	5	11	31.4	31.4	100.0
	Total	35	100.0	100.0	

Y.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	20.0	20.0	20.0
	4	15	42.9	42.9	62.9
	5	13	37.1	37.1	100.0
	Total	35	100.0	100.0	

Y.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	2.9	2.9	2.9
	3	7	20.0	20.0	22.9
	4	18	51.4	51.4	74.3
	5	9	25.7	25.7	100.0
	Total	35	100.0	100.0	

Y.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	16	45.7	45.7	45.7
	5	19	54.3	54.3	100.0
	Total	35	100.0	100.0	

Y.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	2.9	2.9	2.9
	3	6	17.1	17.1	20.0
	4	17	48.6	48.6	68.6
	5	11	31.4	31.4	100.0
	Total	35	100.0	100.0	

Y.11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	2.9	2.9	2.9
	4	14	40.0	40.0	42.9
	5	20	57.1	57.1	100.0
	Total	35	100.0	100.0	

Y.12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	2.9	2.9	2.9
	3	10	28.6	28.6	31.4

	4	12	34.3	34.3	65.7
	5	12	34.3	34.3	100.0
	Total	35	100.0	100.0	

Y.13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	8.6	8.6	8.6
	4	18	51.4	51.4	60.0
	5	14	40.0	40.0	100.0
	Total	35	100.0	100.0	

Y.14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	11.4	11.4	11.4
	4	9	25.7	25.7	37.1
	5	22	62.9	62.9	100.0
	Total	35	100.0	100.0	

kinerja UKM

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	38	1	2.9	2.9	2.9
	46	1	2.9	2.9	5.7
	47	1	2.9	2.9	8.6
	49	1	2.9	2.9	11.4
	51	1	2.9	2.9	14.3
	52	2	5.7	5.7	20.0
	53	2	5.7	5.7	25.7
	54	1	2.9	2.9	28.6
	56	1	2.9	2.9	31.4
	58	2	5.7	5.7	37.1
	59	2	5.7	5.7	42.9
	60	3	8.6	8.6	51.4
	61	3	8.6	8.6	60.0
	62	7	20.0	20.0	80.0
	63	1	2.9	2.9	82.9
	64	2	5.7	5.7	88.6
	65	2	5.7	5.7	94.3
	70	2	5.7	5.7	100.0
Total		35	100.0	100.0	

RELIABILITY

```

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA

/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		26-May-2016 16:04:26
Comments		
Input	Data	E:\s k r i p s i\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.

Resources	Processor Time	00:00:00.078
	Elapsed Time	00:00:00.026

[DataSet1] E:\s k r i p s i\OLAH DATA 1.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	35	100.0
	Excluded ^a	0	.0
	Total	35	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.749	19

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	156.43	106.076	.609	.734

X1.2	156.69	107.045	.530	.737
X1.3	156.57	105.546	.651	.733
X1.4	156.60	106.541	.556	.736
X1.5	156.37	109.005	.330	.743
X1.6	156.54	109.138	.299	.744
X1.7	156.66	105.055	.642	.732
X1.8	156.49	104.551	.750	.730
X1.9	156.63	107.652	.452	.739
X1.10	156.57	106.134	.592	.735
X1.11	156.54	107.020	.503	.737
X1.12	156.60	105.600	.650	.733
X1.13	156.71	107.622	.424	.739
X1.14	156.51	105.434	.659	.733
X1.15	156.49	109.257	.288	.744
X1.16	156.49	107.139	.493	.738
X1.17	156.51	105.787	.625	.734
X1.18	156.60	103.482	.864	.726
X1	80.51	28.139	1.000	.886

CORRELATIONS

```

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1
/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		26-May-2016 15:40:53
Comments		
Input	Data	E:\s k r i p s \iOLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.250
	Elapsed Time	00:00:00.107

[DataSet1] E:\s k r i p s i\OLAH DATA 1.sav

Correlations

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6	X1.7	X1.8	X1.9	X1.10	X1.11	X1.12
X1.1	Pearson Correlation	1	.467**	.281	.236	.147	.327	.563**	.421*	.190	.281	.443**	.341*
	Sig. (2-tailed)		.005	.102	.173	.398	.055	.000	.012	.273	.102	.008	.045
	N	35	35	35	35	35	35	35	35	35	35	35	35
X1.2	Pearson Correlation	.467**	1	.183	.226	.141	.141	.284	.421*	.393*	.304	.502**	.304
	Sig. (2-tailed)	.005		.293	.192	.418	.419	.098	.012	.019	.076	.002	.076
	N	35	35	35	35	35	35	35	35	35	35	35	35
X1.3	Pearson Correlation	.281	.183	1	.248	.059	.141	.432**	.497**	.421*	.539**	.256	.256
	Sig. (2-tailed)	.102	.293		.150	.738	.419	.010	.002	.012	.001	.138	.138
	N	35	35	35	35	35	35	35	35	35	35	35	35
X1.4	Pearson Correlation	.236	.226	.248	1	.261	.083	.474**	.563**	.236	.480**	.083	.083
	Sig. (2-tailed)	.173	.192	.150		.130	.637	.004	.000	.173	.004	.637	.637
	N	35	35	35	35	35	35	35	35	35	35	35	35
X1.5	Pearson Correlation	.147	.141	.059	.261	1	-.382*	.051	.425*	.221	.059	.341*	.341*
	Sig. (2-tailed)	.398	.418	.738	.130		.024	.771	.011	.202	.738	.045	.045
	N	35	35	35	35	35	35	35	35	35	35	35	35
X1.6	Pearson Correlation	.327	.141	.141	.083	-.382*	1	.285	.203	.023	.141	.199	.199
	Sig. (2-tailed)	.055	.419	.419	.637	.024		.097	.242	.894	.419	.251	.251
	N	35	35	35	35	35	35	35	35	35	35	35	35
X1.7	Pearson Correlation	.563**	.284	.432**	.474**	.051	.285	1	.419*	.303	.432**	.179	.179
	Sig. (2-tailed)	.000	.098	.010	.004	.771	.097		.012	.077	.010	.304	.304

	N	35	35	35	35	35	35	35	35	35	35	35
X1.8	Pearson Correlation	.421*	.421*	.497**	.563**	.425*	.203	.419*	1	.281	.382*	.318
	Sig. (2-tailed)	.012	.012	.002	.000	.011	.242	.012		.102	.024	.063
	N	35	35	35	35	35	35	35	35	35	35	35
X1.9	Pearson Correlation	.190	.393*	.421*	.236	.221	.023	.303	.281	1	.187	.140
	Sig. (2-tailed)	.273	.019	.012	.173	.202	.894	.077	.102		.281	.422
	N	35	35	35	35	35	35	35	35	35	35	35
X1.10	Pearson Correlation	.281	.304	.539**	.480**	.059	.141	.432**	.382*	.187	1	.141
	Sig. (2-tailed)	.102	.076	.001	.004	.738	.419	.010	.024	.281		.419
	N	35	35	35	35	35	35	35	35	35	35	35
X1.11	Pearson Correlation	.443**	.502**	.256	.083	.341*	.199	.179	.318	.140	.141	1
	Sig. (2-tailed)	.008	.002	.138	.637	.045	.251	.304	.063	.422	.419	
	N	35	35	35	35	35	35	35	35	35	35	35
X1.12	Pearson Correlation	.354*	.226	.596**	.417*	.261	.083	.367*	.447**	.118	.596**	.198
	Sig. (2-tailed)	.037	.192	.000	.013	.130	.637	.030	.007	.500	.000	.254
	N	35	35	35	35	35	35	35	35	35	35	35
X1.13	Pearson Correlation	.268	.026	.436**	.253	-.142	.400*	.397*	.333	.067	.217	.181
	Sig. (2-tailed)	.119	.881	.009	.143	.417	.017	.018	.051	.702	.212	.297
	N	35	35	35	35	35	35	35	35	35	35	35
X1.14	Pearson Correlation	.373*	.220	.548**	.264	.262	.144	.351*	.485**	.327	.318	.373*
	Sig. (2-tailed)	.027	.204	.001	.125	.129	.410	.038	.003	.055	.063	.028
	N	35	35	35	35	35	35	35	35	35	35	35
X1.15	Pearson Correlation	.070	.180	.151	.215	.304	.089	.207	.309	.164	.266	.089
	Sig. (2-tailed)	.688	.302	.386	.214	.076	.613	.234	.071	.347	.122	.613
	N	35	35	35	35	35	35	35	35	35	35	35
X1.16	Pearson Correlation	.304	.180	.382*	.331	.183	.203	.419*	.424*	.281	.266	.433**

	Sig. (2-tailed)	.075	.302	.024	.052	.293	.242	.012	.011	.102	.122	.009
	N	35	35	35	35	35	35	35	35	35	35	35
X1.17	Pearson Correlation	.373*	.582**	.318	.380*	.382*	.144	.351*	.485**	.327	.433**	.258
	Sig. (2-tailed)	.027	.000	.063	.025	.024	.410	.038	.003	.055	.009	.134
	N	35	35	35	35	35	35	35	35	35	35	35
X1.18	Pearson Correlation	.589**	.469**	.596**	.417*	.382*	.314	.474**	.679**	.471**	.480**	.545**
	Sig. (2-tailed)	.000	.004	.000	.013	.023	.067	.004	.000	.004	.004	.001
	N	35	35	35	35	35	35	35	35	35	35	35
X1	Pearson Correlation	.638**	.562**	.678**	.588**	.370*	.342*	.672**	.770**	.489**	.623**	.539**
	Sig. (2-tailed)	.000	.000	.000	.000	.029	.044	.000	.000	.003	.000	.001
	N	35	35	35	35	35	35	35	35	35	35	35

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

CORRELATIONS

```

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1
.16 X1.17 X1.18 X1
/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.
    
```

Correlations

Notes

Output Created	26-May-2016 15:40:53		
Comments			
Input	Data	E:\s k r i p s i\OLAH DATA 1.sav	
	Active Dataset	DataSet1	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	35	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax	CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 X1.7 X1.8 X1.9 X1.10 X1.11 X1.12 X1.13 X1.14 X1.15 X1.16 X1.17 X1.18 X1 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.		
Resources	Processor Time	00:00:00.250	
	Elapsed Time	00:00:00.107	

[DataSet1] E:\s k r i p s i\OLAH DATA 1.sav

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6	X1.7
X1.1	Pearson Correlation	1	.467**	.281	.236	.147	.327	.563**
	Sig. (2-tailed)		.005	.102	.173	.398	.055	.000
	N	35	35	35	35	35	35	35
X1.2	Pearson Correlation	.467**	1	.183	.226	.141	.141	.284
	Sig. (2-tailed)	.005		.293	.192	.418	.419	.098
	N	35	35	35	35	35	35	35

X1.3	Pearson Correlation	.281	.183	1	.248	.059	.141	.432**
	Sig. (2-tailed)	.102	.293		.150	.738	.419	.010
	N	35	35	35	35	35	35	35
X1.4	Pearson Correlation	.236	.226	.248	1	.261	.083	.474**
	Sig. (2-tailed)	.173	.192	.150		.130	.637	.004
	N	35	35	35	35	35	35	35
X1.5	Pearson Correlation	.147	.141	.059	.261	1	-.382*	.051
	Sig. (2-tailed)	.398	.418	.738	.130		.024	.771
	N	35	35	35	35	35	35	35
X1.6	Pearson Correlation	.327	.141	.141	.083	-.382*	1	.285
	Sig. (2-tailed)	.055	.419	.419	.637	.024		.097
	N	35	35	35	35	35	35	35
X1.7	Pearson Correlation	.563**	.284	.432**	.474**	.051	.285	1
	Sig. (2-tailed)	.000	.098	.010	.004	.771	.097	
	N	35	35	35	35	35	35	35
X1.8	Pearson Correlation	.421*	.421*	.497**	.563**	.425*	.203	.419*
	Sig. (2-tailed)	.012	.012	.002	.000	.011	.242	.012
	N	35	35	35	35	35	35	35
X1.9	Pearson Correlation	.190	.393*	.421*	.236	.221	.023	.303
	Sig. (2-tailed)	.273	.019	.012	.173	.202	.894	.077
	N	35	35	35	35	35	35	35
X1.10	Pearson Correlation	.281	.304	.539**	.480**	.059	.141	.432**
	Sig. (2-tailed)	.102	.076	.001	.004	.738	.419	.010
	N	35	35	35	35	35	35	35
X1.11	Pearson Correlation	.443**	.502**	.256	.083	.341*	.199	.179
	Sig. (2-tailed)	.008	.002	.138	.637	.045	.251	.304
	N	35	35	35	35	35	35	35
X1.12	Pearson Correlation	.354*	.226	.596**	.417*	.261	.083	.367*
	Sig. (2-tailed)	.037	.192	.000	.013	.130	.637	.030
	N	35	35	35	35	35	35	35
X1.13	Pearson Correlation	.268	.026	.436**	.253	-.142	.400*	.397*
	Sig. (2-tailed)	.119	.881	.009	.143	.417	.017	.018
	N	35	35	35	35	35	35	35
X1.14	Pearson Correlation	.373*	.220	.548**	.264	.262	.144	.351*
	Sig. (2-tailed)	.027	.204	.001	.125	.129	.410	.038
	N	35	35	35	35	35	35	35
X1.15	Pearson Correlation	.070	.180	.151	.215	.304	.089	.207
	Sig. (2-tailed)	.688	.302	.386	.214	.076	.613	.234

	N	35	35	35	35	35	35	35
X1.16	Pearson Correlation	.304	.180	.382*	.331	.183	.203	.419*
	Sig. (2-tailed)	.075	.302	.024	.052	.293	.242	.012
	N	35	35	35	35	35	35	35
X1.17	Pearson Correlation	.373*	.582**	.318	.380*	.382*	.144	.351*
	Sig. (2-tailed)	.027	.000	.063	.025	.024	.410	.038
	N	35	35	35	35	35	35	35
X1.18	Pearson Correlation	.589**	.469**	.596**	.417*	.382*	.314	.474**
	Sig. (2-tailed)	.000	.004	.000	.013	.023	.067	.004
	N	35	35	35	35	35	35	35
X1	Pearson Correlation	.638**	.562**	.678**	.588**	.370*	.342*	.672**
	Sig. (2-tailed)	.000	.000	.000	.000	.029	.044	.000
	N	35	35	35	35	35	35	35

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

```

RELIABILITY
/VARIABLES=x2.1 x2.2 x2.3 x2.4 x2.5 x2
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA

/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		19-May-2016 23:41:56
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=x2.1 x2.2 x2.3 x2.4 x2.5 x2 /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.031
	Elapsed Time	00:00:00.024

[DataSet0]

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	35	100.0
	Excluded ^a	0	.0
	Total	35	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.774	6

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
x2.1	38.60	20.894	.505	.748
x2.2	38.34	22.585	.618	.753
x2.3	38.54	20.844	.727	.725
x2.4	38.46	20.550	.739	.720
x2.5	38.40	22.424	.502	.759
Sistem Informasi Akuntansi	21.37	6.534	1.000	.725

CORRELATIONS

/VARIABLES=x2.1 x2.2 x2.3 x2.4 x2.5 x2

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

Correlations

Notes

Output Created	19-May-2016 23:33:25	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax	CORRELATIONS /VARIABLES=x2.1 x2.2 x2.3 x2.4 x2.5 x2 /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00.141
	Elapsed Time	00:00:00.048

[DataSet0]

Correlations

		x2.1	x2.2	x2.3	x2.4	x2.5	Sistem In Akun
x2.1	Pearson Correlation	1	.225	.303	.273	.195	
	Sig. (2-tailed)		.193	.077	.113	.261	
	N	35	35	35	35	35	
x2.2	Pearson Correlation	.225	1	.606**	.496**	.249	
	Sig. (2-tailed)	.193		.000	.002	.149	
	N	35	35	35	35	35	
x2.3	Pearson Correlation	.303	.606**	1	.654**	.275	
	Sig. (2-tailed)	.077	.000		.000	.110	

	N	35	35	35	35	35
x2.4	Pearson Correlation	.273	.496**	.654**	1	.434**
	Sig. (2-tailed)	.113	.002	.000		.009
	N	35	35	35	35	35
x2.5	Pearson Correlation	.195	.249	.275	.434**	1
	Sig. (2-tailed)	.261	.149	.110	.009	
	N	35	35	35	35	35
Sistem Informasi Akuntansi	Pearson Correlation	.636**	.682**	.790**	.802**	.598**
	Sig. (2-tailed)	.000	.000	.000	.000	.000
	N	35	35	35	35	35

** . Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

```

/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y
/SCALE('ALL VARIABLES') ALL
/MODEL=ALPHA

/SUMMARY=TOTAL.

```

Reliability

Notes

Output Created		26-May-2016 16:08:07
Comments		
Input	Data	E:\s k r i p s i\OLAH DATA 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	35
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA /SUMMARY=TOTAL.
Resources	Processor Time	00:00:00.063
	Elapsed Time	00:00:00.040

[DataSet1] E:\s k r i p s i\OLAH DATA 1.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	35	100.0
	Excluded ^a	0	.0
	Total	35	100.0

Case Processing Summary

		N	%
Cases	Valid	35	100.0
	Excluded ^a	0	.0
	Total	35	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.756	15

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y.1	112.49	169.375	.715	.735
Y.2	112.77	167.829	.751	.733
Y.3	112.54	175.785	.495	.746
Y.4	112.89	169.928	.629	.737
Y.5	112.71	172.387	.529	.742
Y.6	112.80	165.988	.730	.730
Y.7	112.57	175.076	.448	.746
Y.8	112.77	168.829	.670	.735
Y.9	112.20	178.635	.414	.751
Y.10	112.66	170.173	.673	.737
Y.11	112.20	178.812	.358	.751
Y.12	112.77	164.064	.798	.726
Y.13	112.43	176.311	.464	.747
Y.14	112.23	173.417	.573	.742
Y	58.37	46.123	1.000	.885

CORRELATIONS

/VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

Correlations

Notes

Output Created	21-May-2016 20:44:38		
Comments			
Input	Data	E:\OLAH DATA 1.sav	
	Active Dataset	DataSet2	
	Filter	<none>	
	Weight	<none>	
	Split File	<none>	
	N of Rows in Working Data File	35	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.	
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.	
Syntax	CORRELATIONS /VARIABLES=Y.1 Y.2 Y.3 Y.4 Y.5 Y.6 Y.7 Y.8 Y.9 Y.10 Y.11 Y.12 Y.13 Y.14 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.		
Resources	Processor Time	00:00:00.188	
	Elapsed Time	00:00:00.081	

[DataSet2] E:\OLAH DATA 1.sav

Correlations

		Y.1	Y.2	Y.3	Y.4	Y.5	Y.6	Y.7
Y.1	Pearson Correlation	1	.700**	.489**	.370*	.355*	.463**	.376*
	Sig. (2-tailed)		.000	.003	.029	.036	.005	.026
	N	35	35	35	35	35	35	35
Y.2	Pearson Correlation	.700**	1	.464**	.375*	.524**	.570**	.439**
	Sig. (2-tailed)	.000		.005	.026	.001	.000	.008
	N	35	35	35	35	35	35	35
Y.3	Pearson Correlation	.489**	.464**	1	.110	.272	.317	.423*

	Sig. (2-tailed)	.003	.005		.529	.115	.063	.011
	N	35	35	35	35	35	35	35
Y.4	Pearson Correlation	.370*	.375*	.110	1	.472**	.546**	.040
	Sig. (2-tailed)	.029	.026	.529		.004	.001	.820
	N	35	35	35	35	35	35	35
Y.5	Pearson Correlation	.355*	.524**	.272	.472**	1	.422*	.183
	Sig. (2-tailed)	.036	.001	.115	.004		.012	.292
	N	35	35	35	35	35	35	35
Y.6	Pearson Correlation	.463**	.570**	.317	.546**	.422*	1	.182
	Sig. (2-tailed)	.005	.000	.063	.001	.012		.294
	N	35	35	35	35	35	35	35
Y.7	Pearson Correlation	.376*	.439**	.423*	.040	.183	.182	1
	Sig. (2-tailed)	.026	.008	.011	.820	.292	.294	
	N	35	35	35	35	35	35	35
Y.8	Pearson Correlation	.407*	.333	.228	.685**	.377*	.620**	.192
	Sig. (2-tailed)	.015	.051	.188	.000	.026	.000	.270
	N	35	35	35	35	35	35	35
Y.9	Pearson Correlation	.382*	.251	.018	.256	.316	.129	.292
	Sig. (2-tailed)	.024	.146	.916	.138	.065	.459	.089
	N	35	35	35	35	35	35	35
Y.10	Pearson Correlation	.494**	.508**	.262	.465**	.363*	.730**	.125
	Sig. (2-tailed)	.003	.002	.128	.005	.032	.000	.473
	N	35	35	35	35	35	35	35
Y.11	Pearson Correlation	.075	.226	.348*	.044	-.035	.229	.333
	Sig. (2-tailed)	.669	.191	.040	.800	.843	.186	.051
	N	35	35	35	35	35	35	35
Y.12	Pearson Correlation	.642**	.636**	.400*	.615**	.488**	.590**	.255
	Sig. (2-tailed)	.000	.000	.017	.000	.003	.000	.140
	N	35	35	35	35	35	35	35
Y.13	Pearson Correlation	.249	.301	.133	.252	.039	.280	.319
	Sig. (2-tailed)	.149	.079	.448	.144	.825	.104	.062
	N	35	35	35	35	35	35	35
Y.14	Pearson Correlation	.450**	.383*	.292	.326	.025	.314	.388*
	Sig. (2-tailed)	.007	.023	.089	.056	.888	.066	.021
	N	35	35	35	35	35	35	35
Y	Pearson Correlation	.742**	.776**	.530**	.665**	.572**	.761**	.491**
	Sig. (2-tailed)	.000	.000	.001	.000	.000	.000	.003
	N	35	35	35	35	35	35	35

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).



BERITA ACARA BIMBINGAN SKRIPSI

1. Nama Mahasiswa : DENI RIYANTI
2. NIM : 12440432
3. Program Studi : Akuntansi S-1
4. Bidang : Akuntansi UMKM
5. Alamat : Ds.Bukit Sawit RT.008 Kel.B.Sawit Kec.Tekeh
Tengah Kab.Barito Utara
6. Judul Skripsi : Pengaruh Jenjang Pendidikan dan Kemampuan
Penyusunan Laporan Keuangan Terhadap Kinerja
Managemen UKM (Studi Pada Mebel Kayu di
Kabupaten Ponorogo)
7. Masa Pembimbingan : September 2015 s/d Agustus 2016
8. Tanggal Mengajukan Skripsi :
9. Konsultasi :

Tanggal Disetujui	BAB	Paraf Pembimbing
7/12-2015	Proposal : Revisi Pedagogional masih banyak kesalahan	
17/12-2015	Proposal : Revisi	
13/1-2016	Proposal : Revisi Kecision K Metode penelitian	
20/1-2016	ACC Proposal	
21/1-2016	Revisi proposal	
27/1-2016	Revisi	
28/1-2016	ACC proposal	
8/4-2016	Bab I: Revisi	
13/4-2016	ACC bab I	
19/4-2016	Pmb II : Revisi	
1/05-2016	Pmb II : Revisi	
11/5-2016	Bab II : ACC cek lagi	
23/5-2016	Pmb III : Revisi (Kuesioner belum:)	

Tanggal Disetujui	BAB	Paraf Pembimbing
1-6-2016	Bab II Revisi (Varix diganti Dul.)	
09-6-2016	Bab III ACC	
14/8-2016	Rev. Bab IV	
20/7-2016	Bab IV ACC	
	Bab V : ACC	
2-8-2016	Revisi Skripsi	
6-8-2016	Revisi	
8-8-2016	Revisi	
9-8-2016	Acc. Skripsi	

10. Tanggal Selesai Penulisan Skripsi : _____
11. Keterangan Bimbingan Telah Selesai : _____
12. Telah Di Evaluasi/Di Uji Dengan Nilai : _____ (angka)
 _____ (huruf)

Pembimbing,



DAVID EFENDI, SE, M.Si
 NIK. 19690913 199904 12

Ponorogo, 14 Nopember 2015
 Dekan,




TITI RAPINI, SE, MM
 NIP. 19630505 199003 2 003