

Lampiran

1. Source Code Login:

```
private void tblLoginActionPerformed(java.awt.event.ActionEvent evt) {  
    String user = "septian";  
    String pass = "1993";  
    if (user.equalsIgnoreCase(txtuser.getText()) &  
        pass.equalsIgnoreCase(txtPass.getText())) {  
        this.setVisible(false);  
        new menu().setVisible(true);  
    } else {  
        javax.swing.JOptionPane.showMessageDialog(null, "kombinasi nama dan password  
salah");  
        txtuser.setText("");  
        txtuser.requestFocus();  
        txtPass.setText("");  
    }  
}
```

2. Source Code Menu Utama:

```
private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {  
    new penduduk().setVisible(true); // TODO add your handling code here:  
}  
private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {  
    new lahir().setVisible(true); // TODO add your handling code here:  
}  
  
private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {  
    new mati().setVisible(true); // TODO add your handling code here:  
}  
private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {  
    new mutasi_keluar().setVisible(true); // TODO add your handling code here:  
}  
private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {  
    new kk_sejahtera().setVisible(true); // TODO add your handling code here:  
}  
private void jButton6ActionPerformed(java.awt.event.ActionEvent evt) {  
    new mutasi_keluar_2().setVisible(true); // TODO add your handling code here:  
}  
private void jMenuItem6ActionPerformed(java.awt.event.ActionEvent evt) {  
    new mutasi_keluar_1().setVisible(true); // TODO add your handling code here:  
}
```

3. Source Code Menu Penduduk:

```
public class penduduk extends javax.swing.JFrame {  
    public Connection con;  
    public void koneksi()
```

```

try
    Class.forName("com.mysql.jdbc.Driver");
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/apldesa","root","");
    LbStatus.setText("TERKONEKSI");
}
catch (Exception e)
    LbStatus.setText("DATABASE TIDAK TERHUBUNG");
* Creates new form penduduk
*/
public penduduk() {
    initComponents();
    koneksi();
    this.setExtendedState(JFrame.MAXIMIZED_BOTH);

```

4. *Source Code* Menu Kelahiran:

```

public class lahir extends javax.swing.JFrame {
    public Connection con;
    public void koneksi()
        try
            Class.forName("com.mysql.jdbc.Driver");
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/apldesa","root","");
    LbStatus.setText("TERKONEKSI");
}
catch (Exception e)
    LbStatus.setText("DATABASE TIDAK TERHUBUNG");
* Creates new form lahir
*/
public lahir() {
    initComponents();
    koneksi();
    this.setExtendedState(JFrame.MAXIMIZED_BOTH);
}

```

5. *Soure code* Menu Kematian:

```

public class mati extends javax.swing.JFrame {
    public Connection con;
    public void koneksi()
        try
            Class.forName("com.mysql.jdbc.Driver");
con=DriverManager.getConnection("jdbc:mysql://localhost:3306/apldesa1","root","");
    Lblmati.setText("TERKONEKSI");
}
catch (Exception e)
    Lblmati.setText("DATABASE TIDAK TERHUBUNG");
* Creates new form mati
*/
public mati() {
    initComponents();
    koneksi();
    this.setExtendedState(JFrame.MAXIMIZED_BOTH);
}

```

6. *Source Code* Menu Mutasi Keluar:

```
public class mutasi_keluar extends javax.swing.JFrame {  
    public Connection con;  
    public void koneksi()  
        try  
            Class.forName("com.mysql.jdbc.Driver");  
            con=DriverManager.getConnection("jdbc:mysql://localhost:3306/apldesa  
            ","root","");  
            LbMutasi.setText("TERKONEKSI");  
        catch (Exception e)  
            LbMutasi.setText("DATABASE TIDAK TERHUBUNG");  
        * Creates new form mutasi_keluar  
}
```

7. *Source Code* Nenu KK Sejahtera:

```
public class kk_sejahtera extends javax.swing.JFrame {  
    public Connection con;  
    public void koneksi()  
        try  
            Class.forName("com.mysql.jdbc.Driver");  
            con=DriverManager.getConnection("jdbc:mysql://localhost:3306/apldesa","root","");
            LbKk.setText("TERKONEKSI");  
        catch (Exception e)  
            LbKk.setText("DATABASE TIDAK TERHUBUNG");  
        * Creates new form kk_sejahtera  
        */  
    public kk_sejahtera() {  
        initComponents();  
        koneksi();  
        this.setExtendedState(JFrame.MAXIMIZED_BOTH);  
    }
```

8. *Source Code* Menu Surat Masuk:

```
public class mutasi_keluar_2 extends javax.swing.JFrame {  
    public Connection con;  
    public void koneksi()  
        Class.forName("com.mysql.jdbc.Driver");  
        con=DriverManager.getConnection("jdbc:mysql://localhost:3306/apldesa","root","");
        LbMutasi.setText("TERKONEKSI");
```

```

        catch (Exception e)
        LbMutasi.setText("DATABASE TIDAK TERHUBUNG");

    public mutasi_keluar_2() {
        initComponents();
        koneksi();
        this.setExtendedState(JFrame.MAXIMIZED_BOTH);

```

9. *Source Code* Menu Surat Keluar:

```

public class mutasi_keluar_1 extends javax.swing.JFrame {
    public Connection con;
    public void koneksi()
    try
        Class.forName("com.mysql.jdbc.Driver")
        con=DriverManager.getConnection("jdbc:mysql://localhost:3306/apldesa","root","");
        LbMutasi_1.setText("TERKONEKSI")
    catch (Exception e)
        LbMutasi_1.setText("DATABASE TIDAK TERHUBUNG");
    public mutasi_keluar_1() {
        initComponents();
        koneksi();
        this.setExtendedState(JFrame.MAXIMIZED_BOTH);
    }

```