

Lampiran 1.

KUESIONER PENELITIAN

**Penelitian tentang: Sistem Informasi Akuntansi
Pengaruh Informasi Akuntansi Terhadap Kepuasan Penggunaanya Pada RSUD Dr.
Hardjono Kabupaten Ponorogo**

Kepada Yth, Pegawai
RSUD Dr. Hardjono Kabupaten Ponorogo

Dengan Hormat,

Bersama ini saya :

Nama : Novan Alifudin
Pekerjaan : Mahasiswa S1 Akuntansi UNMUH Ponorogo
NIM : 11440253

Sedang mengadakan penelitian dengan judul Skripsi “**Pengaruh Informasi Akuntansi Terhadap Kepuasan Penggunaanya Pada RSUD Dr. Hardjono Kabupaten Ponorogo**”.

Untuk keperluan tersebut, saya mohon bantuan Bpk/Ibu atau Saudara/i sebagai Pegawai **RSUD Dr. Hardjono Kabupaten Ponorogo** dengan hormat untuk memberikan penilaian melalui kuesioner ini dengan sebenar-benarnya berdasarkan atas apa yang ada. Semoga partisipasi yang Bpk/ Ibu/ Sdr/ i berikan dapat bermanfaat untuk kepentingan ilmu pengetahuan dan rumah sakit.

Atas kerjasama dan partisipasi yang diberikan, saya ucapkan terima kasih.

Hormat Saya

Novan Alifudin

Petunjuk pengisian :

Pada pertanyaan di bawah ini, Anda dimohon untuk mengisi pertanyaan-pertanyaan tersebut dengan keadaan/kondisi yang sebenarnya.

IDENTITAS RESPONDEN**1. Jenis Kelamin :**

- a. Pria
- b. Wanita

2. Usia saat ini : (Pilih salah satu dibawah ini)

- a. < 20 tahun
- b. 20 thn - 30 tahun
- c. 31 thn - 40 tahun
- d. > 30 tahun

3. Pendidikan terakhir : (Pilih salah satu dibawah ini)

- a. SD
- b. SMP
- c. SMU/SMA/MA
- d. Perguruan Tinggi

**6. Sudah berapa lama menggunakan bekerja di RSUD Ponorogo:
(Pilih salah satu dibawah ini)**

- a. < 1 tahun
- b. 1 tahun
- c. 2 tahun
- d. 3 tahun
- e. > 3 tahun

Petunjuk Pengisian :

Silahkan anda pilih jawaban yang menurut anda paling sesuai dengan kondisi yang ada dengan jalan memberikan tanda (√) pada pilihan jawaban yang tersedia.

Keterangan :

- SS = Sangat Setuju
 TS = Tidak Setuju
 ST = Setuju
 STS = Sangat Tidak Setuju
 RG = Ragu-ragu

1. KUALITAS SISTEM INFORMASI

No	Indikator	Jawaban				
		SS	ST	RG	TS	STS
1	Aplikasi akuntansi yang ada disini sangat fleksibel dan dapat digunakan dalam lingkungan organisasi lain tanpa harus banyak dimodifikasi lagi.					
2	Aplikasi akuntansi yang ada disini dapat digunakan untuk berbagai bidang di Rumah Sakit tanpa banyak merubah					
3	Sistem informasi yang ada di Rumah Sakit dapat dengan mudah dioperasikan oleh pegawai					
4	Aplikasi akuntansi yang ada disini mudah dipelajari oleh orang yang baru pertama kali menggunakannya.					
5	Keluaran yang dihasilkan oleh aplikasi sangat handal dan memiliki akurasi yang tepat					
6	Aplikasi yang diterapkan di rumah sakit dapat digunakan untuk mengolah berbagai data yang berhubungan dengan Pekerjaan					

2. LAYANAN SISTEM INFORMASI

No	Indikator	Jawaban				
		SS	ST	RG	TS	STS
1	Penyedia aplikasi akuntansi yang saya gunakan memiliki perangkat keras (hardware) yang bagus.					
2	Penyedia aplikasi akuntansi bentuk yang minimalis sehingga mudah dipindahkan.					
3	Penyedia aplikasi tersebut dapat diandalkan kecepatannya dalam mengatasi kerusakan sistem.					
4	Penyedia layanan dapat diharapkan kehadirannya setiap saat terjadi kesalahan pada aplikasi					
5	Penyedia layanan memberikan layanan upgrade sistem bila ada pembaruan sistem					
6	Penyedia layanan memiliki banyak pilihan lain pada saat aplikasi yang digunakan mengalami kerusakan					

3. KEBERMANFAATAN SISTEM INFORMASI

No	Indikator	Jawaban				
		SS	ST	RG	TS	STS
1	Aplikasi sistem informasi di rumah sakit ini meningkatkan kinerja pekerjaan saya					
2	Aplikasi sistem informasi di rumah sakit ini mempercepat pekerjaan saya					
3	Aplikasi sistem informasi di rumah sakit ini meningkatkan efektifitas pekerjaan saya					
4	Aplikasi sistem informasi di rumah sakit ini meningkatkan kualitas pekerjaan saya					
5	Aplikasi sistem informasi di rumah sakit ini memudahkan pekerjaan saya sehari-hari					
6	Penggunaan Aplikasi sistem informasi di rumah sakit ini meminimalkan hilangnya informasi dalam penyusunan laporan keuangan					

4. KUALITAS INFORMASI

No	Indikator	Jawaban				
		SS	ST	RG	TS	STS
1	Informasi yang dihasilkan aplikasi akuntansi tersebut sangat lengkap sesuai dengan fitur yang digunakan.					
2	Informasi yang dihasilkan aplikasi akuntansi tersebut sangat akurat dan jauh dari kesalahan					
3	Informasi yang dihasilkan aplikasi tersebut dapat dipercaya.					
4	Informasi yang dihasilkan aplikasi tersebut tepat waktu.					
5	Informasi yang dihasilkan aplikasi tersebut tepat waktu.					
6	Informasi yang dihasilkan aplikasi sesuai dengan kebutuhan dan format pekerjaan					

5. KEPUASAN PEGAWAI

No	Indikator	Jawaban				
		SS	ST	RG	TS	STS
1	Sistem informasi yang digunakan mampu memberikan informasi seperti yang saya butuhkan.					
2	Isi informasi yang dihasilkan oleh sistem informasi yang digunakan memang saya butuhkan.					
3	Sistem informasi yang digunakan menghasilkan laporan yang tepat seperti yang saya butuhkan.					
4	Sistem informasi yang digunakan menghasilkan informasi yang cukup.					
5	Sistem informasi yang digunakan mampu menghasilkan informasi yang dapat dipahami dengan jelas.					
6	Saya merasa puas dengan tingkat akurasi sistem informasi yang digunakan.					

Lampiran 2

Jawaban Responden

No	Kualitas SIA							Layanan SIA						Kebermanfaat						Kualitas						Kepuasan									
	1	2	3	4	5	6	Σ	1	2	3	4	5	6	Σ	1	2	3	4	5	6	Σ	1	2	3	4	5	6	Σ	1	2	3	4	5	6	Σ
1	4	4	4	4	4	1	21	5	5	5	5	2	5	27	4	2	5	4	5	3	23	4	5	5	2	5	4	25	3	4	5	6	7	8	33
2	3	3	3	3	3	2	17	4	5	5	5	5	5	29	5	5	3	3	5	4	25	3	5	5	5	3	3	24	5	5	5	5	5	5	30
3	4	4	4	4	4	4	24	3	2	5	4	4	5	23	5	4	5	5	5	4	28	5	2	5	4	5	5	26	5	5	4	5	4	5	28
4	4	4	4	3	4	4	23	5	5	5	3	5	5	28	5	5	5	5	5	5	30	5	5	5	5	5	5	30	5	4	3	3	3	2	20
5	3	3	3	3	3	4	19	5	4	5	5	5	5	29	5	5	5	5	5	4	29	5	4	5	5	5	5	29	5	3	5	5	5	5	28
6	3	3	4	3	3	4	20	5	5	5	5	5	5	30	5	5	3	4	5	5	27	4	5	5	5	3	4	26	5	5	5	5	5	4	29
7	4	4	4	4	4	3	23	4	5	5	5	5	5	29	5	5	3	4	5	5	27	4	5	5	5	3	4	26	5	5	2	5	5	5	27
8	5	4	4	4	4	5	26	4	5	5	4	5	5	28	5	5	4	4	5	5	28	4	5	5	5	4	4	27	5	5	5	3	4	5	27
9	3	4	3	3	4	4	21	4	5	5	3	5	5	27	5	5	4	3	5	5	27	3	5	5	5	4	3	25	5	4	4	3	4	5	25
10	4	4	4	4	4	1	21	3	5	5	4	5	5	27	5	5	4	5	5	5	29	5	5	5	5	4	5	29	5	3	5	4	4	5	26
11	4	4	4	4	4	2	22	5	5	5	4	5	3	27	5	5	4	5	5	5	29	5	5	5	5	4	5	29	5	4	5	4	3	5	26
12	3	3	3	3	3	4	19	5	5	5	5	5	5	30	2	5	4	4	5	5	25	4	5	5	5	4	4	27	5	4	5	4	5	5	28
13	4	4	4	3	4	4	23	4	5	3	3	5	5	25	5	5	3	3	5	5	26	3	5	3	5	3	3	22	5	5	5	4	5	5	29
14	4	4	4	4	4	4	24	3	5	5	5	4	5	27	4	2	2	4	3	5	20	4	5	5	2	2	4	22	3	3	5	4	4	5	24
15	3	3	3	4	3	4	20	4	5	5	5	5	4	28	5	5	5	5	4	5	29	5	5	5	5	5	5	30	5	5	5	3	3	5	26
16	3	3	3	3	3	3	18	5	4	5	3	5	4	26	3	4	4	4	4	4	23	4	4	5	4	4	4	25	5	5	5	2	4	5	26
17	4	4	4	4	4	5	25	4	5	4	5	5	4	27	5	5	3	3	5	5	26	3	5	4	5	3	3	23	5	3	5	5	5	4	27
18	3	3	3	3	3	4	19	3	5	4	4	4	3	23	5	3	4	4	2	5	23	4	5	4	3	4	4	24	4	5	5	4	4	5	27
19	3	3	3	3	3	5	20	4	5	4	4	3	5	25	5	5	5	4	5	5	29	4	5	4	5	5	4	27	4	4	5	3	3	5	24
20	4	3	4	3	3	4	21	4	4	3	4	2	5	22	4	5	2	5	4	4	24	5	4	3	5	2	5	24	4	4	4	4	4	5	25
21	4	3	3	3	3	4	20	5	3	5	4	3	4	24	4	5	3	3	5	3	23	3	3	5	5	3	3	22	3	4	5	5	4	4	25
22	4	4	4	4	4	5	25	3	2	5	2	3	3	18	4	4	4	5	5	2	24	5	2	5	4	4	5	25	5	4	2	2	5	3	21
23	3	3	4	4	3	1	18	5	3	4	5	3	4	24	3	4	4	5	5	3	24	5	3	4	4	4	5	25	5	2	2	3	3	2	17
24	4	3	4	4	3	2	20	5	3	3	5	2	3	21	5	4	5	3	5	3	25	3	3	3	4	5	3	21	4	5	2	4	5	3	23
25	4	4	4	4	4	3	23	3	3	4	4	3	2	19	5	3	3	5	5	3	24	5	3	4	3	3	5	23	3	5	2	4	5	3	22
26	4	4	4	4	4	4	24	5	2	3	2	4	1	17	4	5	5	4	5	2	25	4	2	3	5	5	4	23	4	4	2	5	3	3	21
27	4	3	3	3	3	3	19	4	3	2	5	3	4	21	3	5	5	4	5	3	25	4	3	2	5	5	4	23	3	2	5	3	5	2	20
28	2	4	4	4	4	4	22	4	4	1	2	5	4	20	4	4	3	4	5	4	24	4	4	1	4	3	4	20	2	5	5	5	4	3	24
29	4	4	4	4	3	4	23	4	3	4	2	2	3	18	5	3	5	4	5	3	25	4	3	4	3	5	4	23	1	2	5	5	4	4	21
30	4	3	3	3	3	3	19	4	5	4	2	5	4	24	5	4	4	2	5	5	25	2	5	4	4	4	2	21	4	2	5	3	4	3	21
31	4	3	3	4	3	3	20	2	2	3	2	2	4	15	5	5	5	5	4	2	26	5	2	3	5	5	5	25	4	2	5	5	4	5	25

32	5	4	4	4	4	25	5	5	4	4	5	4	27	5	5	4	5	3	5	27	5	5	4	5	4	5	28	3	2	4	4	2	2	17	
33	2	5	4	4	4	23	5	2	4	2	5	4	22	4	5	4	4	1	2	20	4	2	4	5	4	4	23	4	4	4	5	5	5	27	
34	2	3	4	3	3	4	19	4	5	4	5	5	4	27	4	5	4	2	3	5	23	2	5	4	5	4	2	22	4	2	2	4	5	2	19
35	4	4	4	4	4	24	2	5	4	4	5	3	23	4	4	2	5	2	5	22	5	5	4	4	2	5	25	4	5	5	4	4	5	27	
36	5	4	4	4	4	25	5	5	4	2	5	2	23	4	4	2	2	5	5	22	2	5	4	4	2	2	19	4	4	5	4	2	5	24	
37	2	3	3	3	3	17	2	5	3	5	3	1	19	4	4	5	1	5	5	24	2	5	3	4	5	1	20	4	2	5	2	5	5	23	
38	2	4	4	4	3	4	21	1	5	2	2	4	2	16	4	4	5	1	5	5	24	2	5	2	4	5	1	19	3	5	3	2	2	5	20
39	4	4	4	4	4	24	1	3	1	2	1	2	10	3	4	5	1	4	3	20	2	3	1	4	5	1	16	2	2	5	5	1	5	20	
40	3	3	3	3	4	3	19	1	4	2	1	2	2	12	3	4	3	1	4	4	19	4	4	2	4	3	1	18	1	2	5	5	1	3	17
41	3	3	3	3	3	18	1	1	2	1	4	4	13	5	3	4	1	1	1	15	2	1	2	3	4	1	13	2	1	5	5	1	4	18	
42	3	4	4	4	4	23	1	2	2	1	2	4	12	4	2	1	2	1	2	12	5	2	2	2	1	2	14	2	1	2	3	1	1	10	
43	1	3	3	3	3	16	2	4	4	1	1	3	15	3	2	2	2	1	4	14	3	4	4	2	2	2	17	2	1	1	4	1	2	11	
44	2	3	3	3	3	17	2	2	4	1	4	4	17	3	2	4	2	1	2	14	4	2	4	2	4	2	18	4	1	#	1	2	4	23	
45	3	4	3	4	3	3	20	2	1	3	1	4	1	12	4	2	2	2	1	1	12	1	1	3	2	2	11	4	1	1	2	2	2	12	
46	4	4	5	3	3	3	22	2	4	4	5	3	1	19	4	4	1	1	1	4	15	2	4	4	4	1	1	16	3	1	1	4	2	1	12
47	5	4	4	4	4	25	1	4	1	1	4	4	15	4	4	4	2	1	4	19	4	4	1	4	4	2	19	4	5	1	2	2	4	18	
48	3	3	3	4	4	3	20	2	3	1	2	1	2	11	2	3	4	1	1	3	14	2	3	1	3	4	1	14	1	1	1	1	1	4	9
49	2	4	3	4	4	3	20	1	4	4	5	2	1	17	4	4	1	5	5	4	23	1	4	4	4	1	5	19	1	2	1	4	2	3	13
50	3	4	4	4	4	23	5	1	2	2	3	4	17	4	1	1	1	1	1	9	4	1	2	1	1	1	10	4	5	5	4	1	4	23	
51	3	4	4	4	4	23	1	2	1	2	4	4	14	1	1	1	1	2	2	8	4	2	1	1	1	1	10	2	2	1	1	5	1	12	
52	3	4	4	4	4	23	1	3	4	4	3	1	16	3	4	2	1	5	3	18	1	3	4	4	2	1	15	1	2	1	1	1	2	8	
53	3	2	2	3	2	2	14	1	4	4	4	5	4	22	3	2	3	1	2	4	15	1	4	4	2	3	1	15	4	4	1	1	1	3	14
54	5	4	4	4	4	23	1	3	1	1	5	1	12	3	1	1	1	2	3	11	1	3	1	1	1	1	8	4	4	1	2	1	4	16	
55	4	4	4	4	3	3	22	1	5	4	2	5	2	19	5	4	1	1	4	5	20	2	5	4	4	1	1	17	1	1	5	3	1	3	14
56	5	1	1	2	1	2	12	1	5	1	1	3	3	14	4	4	1	1	4	5	19	3	5	1	4	1	1	15	4	2	1	1	1	5	14
57	4	5	3	4	5	5	26	1	5	2	2	4	4	18	4	1	3	1	1	5	15	1	5	2	1	3	1	13	1	1	1	1	1	5	10
58	1	3	3	4	4	2	17	1	3	3	4	3	1	15	1	4	4	1	2	3	15	1	3	3	4	4	1	16	2	2	5	1	1	5	16
59	4	3	3	4	4	4	22	1	4	4	2	4	4	19	5	1	3	1	1	4	15	1	4	4	1	3	1	14	3	4	2	3	1	3	16
60	5	3	5	1	4	4	22	1	3	1	4	4	4	17	3	2	2	2	2	3	14	3	3	1	2	2	13	4	2	1	4	1	4	16	

Lampiran 3 Karakteristik Responden

FREQUENCIES VARIABLES=Jenis_Kelamin Usia Tingkat_Pendidikan
/ORDER=ANALYSIS.

Frequencies

Notes

Output Created	02-APR-2016 23:15:53	
Comments		
Input	Data	F:\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=Jenis_Kelamin Usia Tingkat_Pendidikan /ORDER=ANALYSIS.	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,12

Statistics

		Jenis_Kelamin	Usia	Tingkat_Pendidikan
N	Valid	60	60	60
	Missing	0	0	0

Frequency Table

Jenis_Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Perempuan	35	58,3	58,3	58,3
	Laki-Laki	25	41,7	41,7	100,0
Total		60	100,0	100,0	

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 21-30 Tahun	14	23,3	23,3	23,3
31-45 Tahun	18	30,0	30,0	53,3
> 45 Tahun	28	46,7	46,7	100,0
Total	60	100,0	100,0	

Tingkat Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Diploma	12	20,0	20,0	20,0
Sarjana	44	73,3	73,3	93,3
Pasca Sarjana	4	6,7	6,7	100,0
Total	60	100,0	100,0	

Lampiran 4 VALIDITAS X1

CORRELATIONS

```

/VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 Kualitas_SIA
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

		Notes
Output Created		02-APR-2016 21:29:20
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 Kualitas_SIA /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,03

[DataSet1] F:\NOVAN\BAHAN UJI LENGKAP.sav

		X1.1	X1.2	X1.3	X1.4	X1.5
X1.1	Pearson Correlation	1	,132	,264*	,017	,149
	Sig. (2-tailed)		,316	,041	,898	,255
	N	60	60	60	60	60
X1.2	Pearson Correlation	,132	1	,666**	,621**	,789**
	Sig. (2-tailed)	,316		,000	,000	,000
	N	60	60	60	60	60
X1.3	Pearson Correlation	,264*	,666**	1	,295*	,558**
	Sig. (2-tailed)	,041	,000		,022	,000
	N	60	60	60	60	60
X1.4	Pearson Correlation	,017	,621**	,295*	1	,500**
	Sig. (2-tailed)	,898	,000	,022		,000
	N	60	60	60	60	60
X1.5	Pearson Correlation	,149	,789**	,558**	,500**	1
	Sig. (2-tailed)	,255	,000	,000	,000	
	N	60	60	60	60	60
X1.6	Pearson Correlation	,087	,336**	,212	,019	,307*
	Sig. (2-tailed)	,508	,009	,103	,883	,017
	N	60	60	60	60	60
Kualitas_SIA	Pearson Correlation	,486**	,845**	,727**	,546**	,790**
	Sig. (2-tailed)	,000	,000	,000	,000	,000
	N	60	60	60	60	60

Correlations

		X1.6	Kualitas_SIA
X1.1	Pearson Correlation	,087	,486**
	Sig. (2-tailed)	,508	,000
	N	60	60
X1.2	Pearson Correlation	,336**	,845**
	Sig. (2-tailed)	,009	,000
	N	60	60
X1.3	Pearson Correlation	,212	,727**
	Sig. (2-tailed)	,103	,000
	N	60	60
X1.4	Pearson Correlation	,019	,546**
	Sig. (2-tailed)	,883	,000
	N	60	60
X1.5	Pearson Correlation	,307*	,790**
	Sig. (2-tailed)	,017	,000
	N	60	60
X1.6	Pearson Correlation	1	,561**
	Sig. (2-tailed)		,000
	N	60	60
Kualitas_SIA	Pearson Correlation	,561**	1
	Sig. (2-tailed)	,000	
	N	60	60

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

Lampiran 5
VALIDITAS X2

CORRELATIONS

/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 Layanan_SIA
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

Correlations

		Notes
Output Created		02-APR-2016 21:31:55
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		<p>CORRELATIONS</p> <p>/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 Layanan_SIA</p> <p>/PRINT=TWOTAIL NOSIG</p> <p>/MISSING=PAIRWISE.</p>
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,10

		X2.1	X2.2	X2.3	X2.4	X2.5
X2.1	Pearson Correlation	1	,204	,550**	,437**	,301*
	Sig. (2-tailed)		,118	,000	,000	,019
	N	60	60	60	60	60
X2.2	Pearson Correlation	,204	1	,367**	,429**	,391**
	Sig. (2-tailed)	,118		,004	,001	,002
	N	60	60	60	60	60
X2.3	Pearson Correlation	,550**	,367**	1	,547**	,353**
	Sig. (2-tailed)	,000	,004		,000	,006
	N	60	60	60	60	60
X2.4	Pearson Correlation	,437**	,429**	,547**	1	,173
	Sig. (2-tailed)	,000	,001	,000		,186
	N	60	60	60	60	60
X2.5	Pearson Correlation	,301*	,391**	,353**	,173	1
	Sig. (2-tailed)	,019	,002	,006	,186	
	N	60	60	60	60	60
X2.6	Pearson Correlation	,458**	,251	,349**	,254	,345**
	Sig. (2-tailed)	,000	,053	,006	,050	,007
	N	60	60	60	60	60
Layanan_SIA	Pearson Correlation	,744**	,624**	,777**	,705**	,602**
	Sig. (2-tailed)	,000	,000	,000	,000	,000
	N	60	60	60	60	60

Correlations

		X2.6	Layanan_SIA
X2.1	Pearson Correlation	,458**	,744**
	Sig. (2-tailed)	,000	,000
	N	60	60
X2.2	Pearson Correlation	,251	,624**
	Sig. (2-tailed)	,053	,000
	N	60	60
X2.3	Pearson Correlation	,349**	,777**
	Sig. (2-tailed)	,006	,000
	N	60	60
X2.4	Pearson Correlation	,254	,705**
	Sig. (2-tailed)	,050	,000
	N	60	60
X2.5	Pearson Correlation	,345**	,602**
	Sig. (2-tailed)	,007	,000
	N	60	60
X2.6	Pearson Correlation	1	,645**
	Sig. (2-tailed)		,000
	N	60	60
Layanan_SIA	Pearson Correlation	,645**	1
	Sig. (2-tailed)	,000	
	N	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Lampiran 6
VALIDITAS X3

CORRELATIONS

/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 Kebermanfaatan_SIA
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

Correlations

		Notes
Output Created		02-APR-2016 21:34:31
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		<p>CORRELATIONS</p> <p>/VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 Kebermanfaatan_SIA</p> <p>/PRINT=TWOTAIL NOSIG</p> <p>/MISSING=PAIRWISE.</p>
Resources	Processor Time	00:00:00,00
	Elapsed Time	00:00:00,11

		X3.1	X3.2	X3.3	X3.4
X3.1	Pearson Correlation	1	,354**	,223	,423**
	Sig. (2-tailed)		,006	,087	,001
	N	60	60	60	60
X3.2	Pearson Correlation	,354**	1	,437**	,516**
	Sig. (2-tailed)	,006		,000	,000
	N	60	60	60	60
X3.3	Pearson Correlation	,223	,437**	1	,372**
	Sig. (2-tailed)	,087	,000		,003
	N	60	60	60	60
X3.4	Pearson Correlation	,423**	,516**	,372**	1
	Sig. (2-tailed)	,001	,000	,003	
	N	60	60	60	60
X3.5	Pearson Correlation	,346**	,651**	,387**	,506**
	Sig. (2-tailed)	,007	,000	,002	,000
	N	60	60	60	60
X3.6	Pearson Correlation	,333**	,413**	,076	,181
	Sig. (2-tailed)	,009	,001	,564	,166
	N	60	60	60	60
Kebermanfaatan_SIA	Pearson Correlation	,602**	,816**	,607**	,745**
	Sig. (2-tailed)	,000	,000	,000	,000
	N	60	60	60	60

Correlations

		X3.5	X3.6	Kebermanfaatan_ SIA
X3.1	Pearson Correlation	,346**	,333**	,602**
	Sig. (2-tailed)	,007	,009	,000
	N	60	60	60
X3.2	Pearson Correlation	,651**	,413**	,816**
	Sig. (2-tailed)	,000	,001	,000
	N	60	60	60
X3.3	Pearson Correlation	,387**	,076	,607**
	Sig. (2-tailed)	,002	,564	,000
	N	60	60	60
X3.4	Pearson Correlation	,506**	,181	,745**
	Sig. (2-tailed)	,000	,166	,000
	N	60	60	60
X3.5	Pearson Correlation	1	,387**	,816**
	Sig. (2-tailed)		,002	,000
	N	60	60	60
X3.6	Pearson Correlation	,387**	1	,551**
	Sig. (2-tailed)	,002		,000
	N	60	60	60
Kebermanfaatan_SIA	Pearson Correlation	,816**	,551**	1
	Sig. (2-tailed)	,000	,000	
	N	60	60	60

** . Correlation is significant at the 0.01 level (2-tailed).

VALIDITAS X4

CORRELATIONS

```

/VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 Kualitas_Informasi
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.
    
```

Correlations

		Notes
Output Created		02-APR-2016 21:36:04
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 Kualitas_Informasi /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,04

		X4.1	X4.2	X4.3	X4.4	X4.5
X4.1	Pearson Correlation	1	-,001	,291*	,342**	,290*
	Sig. (2-tailed)		,991	,024	,008	,024
	N	60	60	60	60	60
X4.2	Pearson Correlation	-,001	1	,367**	,372**	,070
	Sig. (2-tailed)	,991		,004	,003	,594
	N	60	60	60	60	60
X4.3	Pearson Correlation	,291*	,367**	1	,399**	,246
	Sig. (2-tailed)	,024	,004		,002	,059
	N	60	60	60	60	60
X4.4	Pearson Correlation	,342**	,372**	,399**	1	,437**
	Sig. (2-tailed)	,008	,003	,002		,000
	N	60	60	60	60	60
X4.5	Pearson Correlation	,290*	,070	,246	,437**	1
	Sig. (2-tailed)	,024	,594	,059	,000	
	N	60	60	60	60	60
X4.6	Pearson Correlation	,751**	,159	,576**	,516**	,372**
	Sig. (2-tailed)	,000	,224	,000	,000	,003
	N	60	60	60	60	60
Kualitas_Informasi	Pearson Correlation	,675**	,465**	,713**	,748**	,592**
	Sig. (2-tailed)	,000	,000	,000	,000	,000
	N	60	60	60	60	60

Correlations

		X4.6	Kualitas_Informasi
X4.1	Pearson Correlation	,751**	,675**
	Sig. (2-tailed)	,000	,000
	N	60	60
X4.2	Pearson Correlation	,159	,465**
	Sig. (2-tailed)	,224	,000
	N	60	60
X4.3	Pearson Correlation	,576**	,713**
	Sig. (2-tailed)	,000	,000
	N	60	60
X4.4	Pearson Correlation	,516**	,748**
	Sig. (2-tailed)	,000	,000
	N	60	60
X4.5	Pearson Correlation	,372**	,592**
	Sig. (2-tailed)	,003	,000
	N	60	60
X4.6	Pearson Correlation	1	,851**
	Sig. (2-tailed)		,000
	N	60	60
Kualitas_Informasi	Pearson Correlation	,851**	1
	Sig. (2-tailed)	,000	
	N	60	60

*, Correlation is significant at the 0.05 level (2-tailed).

**, Correlation is significant at the 0.01 level (2-tailed).

Lampiran 7
UJI VALIDITAS VARIABEL Y

CORRELATIONS

/VARIABLES=Y1.1 Y1.2 Y1.3 Y1.4 Y1.5 Y1.6 Kepuasan_Pegawai
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

Correlations

Notes

Output Created		02-APR-2016 21:37:34
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing Cases Used	User-defined missing values are treated as missing. Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=Y1.1 Y1.2 Y1.3 Y1.4 Y1.5 Y1.6 Kepuasan_Pegawai /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,05

		Y1.1	Y1.2	Y1.3	Y1.4	Y1.5
Y1.1	Pearson Correlation	1	,577**	,215	,143	,490**
	Sig. (2-tailed)		,000	,099	,274	,000
	N	60	60	60	60	60
Y1.2	Pearson Correlation	,577**	1	,146	,265*	,454**
	Sig. (2-tailed)	,000		,267	,040	,000
	N	60	60	60	60	60
Y1.3	Pearson Correlation	,215	,146	1	,302*	,299*
	Sig. (2-tailed)	,099	,267		,019	,020
	N	60	60	60	60	60
Y1.4	Pearson Correlation	,143	,265*	,302*	1	,425**
	Sig. (2-tailed)	,274	,040	,019		,001
	N	60	60	60	60	60
Y1.5	Pearson Correlation	,490**	,454**	,299*	,425**	1
	Sig. (2-tailed)	,000	,000	,020	,001	
	N	60	60	60	60	60
Y1.6	Pearson Correlation	,308*	,429**	,459**	,230	,290*
	Sig. (2-tailed)	,017	,001	,000	,077	,025
	N	60	60	60	60	60
Kepuasan_Pegawai	Pearson Correlation	,658**	,691**	,653**	,583**	,742**
	Sig. (2-tailed)	,000	,000	,000	,000	,000
	N	60	60	60	60	60

Correlations

		Y1.6	Kepuasan_Pegawai
Y1.1	Pearson Correlation	,308*	,658**
	Sig. (2-tailed)	,017	,000
	N	60	60
Y1.2	Pearson Correlation	,429**	,691**
	Sig. (2-tailed)	,001	,000
	N	60	60
Y1.3	Pearson Correlation	,459**	,653**
	Sig. (2-tailed)	,000	,000
	N	60	60
Y1.4	Pearson Correlation	,230	,583**
	Sig. (2-tailed)	,077	,000
	N	60	60
Y1.5	Pearson Correlation	,290*	,742**
	Sig. (2-tailed)	,025	,000
	N	60	60
Y1.6	Pearson Correlation	1	,671**
	Sig. (2-tailed)		,000
	N	60	60
Kepuasan_Pegawai	Pearson Correlation	,671**	1
	Sig. (2-tailed)	,000	
	N	60	60

Lampiran 9
RELIABILITY X1

Reliability

Notes

<p>Output Created Comments Input</p> <p style="margin-left: 20px;">Data Active Dataset Filter Weight Split File N of Rows in Working Data File Matrix Input</p> <p>Missing Value Handling</p> <p>Syntax</p> <p>Resources Processor Time Elapsed Time</p>	<p style="text-align: right;">02-APR-2016 21:31:11</p> <p>F:\NOVAN\BAHAN UJI LENGKAP.sav</p> <p>DataSet1</p> <p><none></p> <p><none></p> <p><none></p> <p style="text-align: right;">60</p> <p>User-defined missing values are treated as missing. Statistics are based on all cases with valid data for all variables in the procedure.</p> <p>RELIABILITY /VARIABLES=X1.1 X1.2 X1.3 X1.4 X1.5 X1.6 Kualitas_SIA /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.</p> <p style="text-align: right;">00:00:00,02 00:00:00,02</p>
--	--

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100,0
	Excluded ^a	0	,0
	Total	60	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,753	7

Lampiran 10
RELIABILITY X2

Reliability

Notes

<p>Output Created</p> <p>Comments</p> <p>Input</p> <p style="padding-left: 20px;">Data</p> <p style="padding-left: 20px;">Active Dataset</p> <p style="padding-left: 20px;">Filter</p> <p style="padding-left: 20px;">Weight</p> <p style="padding-left: 20px;">Split File</p> <p style="padding-left: 20px;">N of Rows in Working Data File</p> <p style="padding-left: 20px;">Matrix Input</p> <p>Missing Value Handling</p> <p style="padding-left: 20px;">Definition of Missing</p> <p style="padding-left: 20px;">Cases Used</p> <p>Syntax</p> <p>Resources</p> <p style="padding-left: 20px;">Processor Time</p> <p style="padding-left: 20px;">Elapsed Time</p>	<p style="text-align: right;">02-APR-2016 21:32:38</p> <p>F:\NOVAN\BAHAN UJI LENGKAP.sav</p> <p>DataSet1</p> <p><none></p> <p><none></p> <p><none></p> <p style="text-align: right;">60</p> <p>User-defined missing values are treated as missing.</p> <p>Statistics are based on all cases with valid data for all variables in the procedure.</p> <p>RELIABILITY</p> <p style="padding-left: 20px;">/VARIABLES=X2.1 X2.2 X2.3 X2.4 X2.5 X2.6 Layanan_SIA</p> <p style="padding-left: 20px;">/SCALE('ALL VARIABLES') ALL</p> <p style="padding-left: 20px;">/MODEL=ALPHA.</p> <p style="text-align: right;">00:00:00,00</p> <p style="text-align: right;">00:00:00,01</p>
--	---

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100,0
	Excluded ^a	0	,0
	Total	60	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's	
Alpha	N of Items
,771	7

Lampiran 11
RELIABILITY X3

Reliability

Notes

Output Created		02-APR-2016 21:35:13
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
	Matrix Input	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the procedure.
Syntax		RELIABILITY /VARIABLES=X3.1 X3.2 X3.3 X3.4 X3.5 X3.6 Kebermanfaatan_SIA /SCALE('ALL VARIABLES') ALL
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100,0
	Excluded ^a	0	,0
	Total	60	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,774	7

Lampiran 11
RELIABILITY X4

Reliability

Output Created		Notes
Comments		02-APR-2016 21:36:55
Input	Data Active Dataset Filter Weight Split File N of Rows in Working Data File Matrix Input	F:\NOVAN\BAHAN UJI LENGKAP.sav DataSet1 <none> <none> <none>
Missing Value Handling	Definition of Missing Cases Used	60
Syntax		User-defined missing values are treated as missing. Statistics are based on all cases with valid data for all variables in the procedure. RELIABILITY /VARIABLES=X4.1 X4.2 X4.3 X4.4 X4.5 X4.6 Kualitas_Informasi /SCALE('ALL VARIABLES') ALL /MODEL=ALPHA.
Resources	Processor Time Elapsed Time	00:00:00,02 00:00:00,02

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100,0
	Excluded ^a	0	,0
	Total	60	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,770	7

Lampiran 13
RELIABILITY Y

Reliability

Notes

<p>Output Created</p> <p>Comments</p> <p>Input</p> <p style="padding-left: 20px;">Data</p> <p style="padding-left: 20px;">Active Dataset</p> <p style="padding-left: 20px;">Filter</p> <p style="padding-left: 20px;">Weight</p> <p style="padding-left: 20px;">Split File</p> <p style="padding-left: 20px;">N of Rows in Working Data File</p> <p style="padding-left: 20px;">Matrix Input</p> <p>Missing Value Handling</p> <p style="padding-left: 20px;">Definition of Missing</p> <p style="padding-left: 20px;">Cases Used</p> <p>Syntax</p> <p>Resources</p> <p style="padding-left: 20px;">Processor Time</p> <p style="padding-left: 20px;">Elapsed Time</p>	<p style="text-align: right;">02-APR-2016 21:38:12</p> <p>F:\NOVAN\BAHAN UJI LENGKAP.sav</p> <p>DataSet1</p> <p><none></p> <p><none></p> <p><none></p> <p style="text-align: right;">60</p> <p>User-defined missing values are treated as missing.</p> <p>Statistics are based on all cases with valid data for all variables in the procedure.</p> <p>RELIABILITY</p> <p>/VARIABLES=Y1.1 Y1.2 Y1.3 Y1.4 Y1.5 Y1.6 Kepuasan_Pegawai</p> <p>/SCALE('ALL VARIABLES') ALL</p> <p>/MODEL=ALPHA.</p> <p style="text-align: right;">00:00:00,02</p> <p style="text-align: right;">00:00:00,01</p>
--	--

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	60	100,0
	Excluded ^a	0	,0
	Total	60	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,764	7

Lampiran 14
UJI HETEROSKEDASITAS

REGRESSION /MISSING LISTWISE /CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN /DEPENDENT RES2 /METHOD=ENTER Kualitas_SIA
Layanan_SIA Kebermanfaatan_SIA Kualitas_Informasi.

Regression

Notes

Output Created		02-APR-2016 21:42:47
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT RES2 /METHOD=ENTER Kualitas_SIA Layanan_SIA Kebermanfaatan_SIA Kualitas_Informasi.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,09
	Memory Required	2932 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA ^b		Enter

a. Dependent Variable: RES2

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,223 ^a	,050	-,019	2,58035

a. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	19,194	4	4,798	,721	,581 ^b
	Residual	366,202	55	6,658		
	Total	385,395	59			

a. Dependent Variable: RES2

b. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3,538	2,698		1,311	,195
	Kualitas_SIA	,050	,115	,057	,432	,668
	Layanan_SIA	,061	,097	,136	,628	,533
	Kebermanfaatan_SIA	-,163	,156	-,364	-1,044	,301
	Kualitas_Informasi	,037	,181	,081	,205	,838

a. Dependent Variable: RES2

Lampiran 15
UJI MULTIKOLINIERITAS

REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS BCOV R
ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN
/DEPENDENT Kepuasan_Pegawai
/METHOD=ENTER Kualitas_SIA Layanan_SIA Kebermanfaatan_SIA
Kualitas_Informasi.

Regression

Notes

Output Created		02-APR-2016 21:52:39
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS BCOV R ANOVA COLLIN TOL /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Kualitas_SIA Layanan_SIA Kebermanfaatan_SIA Kualitas_Informasi.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,20
	Memory Required	2932 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA ^b		Enter

a. Dependent Variable: Kepuasan_Pegawai

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,752 ^a	,566	,535	4,181

a. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1254,141	4	313,535	17,939	,000 ^b
	Residual	961,259	55	17,477		
	Total	2215,400	59			

a. Dependent Variable: Kepuasan_Pegawai

b. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1,428	4,372		,327	,745
	Kualitas_SIA	,064	,186	,031	,345	,731
	Layanan_SIA	,403	,157	,375	2,562	,013
	Kebermanfaatan_SIA	,129	,254	,120	,508	,613
	Kualitas_Informasi	,333	,293	,305	1,138	,260

Coefficients^a

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	Kualitas_SIA	,991	1,010
	Layanan_SIA	,368	2,717
	Kebermanfaatan_SIA	,142	7,028
	Kualitas_Informasi	,110	9,090

a. Dependent Variable: Kepuasan_Pegawai

Model			Kualitas_Inf ormasi	Kualitas_S IA	Layanan_S IA
1	Correlation s	Kualitas_Informa si	1,000	,012	-,481
		Kualitas_SIA	,012	1,000	,013
		Layanan_SIA	-,481	,013	1,000
		Kebermanfaatan_ SIA	-,837	-,054	,057
Covariance s	Kualitas_Informa si	Kualitas_Informa si	,086	,001	-,022
		Kualitas_SIA	,001	,035	,000
		Layanan_SIA	-,022	,000	,025
		Kebermanfaatan_ SIA	-,062	-,003	,002

Coefficient Correlations^a

Model			Kebermanfaatan_SIA
1	Correlations	Kualitas_Informasi	-,837
		Kualitas_SIA	-,054
		Layanan_SIA	,057
		Kebermanfaatan_SIA	1,000
Covariances	Kualitas_Informasi	Kualitas_Informasi	-,062
		Kualitas_SIA	-,003
		Layanan_SIA	,002
		Kebermanfaatan_SIA	,064

a. Dependent Variable: Kepuasan_Pegawai

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions				
				(Constant)	Kualitas_SIA	Layanan_SIA		
1	1	4,893	1,000	,00	,00	,00		
	2	,074	8,152	,05	,09	,04		
	3	,020	15,472	,00	,00	,81		
	4	,009	23,367	,94	,91	,02		
	5	,004	33,638	,00	,00	,14		

Collinearity Diagnostics^a

Model	Dimension	Variance Proportions	
		Kebermanfaatan_SIA	Kualitas_Informasi
1	1	,00	,00
	2	,01	,02
	3	,12	,03
	4	,00	,00
	5	,87	,96

a. Dependent Variable: Kepuasan_Pegawai

Lampiran 16
UJI AUTOKORELASI

```
REGRESSION
/MISSING LISTWISE /CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN /DEPENDENT Kepuasan_Pegawai
/METHOD=ENTER Kualitas_SIA Layanan_SIA Kebermanfaatan_SIA
Kualitas_Informasi
/RESIDUALS DURBIN.
```

Regression

Notes

Output Created		02-APR-2016 21:54:34
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Kualitas_SIA Layanan_SIA Kebermanfaatan_SIA Kualitas_Informasi /RESIDUALS DURBIN.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,09
	Memory Required	2948 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA ^b		Enter

a. Dependent Variable: Kepuasan_Pegawai

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,752 ^a	,566	,535	4,181	2,184

a. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

b. Dependent Variable: Kepuasan_Pegawai

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1254,141	4	313,535	17,939	,000 ^b
	Residual	961,259	55	17,477		
	Total	2215,400	59			

a. Dependent Variable: Kepuasan_Pegawai

b. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1,428	4,372		,327	,745
	Kualitas_SIA	,064	,186	,031	,345	,731
	Layanan_SIA	,403	,157	,375	2,562	,013
	Kebermanfaatan_SIA	,129	,254	,120	,508	,613
	Kualitas_Informasi	,333	,293	,305	1,138	,260

a. Dependent Variable: Kepuasan_Pegawai

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	11,83	28,06	20,90	4,610	60
Residual	-9,729	8,749	,000	4,036	60
Std. Predicted Value	-1,968	1,552	,000	1,000	60
Std. Residual	-2,327	2,093	,000	,966	60

a. Dependent Variable: Kepuasan_Pegawai

Lampiran 17
REGRESSION MODEL 1

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Kualitas_SIA.

Regression

Notes

Output Created		03-APR-2016 11:23:50
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Kualitas_SIA.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,11
	Memory Required	2060 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] F:\NOVAN\BAHAN UJI LENGKAP.sav

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kualitas_SIA ^b	.	Enter

a. Dependent Variable: Kepuasan_Pegawai

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,086 ^a	,007	-,010	6,157

a. Predictors: (Constant), Kualitas_SIA

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	16,453	1	16,453	,434	,513 ^b
	Residual	2198,947	58	37,913		
	Total	2215,400	59			

a. Dependent Variable: Kepuasan_Pegawai

b. Predictors: (Constant), Kualitas_SIA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	17,108	5,811		2,944	,005
	Kualitas_SIA	,180	,273	,086	,659	,513

a. Dependent Variable: Kepuasan_Pegawai

Lampiran 18
REGRESSION MODEL 2

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Layanan_SIA.

Regression

Notes

Output Created		03-APR-2016 11:59:40
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Layanan_SIA.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,11
	Memory Required	2060 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Layanan_SIA ^b	.	Enter

a. Dependent Variable: Kepuasan_Pegawai

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,705 ^a	,497	,489	4,382

a. Predictors: (Constant), Layanan_SIA

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1101,454	1	1101,454	57,350	,000 ^b
	Residual	1113,946	58	19,206		
	Total	2215,400	59			

a. Dependent Variable: Kepuasan_Pegawai

b. Predictors: (Constant), Layanan_SIA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	5,107	2,161		2,363	,021
	Layanan_SIA	,757	,100	,705	7,573	,000

a. Dependent Variable: Kepuasan_Pegawai

Lampiran 20
REGRESSION MODEL 4

```

/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER
Kualitas_Informasi.
  
```

Regression

Notes

Output Created		03-APR-2016 12:19:05
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Kualitas_Informasi.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,18
	Memory Required	2060 bytes
	Additional Memory Required for Residual Plots	0 bytes

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kualitas_Infor masi ^b	.	Enter

- a. Dependent Variable: Kepuasan_Pegawai
b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,716 ^a	,512	,504	4,316

a. Predictors: (Constant), Kualitas_Informasi

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1135,191	1	1135,191	60,952	,000 ^b
	Residual	1080,209	58	18,624		
	Total	2215,400	59			

a. Dependent Variable: Kepuasan_Pegawai

b. Predictors: (Constant), Kualitas_Informasi

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	4,614	2,159		2,137	,037
	Kualitas_Informasi	,783	,100	,716	7,807	,000

a. Dependent Variable: Kepuasan_Pegawai

Lampiran 21
REGRESSION MODEL 5

```

/DESCRIPTIVES MEAN STDDEV CORR SIG N
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Kepuasan_Pegawai
/METHOD=ENTER Kualitas_SIA Layanan_SIA Kebermanfaatan_SIA
Kualitas_Informasi.

```

Regression

Notes

Output Created		03-APR-2016 12:38:29
Comments		
Input	Data	F:\NOVAN\BAHAN UJI LENGKAP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax		REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Kepuasan_Pegawai /METHOD=ENTER Kualitas_SIA Layanan_SIA Kebermanfaatan_SIA Kualitas_Informasi.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,06
	Memory Required	2932 bytes
	Additional Memory Required for Residual Plots	0 bytes

Descriptive Statistics

	Mean	Std. Deviation	N
Kepuasan_Pegawai	20,90	6,128	60
Kualitas_SIA	21,07	2,934	60
Layanan_SIA	20,85	5,704	60
Kebermanfaatan_SIA	21,58	5,691	60
Kualitas_Informasi	20,80	5,602	60

		Kepuasan_Pegawai	Kualitas_SIA	Layanan_SIA
Pearson Correlation	Kepuasan_Pegawai	1,000	,086	,705
	Kualitas_SIA	,086	1,000	,053
	Layanan_SIA	,705	,053	1,000
	Kebermanfaatan_SIA	,675	,094	,722
	Kualitas_Informasi	,716	,079	,794
Sig. (1-tailed)	Kepuasan_Pegawai	.	,256	,000
	Kualitas_SIA	,256	.	,343
	Layanan_SIA	,000	,343	.
	Kebermanfaatan_SIA	,000	,237	,000
	Kualitas_Informasi	,000	,274	,000
N	Kepuasan_Pegawai	60	60	60
	Kualitas_SIA	60	60	60
	Layanan_SIA	60	60	60
	Kebermanfaatan_SIA	60	60	60
	Kualitas_Informasi	60	60	60

Correlations

		Kebermanfaatan_SIA	Kualitas_Informasi
Pearson Correlation	Kepuasan_Pegawai	,675	,716
	Kualitas_SIA	,094	,079
	Layanan_SIA	,722	,794
	Kebermanfaatan_SIA	1,000	,926
	Kualitas_Informasi	,926	1,000
Sig. (1-tailed)	Kepuasan_Pegawai	,000	,000
	Kualitas_SIA	,237	,274
	Layanan_SIA	,000	,000
	Kebermanfaatan_SIA	.	,000
	Kualitas_Informasi	,000	.
N	Kepuasan_Pegawai	60	60
	Kualitas_SIA	60	60
	Layanan_SIA	60	60
	Kebermanfaatan_SIA	60	60
	Kualitas_Informasi	60	60

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA ^b		Enter

a. Dependent Variable: Kepuasan_Pegawai

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,752 ^a	,566	,535	4,181

a. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1254,141	4	313,535	17,939	,000 ^b
	Residual	961,259	55	17,477		
	Total	2215,400	59			

a. Dependent Variable: Kepuasan_Pegawai

b. Predictors: (Constant), Kualitas_Informasi, Kualitas_SIA, Layanan_SIA, Kebermanfaatan_SIA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1,428	4,372		,327	,745
	Kualitas_SIA	,064	,186	,031	,345	,731
	Layanan_SIA	,403	,157	,375	2,562	,013
	Kebermanfaatan_SIA	,129	,254	,120	,508	,613
	Kualitas_Informasi	,333	,293	,305	1,138	,260

a. Dependent Variable: Kepuasan_Pegawai