

LAMPIRAN

Index.php

```
<?php
session_start();
if(empty($_SESSION['kosong']))
header("location:admlogin.php");

extract($_POST);
$con=mysqli_connect('localhost','root','','ahp');

?>
<?php
session_start();
extract($_POST);
$con=mysqli_connect('localhost','root','','ahp');

?>
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>Login Area</title>
    <meta content="width=device-width, initial-
scale=1, maximum-scale=1, user-scalable=no"
name="viewport">
    <link href="bootstrap/css/bootstrap.css"
rel="stylesheet" type="text/css" />
    <link href="dist/css/AdminLTE.css"
rel="stylesheet" type="text/css" />
    <link href="plugins/iCheck/square/blue.css"
rel="stylesheet" type="text/css" />

  </head>
  <body class="login-page">
    <div class="login-box">
      <div class="panel panel-default">
        <div class="panel-heading"><h4 style="margin:
5px"><i class="glyphicon glyphicon-user"></i> Login
SPK AHP Siswa</h4></div>
        <div class="panel-body">
          <form method="post">
            <?php
            if(isset($login)){

                $password = md5($_POST['pass']);

                if(mysqli_num_rows(mysqli_query($con,"select ;
                    $_SESSION['username']=$tipe[1];
```

```

        $_SESSION['kosong']=$tipe[0];
        $_SESSION['username']=$tipe[1];
        header("location:siswa");
    }else
        $ps="
        <div class='alert alert-warning
alert-dismissible fade in'>
            <a href='' class='close' data-
dismiss='alert' aria-label='close'>&times;</a>
            <strong>Maaf !</strong> User dan
Password Anda Masukan Salah !!!!!
        </div>";
        echo $ps;
    }
    if(isset($daftar)){
        header("location:registrasi.php");
    }
?>
<div class="input-group">
    <input type="text" class="form-control"
placeholder="Username" name="user" />
    <span class="input-group-addon"><i
class="glyphicon glyphicon-user"></i></span>
</div>
<div class="input-group top15">
    <input type="password" class="form-
control" placeholder="Password" name="pass" />
    <span class="input-group-addon"><i
class="glyphicon glyphicon-lock"></i></span>
</div>
</div>
</div>
    <div class="box-footer">
        <input type="submit" class="btn
btn-dafault pull-right" value="Daftar"
name="daftar"/>
        <input type="submit" class="btn btn-
dafault pull-left" value="Login" name="login"/>
    </div>
</form>
    <div class="ctr"> &copy; 2017 - 2018 <a
href="#">&nbsp; Version 1.0.0</a></div>
</div>

<script src="plugins/jquery/jquery-2.1.4.min.js"
type="text/javascript"></script>

```

```

<script src="../../bootstrap/js/bootstrap.min.js"
type="text/javascript"></script>
</body>
</html>
<?php
session_start();
extract($_POST);
$con=mysqli_connect('localhost','root','','ahp');

$getId = mysqli_query($con,"select max(id_user) as
maxKode from ahp_pengguna");
$data = mysqli_fetch_row($getId);
$id_user = $data[0];
$noUrut = (int) substr($id_user, 1, 2);
$noUrut++;
$char = "1";
$newID = $char . sprintf("%01s", $noUrut);
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Regristrasi Akun Siswa</title>
<meta content="width=device-width, initial-
scale=1, maximum-scale=1, user-scalable=no"
name="viewport">
<link href="bootstrap/css/bootstrap.css"
rel="stylesheet" type="text/css" />
<link href="dist/css/AdminLTE.min.css"
rel="stylesheet" type="text/css" />
<link href="plugins/iCheck/square/blue.css"
rel="stylesheet" type="text/css" />
</head>
<body class="login-page">
<div class="col-md-2"></div>
<div class="col-md-8">
<div class="panel panel-default top150">
<div class="panel-heading"><h4
style="margin: 5px"><i class="glyphicon glyphicon-
user"></i> Registrasi Akun</h4></div>
<div class="box-body">
<form method="post">
<?php

if(isset($daftar)){
$password =
md5($_POST['pass']);

```

```

</head>
<body class="login-page">
  <div class="col-md-2"></div>
  <div class="col-md-8">
    <div class="panel panel-default top150">
      <div class="panel-heading"><h4
style="margin: 5px"><i class="glyphicon glyphicon-
user"></i> Registrasi Akun</h4></div>
      <div class="box-body">
        <form method="post">
          <?php

            if(isset($daftar)){

                                                                    $password =
md5($_POST['pass']);

                mysqli_query($con,"insert into ahp_pengguna
values('$newID','$nama_lengkap','$alamat','$asal_sek
olah','$username','$password')");

                header("location:admlogin.php");
            }
?>

          <div class="form-group">
            <label for="satu"
class="col-sm-2 control-label">ID User</label>
            <div class="col-sm-10">
              <input type="text"
class="form-control" name="id_user" id="id_user"
value="<?php echo $newID; ?>" disabled>
            </div>
          </div>
          <div class="form-group">
            <label for="dua" class="col-
sm-2 control-label">Nama Lengkap</label>
            <div class="col-sm-
10">
              <input type="text"
class="form-control" placeholder="Nama Lengkap"
name="nama_lengkap" id="nama_lengkap" value="<?php
echo isset($data[1])?$data[1]:' '; ?>">
            </div>
          </div>
          <div class="form-group">
            <label for="tiga"
class="col-sm-2 control-label">Alamat</label>
            <div class="col-sm-10">
              <input type="text"

```

```

</head>
                <input type="text"
class="form-control" placeholder="Asal Sekolah"
name="asal_sekolah" id="asal_sekolah" value="<?php
echo isset($data[3])?$data[3]:' '; ?>">
                </div>
</div>
                <div class="form-group">
                <label for="tiga"
class="col-sm-2 control-label">Username</label>
                <div class="col-sm-10">
                <input type="text"
class="form-control" placeholder="Username"
name="username" id="username" value="<?php echo
isset($data[4])?$data[4]:' '; ?>">
                </div>
                </div>
                <div class="form-group">
                <label for="tiga"
class="col-sm-2 control-label">Password</label>
                <div class="col-sm-10">
                <input type="password"
class="form-control" placeholder="Password"
name="pass" id="pass" value="<?php echo
isset($data[5])?$data[5]:' '; ?>">
                </div>
                </div>
                </div>
<div class="box-footer">
                <input type="submit"
class="btn btn-default pull-left" value="Daftar"
name="daftar"/>
                </div>
                </form>
                <div class="ctr"> &copy; 2017 - 2018 <a
href="#">&nbsp; Version 1.0.0</a></div>
                </div>

                <script src="plugins/jquery/jquery-2.1.4.min.js"
type="text/javascript"></script>

                <script src="../../bootstrap/js/bootstrap.min.js"
type="text/javascript"></script>
</body>
</html>

```

```

<?php
session_start();
extract($_POST);
$con=mysqli_connect('localhost','root','','ahp');

?>
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>Admin GIS</title>
    <!-- Tell the browser to be responsive to screen
width -->
    <meta content="width=device-width, initial-
scale=1, maximum-scale=1, user-scalable=no"
name="viewport">
    <!-- Bootstrap 3.3.4 -->
    <link href="bootstrap/css/bootstrap.min.css"
rel="stylesheet" type="text/css" />
    <!-- Theme style -->
    <link href="dist/css/AdminLTE.min.css"
rel="stylesheet" type="text/css" />
    <!-- iCheck -->
    <link href="plugins/iCheck/square/blue.css"
rel="stylesheet" type="text/css" />

  </head>
  <body class="login-page">
    <div class="login-box">
      <div class="login-logo">
        <a href="#"><b>Login Administrator</b></a>
      </div><!-- /.login-logo -->
      <div class="login-box-body">

        <form method="post">
          <?php if(isset($login)){

            if(mysqli_num_rows(mysqli_query($con,"select id
from admin where username='$user' and
password='$pass'"))
            {
              $tipe=mysqli_fetch_row(mysqli_query($con,"selec
t id from admin where username='$user' and
password='$pass'"));
              $_SESSION['kosong']=$tipe[0];
              $_SESSION['username']=$tipe[1];
              header("location:/Siswa");
            }
          }
        }
      </div>
    </div>
  </body>
</html>

```

```

<a href='' class='close' data-dismiss='alert' aria-
label='close'>&times;</a>
        <strong>Maaf !</strong> User dan
Password Anda Masukan Salah !!!!!
        </div>";
        echo $ps;
    }
?>
    <div class="form-group has-feedback">
        <input type="text" class="form-control"
placeholder="Username" name="user" />
        <span class="glyphicon glyphicon-user
form-control-feedback"></span>
    </div>
    <div class="form-group has-feedback">
        <input type="password" class="form-
control" placeholder="Password" name="pass" />
        <span class="glyphicon glyphicon-lock
form-control-feedback"></span>
    </div>
    <div class="row">
        <div class="col-xs-12">
            <input type="submit" class="btn btn-
primary btn-block btn-flat pull-right" value="Login"
name="login"/>
        </div><!-- /.col -->
    </div>
</form>

</div><!-- /.login-box-body -->

</div><!-- /.login-box -->
<!-- jQuery 2.1.4 -->
    <script src="plugins/jquery/jquery-2.1.4.min.js"
type="text/javascript"></script>
    <!-- Bootstrap 3.3.2 JS -->
    <script src="../bootstrap/js/bootstrap.min.js"
type="text/javascript"></script>
</body>
</html>

```

```

if(empty($_SESSION['kosong']))
header("location:../admlogin.php");
?>
<div class="row">
    <div class="col-xs-12">
        <div class="box box-info">
            <div class="box-header">
                <h2 class="box-
header"><b>Analisis Data Alternatif</b></h2>
            </div>
            <div class="box-body">
<?php
ini_set("display_errors","Off");
include "fungsi.php";
$con=mysqli_connect('localhost','root','','ahp');
if( isset($_POST['submit'])) {
    * Perkembangan Ilmu
    */
    $mak1a = $_POST['mak1a'];
    $mak2a = $_POST['mak2a'];
    $mak3a = $_POST['mak3a'];
    //=====
    $hmak1a = (1/$mak1a);
    $hmak2a = (1/$mak2a);
    $hmak3a = (1/$mak3a);
    //=====
    $thmakaa = (1+$hmak1a+$hmak2a);
    $thmakba = (1+$mak1a+$hmak3a);
    $thmakca = (1+$mak2a+$mak3a);
    //=====
    $vhmak1a = (1/$thmakaa);
    $vhmak2a = ($hmak1a/$thmakaa);
    $vhmak3a = ($hmak2a/$thmakaa);

    $vhmak4a = ($mak1a/$thmakba);
    $vhmak5a = (1/$thmakba);
    $vhmak6a
    $vhmak7a = ($mak2a/$thmakca);
    $vhmak8a = ($mak3a/$thmakca);
    $vhmak9a = (1/$thmakca);

    $ev1a = (($vhmak1a+$vhmak4a+$vhmak7a)/3);
    $ev2a = (($vhmak2a+$vhmak5a+$vhmak8a)/3);
    $ev3a = (($vhmak3a+$vhmak6a+$vhmak9a)/3);

    //=====

```



```

$thmaka_a = ($vhmak1a+$vhmak2a+$vhmak3a);
$thmakb_a = ($vhmak4a+$vhmak5a+$vhmak6a);
$thmakc_a = ($vhmak7a+$vhmak8a+$vhmak9a);

$evtota = ($ev1a+$ev2a+$ev3a);

/*
 * Orang Tua
 */
$mak1b = $_POST['mak1b'];
$mak2b = $_POST['mak2b'];
$mak3b = $_POST['mak3b'];
//=====
$hmak1b = (1/$mak1b);
$hmak2b = (1/$mak2b);
$hmak3b = (1/$mak3b);
//=====
$thmakab = (1+$hmak1b+$hmak2b);
$thmakbb = (1+$mak1b+$hmak3b);
$thmakcb = (1+$mak2b+$mak3b);
//=====
$vhmak1b = (1/$thmakab);
$vhmak2b = ($hmak1b/$thmakab);
$vhmak3b = ($hmak2b/$thmakab);

$vhmak4b = ($mak1b/$thmakbb);
$vhmak5b = (1/$thmakbb);
$vhmak6b = ($hmak3b/$thmakbb);

$vhmak7b = ($mak2b/$thmakcb);
$vhmak8b = ($mak3b/$thmakcb);
$vhmak9b = (1/$thmakcb);
$ev1b = (($vhmak1b+$vhmak4b+$vhmak7b)/3);
$ev2b = (($vhmak2b+$vhmak5b+$vhmak8b)/3);
$ev3b = (($vhmak3b+$vhmak6b+$vhmak9b)/3);

//=====
$thmaka_b = ($vhmak1b+$vhmak2b+$vhmak3b);
$thmakb_b = ($vhmak4b+$vhmak5b+$vhmak6b);
$thmakc_b = ($vhmak7b+$vhmak8b+$vhmak9b);
$evtotb = ($ev1b+$ev2b+$ev3b);

/*
 * Cita Cita
 */
$mak1c = $_POST['mak1c'];
$mak2c = $_POST['mak2c'];
$mak3c = $_POST['mak3c'];

```

```

//=====
$hmak1c = (1/$mak1c);
$hmak2c = (1/$mak2c);
$hmak3c = (1/$mak3c);
//=====
$thmakac = (1+$hmak1c+$hmak2c);
$thmakbc = (1+$mak1c+$hmak3c);
$thmakcc = (1+$mak2c+$mak3c);
//=====
$vhmak1c = (1/$thmakac);
$vhmak2c = ($hmak1c/$thmakac);
$vhmak3c = ($hmak2c/$thmakac);

$vhmak4c = ($mak1c/$thmakbc);
$vhmak5c = (1/$thmakbc);
$vhmak6c = ($hmak3c/$thmakbc);

$vhmak7c = ($mak2c/$thmakcc);
$vhmak8c = ($mak3c/$thmakcc);
$vhmak9c = (1/$thmakcc);

$ev1c = (($vhmak1c+$vhmak4c+$vhmak7c)/3);
$ev2c = (($vhmak2c+$vhmak5c+$vhmak8c)/3);
$ev3c = (($vhmak3c+$vhmak6c+$vhmak9c)/3);

//=====
$thmaka_c = ($vhmak1c+$vhmak2c+$vhmak3c);
$thmakb_c = ($vhmak4c+$vhmak5c+$vhmak6c);
$thmakc_c = ($vhmak7c+$vhmak8c+$vhmak9c);

$sevtotc = ($ev1c+$ev2c+$ev3c);
/*
 * Kemampuan
 */
$mak1d = $_POST['mak1d'];
$mak2d = $_POST['mak2d'];
$mak3d = $_POST['mak3d'];
//=====
$hmak1d = (1/$mak1d);
$hmak2d = (1/$mak2d);
$hmak3d = (1/$mak3d);
//=====
$thmakad = (1+$hmak1d+$hmak2d);
$thmakbd = (1+$mak1d+$hmak3d);
$thmakcd = (1+$mak2d+$mak3d);
//=====
$vhmak1d = (1/$thmakad);
$vhmak2d = ($hmak1d/$thmakad);
$vhmak3d = ($hmak2d/$thmakad);

```