

Lampiran

1. Tampilan Halaman Login

Source code:

```
<form method=POST name='formku' onSubmit='return
valid()' action=cek_login.php>

    <label>Username</label><br>
        <input type='text'
class='login' name='id_user'><br>
        <label>Level</label><br>
        <select style='margin:4px
0px 9px 0px' name=level class='login'>
            <option value='0'
selected>&nbsp; &nbsp; - &nbsp; &nbsp; &nbsp; Pilih Level
&nbsp; &nbsp; - &nbsp; &nbsp; &nbsp;</option>
value='Admin'>Admin</option>
            <input type='password'
class='login' name='password'><br>
            <input type='submit'
class='button' value='Login'>
        </form>

<?php
error_reporting(0);
include "config/koneksi.php";
$pass=md5($_POST['password']);
$level=$_POST['level'];
if ($level=='Admin')
{
    $login=mysql_query("SELECT * FROM admin
WHERE username='$_POST[id_user]' AND
password='$pass' AND level='$level'");
    $cocok=mysql_num_rows($login);
    $r=mysql_fetch_array($login);
    if ($cocok > 0){
        session_start();
        $_SESSION[namauser]      = $r[username];
        $_SESSION[namalengkap]  = $r[nama_lengkap];
        $_SESSION[passuser]     = $r[password];
        $_SESSION[leveluser]    = $r[level];
        header('location:system/home');
    }
}
```

```
else {
echo "<script>window.alert('Username atau Password
anda salah.');"
window.location=('home')</script>";
}
}
elseif ($level=='Customer')
{
$login=mysql_query("SELECT * FROM users
WHERE username='$_POST[id_user]' AND
password='$pass' AND level='$level' AND aktif='Y'");
$cocok=mysql_num_rows($login);
$r=mysql_fetch_array($login);
if ($cocok > 0){
session_start();
$_SESSION[namouser]      = $r[username];
$_SESSION[passuser]     = $r[password];
$_SESSION[namalengkap]  = $r[nama_lengkap];
$_SESSION[email]        = $r[email];
$_SESSION[telp]         = $r[no_telp];
$_SESSION[alamat]       = $r[alamat_lengkap];
$_SESSION[kota]         = $r[kota];
$_SESSION[leveluser]    = $r[level];
header('location:system/semua-produk.html');
}
else {
echo "<script>window.alert('Username dan Password
anda salah atau account anda belum di aktifkan.');"
window.location=('home')</script>";
}
}
?>
<link href="templates/style.css" rel="stylesheet"
type="text/css" />
```

2. Tampilan Halaman Utama Administrator

Source code

```
<div class="row">
<div class="col-md-12">
<h2 class="page-header">
Dashboard <small>Aplikasi POS (Point of Sale).</small>
</h2>
</div>
</div>
<!-- /. ROW -->
<div class="row">
<div class="col-md-3 col-sm-12 col-xs-12">
<div class="panel panel-primary text-center no-boder bg-
color-green">
<div class="panel-body">
<i class="fa fa-bar-chart-o fa-5x"></i>
<h3>8,457</h3>
</div>
<div class="panel-footer back-footer-green">
Daily Visits
</div>
</div>
</div>
<div class="col-md-3 col-sm-12 col-xs-12">
<div class="panel panel-primary text-center no-boder bg-
color-blue">
<div class="panel-body">
<i class="fa fa-shopping-cart fa-5x"></i>
<h3>52,160 </h3>
</div>
<div class="panel-footer back-footer-blue">
Sales
</div>
</div>
</div>
<div class="col-md-3 col-sm-12 col-xs-12">
<div class="panel panel-primary text-center no-boder bg-
color-red">
<div class="panel-body">
<i class="fa fa fa-comments fa-5x"></i>
<h3>15,823 </h3>
</div>
<div class="panel-footer back-footer-red">
Comments
</div>
</div>
</div>
</div>
```

```

<div class="col-md-3 col-sm-12 col-xs-12">
<div class="panel panel-primary text-center no-boder bg-
color-brown">
<div class="panel-body">
<i class="fa fa-users fa-5x"></i>
<h3>36,752 </h3>
</div>
<div class="panel-footer back-footer-brown">
No. of Visits
</div>
</div>
</div>
</div>
</div>
<!-- /. ROW -->
<div class="row">
<div class="col-md-9 col-sm-12 col-xs-12">
<div class="panel panel-default">
</div>

```

3. Tampilan Halaman Kasir

Source code

```

<?php
if ($_GET[module]=='kasir'){
$stampil = mysql_query("SELECT * FROM users ORDER BY
username");
echo "<h3>Manajemen User / Kasir</h3>";
echo "<a href='media.php?module=tambahkasir'><input
type='button' value='Tambah Kasir'></a>
<table width=100% cellpadding='7'>
<a style='float:right;' target='_BALNK' href='print-
members.php'>Cetak laporan Kasir</a>
<tr class='data'>
<th class='data'>No</th>
<th class='data'>Username</th>
<th class='data'>Nama Lengkap</th>
<th class='data'>Alamat Email</th>
<th class='data'>No.Telpon</th>
<th class='data' align='center' width='40px'>Action</th>
</tr>";
$no=1;
while ($r=mysql_fetch_array($stampil)){
if(($no % 2)==0){
$warna="#ffffff"; }else{ $warna="#E1E1E1"; }
if ($r[level] == 'admin'){

```

```
echo "<tr class='data'>"; }else{ echo "<tr
class='data'>";}
echo " <td class='data'>$no</td>
<td class='data'>$r[username]</td>
<td class='data'>$r[nama_lengkap]</td>
<td class='data'>$r[email]</td>
<td class='data'>$r[no_telp]</td>
<td class='data'><a
href=media.php?module=editkasir&id=$r[id_session]><center
>Edit</center></a></td>
</tr>";
$no++;
}
echo "</table>";
}

elseif ($_GET[module]=='tambahkasir'){
echo "<h3>Tambahkan Kasir Baru.</h3>
<div class='h_line'></div>
<form method=POST
action='media.php?module=aksitambahkasir'>
<table width='100%'>
<tr><td width=100px>Username</td><td> : <input type=text
name='username'></td></tr>
<tr><td>Password</td><td> : <input type=text
name='password'></td></tr>
<tr><td>Nama Lengkap</td><td> : <input type=text
name='nama_lengkap' size=30></td></tr>
<tr><td>E-mail</td><td> : <input type=text name='email'
size=30></td></tr>
<tr><td>No.Telp/HP</td><td> : <input type=text
name='no_telp' size=30></td></tr>
<tr><td colspan=2><input type=submit value=Submit>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
}
```

4. Tampilan Halaman Barang Masuk

Source code

```
<?php
if ($_GET[module]=='produk'){
echo "<h3>Semua Produk no Faktur : $_GET[kode]<span
style='float:right'><a style='float:right;'
target='_BALNK' href='print-
produk.php?kode=$_GET[kode]'">Cetak Laporan
Produk</a></span></h3><br/>
<input type=button value='Tambah Master dan Pembelian
Produk'
onclick=\"window.location.href='media.php?module=tambahpr
oduk&no=$_GET[kode]';\">
<span style='float:right;'>
<form action='media.php' method='GET' style='margin-
right:22px'>
<input type='hidden' name='module' value='editproduk'
style='width:200px; margin-bottom:3px;'/>
Tambahkan : <input type='text' name='kdp' autofocus
style='width:200px; margin-bottom:3px;'
placeholder='Input Kode Produk...'/>
<input type='hidden' name='no' value='$_GET[kode]'
style='width:200px; margin-bottom:3px;'/>
<input type='submit' name='cari' value='cari'>
</form>
</span><br/>
<div class='h_line'></div>
<table id='twitter-table' class='data'>
<tr class='data'>
<th class='data'>No</th>
<th class='data'>Kode Produk</th>
<th class='data'>Nama Produk</th>
<th class='data'>Harga Ecer</th>
<th class='data'>Harga Grosir</th>
<th class='data'>Harga Pokok</th>
<th class='data'>Jumlah</th>
<th class='data' align='center'
width='70px;'>Action</th>
</tr>";
$ifa = mysql_fetch_array(mysql_query("SELECT * FROM
faktur where no faktur='$_GET[kode]'"));
if (isset($_POST[cari]) OR isset($_REQUEST[kata])){
$stampil = mysql_query("SELECT c.nama_supplier,
a.id_produk_pembelian, a.id_faktur, a.id_produk,
a.id_supplier, a.jumlah, a.tanggal_masuk, a.username,
b.kode_produk, b.nama_produk, b.harga, b.harga_grosir,
b.harga_pokok, b.satuan
FROM `produk_pembelian`a JOIN produk b ON
a.id_produk=b.id_produk JOIN supplier c ON
```

```

a.id_supplier=c.id_supplier where
a.id_faktur='$ifa[id_faktur]' AND
b.kode_produk='$_POST[kata]' ORDER BY
a.id_produk_pembelian");
}else{
$per_page = 10;
$page_query = mysql_query("SELECT COUNT(*) FROM
produk_pembelian
}

```

5. Tampilan Halaman Kategori

Source code

```

<?php
if ($_GET[module]=='kategori'){
echo "<h3>Manajemen Kategori Produk.</h3><br/>
<input type=button value='Tambah Kategori'
onclick=\"window.location.href='media.php?module=tam
bahkategori';\">
<table class='data' width=100% cellpadding=6>
<tr>
<th class='data' width=30px>No</th>
<th class='data'>Nama Kategori</th>
<th class='data' align='center'
width='80px;'>Action</th>
</tr>";
$stampil=mysql_query("SELECT * FROM kategori_produk
ORDER BY id_kategori DESC");
$no=1;
while ($r=mysql_fetch_array($stampil)){
if(($no % 2)==0){
$warna="#ffffff";
}
else{
$warna="#E1E1E1";
}
echo "<tr class='data' bgcolor=$warna><td
class='data'>$no</td>
<td class='data'>$r[nama_kategori]</td>
<td class='data'><a
href=media.php?module=editkategori&id=$r[id_kategori
]>Edit</a> |
<a
href=media.php?module=hapuskategori&id=$r[id kategor

```

```

i]>Hapus</a>
</td>
</tr>";
$no++;
}
echo "</table>";
}elseif($_GET[module]=='tambahkategori'){
echo "<h3>Tambah Kategori Produk.</h3><br/>
<form method=POST
action='media.php?module=aksitambahkategori'>
<table>
<tr><td>Nama Kategori</td><td> : <input type=text
name='nama_kategori'></td></tr>
<tr><td colspan=2><input type=submit name=submit
value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
}elseif($_GET[module]=='aksitambahkategori'){
$testing = addslashes($_POST[nama_kategori]);
mysql_query("INSERT INTO
kategori_produk(nama_kategori) VALUES('$testing')");
header('location:kategori.html');
}elseif($_GET[module]=='editkategori'){
$edit=mysql_query("SELECT * FROM kategori_produk
WHERE id_kategori='$_GET[id]'");
$r=mysql_fetch_array($edit);
echo "<h3>Edit Kategori Produk.</h3><br/>
<form method=POST
action='media.php?module=aksieditkategori'>
<input type=hidden name=id value='$r[id_kategori]'>
<table>
<tr><td>Nama Kategori</td><td> : <input type=text
name='nama_kategori'
value='$r[nama_kategori]'></td></tr>
<tr><td colspan=2><input type=submit value=Update>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
}elseif($_GET[module]=='aksieditkategori'){
mysql_query("UPDATE kategori_produk SET
nama_kategori = '$_POST[nama_kategori]' WHERE
id_kategori = '$_POST[id]'");
header('location:kategori.html');
}elseif($_GET[module]=='hapuskategori'){
mysql_query("DELETE FROM kategori_produk WHERE
id_kategori='$_GET[id]'");

```



```
header('location:kategori.html');
}
?>
```

6. Tampilan Halaman Data Supplier

Source code

```
<?php
if ($_GET[module]=='supplier'){
echo "<h3>Manajemen supplier Produk.</b></h3><br/>
<input type=button value='Tambah Supplier'
onclick=\"window.location.href='media.php?module=tambahsu
ppplier';\">
<table class='data'>
<tr class='data'>
<th class='data'>No</th>
<th class='data'>Nama supplier</th>
<th class='data'>Nama Bank</th>
<th class='data'>No Rekening</th>
<th class='data' align='center' width='80px;'>Action</th>
</tr>";
$stampil=mysql_query("SELECT * FROM supplier ORDER BY
id_supplier DESC");
$no=1;
while ($r=mysql_fetch_array($stampil)){
if(($no % 2)==0){
$warna="#ffffff";
}
// Apabila sisa baginya ganjil, maka warnanya kuning
(#FFFF00).
else{
$warna="#E1E1E1";
}
echo "<tr class='data'><td class='data'>$no</td>
<td class='data'>$r[nama_supplier]</td>
<td class='data'>$r[bank]</td>
<td class='data'>$r[no_rekening]</td>
<td class='data'><a
href=media.php?module=editsupplier&id=$r[id_supplier]>Edi
t</a> |
<a
href=media.php?module=hapussupplier&id=$r[id_supplier]>Ha
pus</a>
</td></tr>";
$no++;
```

```

}
echo "</table>";
}elseif ($_GET[module]=='tambahsupplier'){
echo "<h3>Tambah supplier Produk.</h3><br/>"
<form method=POST
action='media.php?module=aksitambahsupplier'>
<table>
<tr><td>Nama supplier</td><td> : <input type=text
name='nama_supplier' style='width:350px;'></td></tr>
<tr><td>Nama Bank</td><td> : <input type=text name='bank'
style='width:350px;'></td></tr>
<tr><td>No Rekening</td><td> : <input type=text
name='no_rekening' style='width:350px;'></td></tr>
<tr><td colspan=2><input type=submit name=submit
value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
</table></form>";
}elseif ($_GET[module]=='aksitambahsupplier'){
mysql_query("INSERT INTO supplier(nama_supplier, bank,
no_rekening)
VALUES('$ _POST[nama_supplier]','$ _POST[bank]','$ _POST[no_
rekening]')");
header('location:supplier.html');
}
elseif ($_GET[module]=='editsupplier'){
$edit=mysql_query("SELECT * FROM supplier WHERE
id_supplier='$ _GET[id]'");
$r=mysql_fetch_array($edit);
echo "<h3>Edit supplier Produk.</h3><br/>"
<form method=POST
action='media.php?module=aksieditsupplier'>
?>

```

7. Tampilan Halaman Laporan

Source code

```

<div class="row">
<div class="col-md-12">
<h2 class="page-header">
POS (Point of Sale) <small>Laporan Transaksi</small>
</h2>
</div>
</div>
<!-- /. ROW -->
<div class="row">
<div class="col-md-12">

```

```

<div class="panel panel-default">
<div class="panel-body">
<?php echo form_open('transaksi/laporan',
array('class'=>'form-inline')); ?>
<div class="form-group">
<label for="exampleInputName2">Tanggal</label>
<input type="text" name="tanggal1" class="form-control"
placeholder="Tanggal Mulai">
</div>
<div class="form-group">
<label for="exampleInputEmail2"> - </label>
<input type="text" name="tanggal2" class="form-control"
placeholder="Tanggal Selesai">
</div>
<button class="btn btn-primary btn-sm" type="submit"
name="submit">Tampilkan</button>
</form>
</div>
</div>
<!-- /. PANEL -->
</div>
<div class="col-md-12">
<div class="panel panel-default">
<div class="panel-body">
<div class="table-responsive">
<table class="table table-striped table-bordered">
<thead>
<tr>
<th>No.</th>
<th>Tanggal Transaksi</th>
<th>Users </th>
<th>Total Transaksi</th>
</tr>
</thead>
<tbody>
<?php $no=1; $total=0; foreach ($record->result() as $r){
?>
<tr class="gradeU">
<td><?php echo $no ?></td>
<td><?php echo $r->tanggal_transaksi ?></td>
<td><?php echo $r->nama_lengkap ?></td>
<td><?php echo $r->total ?></td>
</tr>
<?php $no++; $total=$total+$r->total; } ?>
<tr>
<td colspan="3">Total</td>
<td><?php echo $total;?></td>
</tr>
</tbody>
</table>
</div>

```

```
<!-- /. TABLE -->
</div>
```

8. Tampilan Halaman Grafik Bulanan

Source Code:

```
<?php
$bulann = date("m");
$tahunn = date("Y");
?>
<script type="text/javascript">
var chart1;
$(document).ready(function() {
    chart1 = new Highcharts.Chart({
        chart: {
            renderTo: 'containerj',
            type: 'column'
        },
        title: {
            <?php if (isset($_POST[submit])){
?>
                text: 'Laporan Jumlah Data
Penjualan Bulan <?php echo "$_POST[bulan] -
$_POST[tahun]"; ?>'
            <?php }else{ ?>
                text: 'Laporan Jumlah Data
Penjualan Bulan <?php echo "$bulann - $tahunn"; ?>'
            <?php } ?>
        },
        xAxis: {
            categories: ['Kode / Nama Produk Yang
Terjual']
        },
        yAxis: {
            title: {
                text: 'Jumlah Penjualan'
            }
        },
        series:
        [
<?php
            include "../config/koneksi.php";
            if (isset($_POST[submit])){
                $sql = "SELECT * FROM (SELECT
```

```

a.*, b.tgl_order, b.jam_order,
substring(tgl_order,6,2) as bulan,
substring(tgl_order,1,4) as tahun, e.kode_produk
FROM `orders_detail` a
JOIN orders b ON a.id_orders=b.id_orders
JOIN produk e ON
a.id_produk=e.id_produk) c
where
c.bulan='$_POST[bulan]' AND tahun='$_POST[tahun]'
LIMIT 20";
}else{
$sql = "SELECT * FROM (SELECT
a.*, b.tgl_order, b.jam_order,
substring(tgl_order,6,2) as bulan,
substring(tgl_order,1,4) as tahun, e.kode_produk
FROM `orders_detail` a
JOIN orders b ON a.id_orders=b.id_orders
JOIN produk e ON
a.id_produk=e.id_produk) c
where
c.bulan='$bulann' AND tahun='$tahunn' LIMIT 20";
}
$query = mysql_query( $sql ) or
die(mysql_error());
while( $ret = mysql_fetch_array( $query
) ){

```

9. Tampilan Halaman Grafik Tahunan

Source Code:

```

<?php
$bulan = date("m");
$tahun = date("Y");
?>
<script type="text/javascript">
var chart1;
$(document).ready(function() {
    chart1 = new Highcharts.Chart({
        chart: {
            renderTo: 'containerj',
            type: 'column'
        },

```

```

        title: {
            <?php if (isset($_POST[submit])){
            ?>
                text: 'Laporan Jumlah Data
Penjualan Tahun <?php echo " $_POST[tahun]"; ?>'
                <?php }else{ ?>
                text: 'Laporan Jumlah Data
Penjualan Tahun <?php echo " $tahun"; ?>'
                <?php } ?>
        <?php
            include "../config/koneksi.php";
            if (isset($_POST[submit])){
                $sql = "SELECT * FROM (SELECT
a.*, b.tgl_order, b.jam_order,
substring(tgl_order,1,4) as tahun, e.kode_produk
FROM `orders_detail` a
JOIN orders b ON a.id_orders=b.id_orders
JOIN produk e ON
a.id_produk=e.id_produk) c
where
c.tahun='$_POST[tahun]' LIMIT 20";
            }else{
                $sql = "SELECT * FROM (SELECT
a.*, b.tgl_order, b.jam_order,
substring(tgl_order,1,4) as tahun, e.kode_produk
FROM `orders_detail` a
JOIN orders b ON a.id_orders=b.id_orders
JOIN produk e ON
a.id_produk=e.id_produk) c
where
c.tahun='$tahun' LIMIT 20";
            }
            $query = mysql_query( $sql ) or
die(mysql_error());
            while( $ret = mysql_fetch_array( $query )
){
                $jenis=$ret['id_produk'];
                $kode=$ret['kode_produk'];
                $sql_jumlah = "SELECT SUM(jumlah)
as jumlah FROM orders_detail where
id_produk='$jenis'";
                $query_jumlah = mysql_query(
                $sql_jumlah ) or die(mysql_error());
                while( $data = mysql_fetch_array(
                $query_jumlah ) ){
                    $jumlah = $data['jumlah'];
                }
            }
        }
    }

```

```
?>
```

10. Tampilan Halaman Utama Kasir

Source Code:

```
<div id="wrapper">
  <div id="leftBar">
    <ul>
      <li><a href="index.php">Dashboard</a></li>
      <?php
        if ($_SESSION['leveluser'] == 'Admin'){
          echo "<li><a
href='kasir.html'>Kasir</a></li>
          <li><a
href='faktur.html'>Barang Masuk</a></li>
          <li><a
href='kategori.html'>Kategori</a></li>
          <li><a
href='supplier.html'>Suppliers</a></li>
          <li><a
href='laporan.html'>Laporan</a></li>
          <li><a
href='diagram.html'>Graf. Bulan</a></li>
          <li><a href='tahun-
diagram.html'>Graf. Tahun</a></li>
          <li><a href='data-kategori-
diagram.html'>Graf. Kategori</a></li>
          ";
        }else{
          echo "<li><a href='semua-
produk.html'>Produk</a></li>
          <li><a href='keranjang-
belanja-1.html'>Transaksi Ecer</a></li>
          <li><a href='keranjang-
belanja-2.html'>Transaksi Grosir</a></li>
          <li><a href='status-
pembelian.html'>Laporan</a></li>";
        }
      </li>
    </ul>
  </div>
  <div id="rightContent">
    <?php include "kiri.php"; ?>
```

```

        </div>
<div class="clear"></div>
<div id="footer">
    NICO YOSI &copy; 2017<br>
</div>

```

11. Tampilan Halaman Transaksi Ecer

Source Code:

```

<?php
session_start();
error_reporting(0);
include "../config/koneksi.php";
include "../config/library.php";
include "../config/session_member.php";

$module=$_GET[module];
$act=$_GET[act];
$kd = mysql_fetch_array(mysql_query("SELECT * FROM
produk where kode_produk='".$_GET[id]'"));
if ($module=='keranjang' AND $act=='tambah'){

    $sid = $_SESSION[namauser];
    $in = mysql_fetch_array(mysql_query("SELECT
a.id_produk, sum(a.jumlah) as masuk FROM
`produk_pembelian` a where
a.id_produk='".$kd[id_produk]'"));
    $out = mysql_fetch_array(mysql_query("SELECT
a.id_produk, sum(a.jumlah) as keluar FROM
`orders_detail` a where
a.id_produk='".$kd[id_produk]'"));
    $stok = $in[masuk]-$out[keluar];

    $st=mysql_fetch_array(mysql_query("SELECT
sum(jumlah) as jumlah FROM orders_temp WHERE
id_produk='".$kd[id_produk]'"));

    if ($stok <= 0){
        echo "<script>>window.alert('Maaf, Stok Produk
Habis $total_stok..');
        window.location=('keranjang-belanja-
$_GET[stat].html')</script>";
    }elseif ($stok < $st[jumlah]){

```



```

        echo "<script>window.alert('Maaf, Stok Produk
Tidak Mencukupi..');
        window.location=('keranjang-belanja-
$_GET[stat].html')</script>";
    }

```

12. Tampilan Halaman Transaksi Grosir

Source Code:

```

    $sql = mysql_query("SELECT id_produk FROM
orders_temp
        WHERE id_produk='$kd[id_produk]' AND
id_session='$sid'");
    $ketemu=mysql_num_rows($sql);
    if ($ketemu==0){
        // put the product in cart table
        mysql_query("INSERT INTO orders_temp
(id_produk, jumlah, id_session, tgl_order_temp,
jam_order_temp)
            VALUES ('$kd[id_produk]', 1,
'$sid', '$tgl_sekarang', '$jam_sekarang')");
    } else {
        // update product quantity in cart table
        mysql_query("UPDATE orders_temp
            SET jumlah = jumlah + 1
            WHERE id_session = '$sid' AND
elseif ($module=='keranjang' AND $act=='hapus'){
    mysql_query("DELETE FROM orders_temp WHERE
id_orders_temp='$_GET[id]'");
    header('Location:keranjang-belanja-
'.'$_GET[stat].'.html');
}

elseif ($module=='keranjang' AND $act=='update'){
    $id      = $_POST[id];
    $jml_data = count($id);
    $stok    = $_POST[stok];
    $jumlah  = $_POST[jml]; // quantity
    for ($i=1; $i <= $jml_data; $i++){
        if ($jumlah[$i] > $stok[$i]){
            echo "<script>window.alert('Maaf, Stok
Produk Tidak Mencukupi..');
            window.location=('keranjang-belanja-
$_GET[stat].html')</script>";

```

```
    }else{  
        mysql_query("UPDATE orders_temp SET jumlah =  
        ".$jumlah[$i]."  
        ?>
```

