

PROGRAM

Tampilan Menu Utama

Source Code

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>User | About</title>
<!-- Tell the browser to be responsive to screen width -
-->
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet"
href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.
0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the
load. -->
<link rel="stylesheet" href="dist/css/skins/_all-
skins.min.css">
<!-- iCheck -->
<link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
<!-- Morris chart -->
<link rel="stylesheet" href="plugins/morris/morris.css">
<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-
jvectormap-1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker.css">
<!-- bootstrap wysihtml5 - text editor -->
```

```

<link rel="stylesheet" href="plugins/bootstrap-
wysihtml5/bootstrap3-wysihtml5.min.css">
<!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the
page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.mi
n.js"></script>
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js
"></script>
<![endif]-->
</head>
<body class="hold-transition skin-blue sidebar-
</li>
<li class="footer"><a href="#">No Messages</a></li>
</ul>
</li>

```

Halaman Diagnosa

Source Code

```

<?php
include('koneksi.php');
if(isset($_SESSION['login_user'])){
header("location: about.php");
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>User | Diagnosa</title>
<!-- Tell the browser to be responsive to screen width -
->
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet"
href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->

```

```
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.
0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the
load. -->
<link rel="stylesheet" href="dist/css/skins/_all-
skins.min.css">
<!-- iCheck -->
<link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
<!-- Morris chart -->
<link rel="stylesheet" href="plugins/morris/morris.css">
<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-
jvectormap-1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker.css">
<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="plugins/bootstrap-
wysihtml5/bootstrap3-wysihtml5.min.css">
```

Halaman Tampilan Penyakit

Source Code

```
<?php
include('koneksi.php');
if(isset($_SESSION['login_user'])) {
header("location: about.php");
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>User | Diagnosa</title>
<!-- Tell the browser to be responsive to screen width -
-->
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">
```

```

<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet"
href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.
0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the
load. -->
<link rel="stylesheet" href="dist/css/skins/_all-
skins.min.css">
<!-- iCheck -->
<link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
<!-- Morris chart -->
<link rel="stylesheet" href="plugins/morris/morris.css">
<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-
jvectormap-1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker.css">
<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="plugins/bootstrap-
wysihtml5/bootstrap3-wysihtml5.min.css">

```

Login Admin

Source Code

```

<?php
include('koneksi.php');
if(isset($_SESSION['login_user'])) {
header("location: about.php");
}
?>
<!DOCTYPE html>
<html>

```

```
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Admin | Login</title>
<!-- Tell the browser to be responsive to screen width -
->
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet"
href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.
0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the
load. -->
<link rel="stylesheet" href="dist/css/skins/_all-
skins.min.css">
<!-- iCheck -->
<link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
<!-- Morris chart -->
<link rel="stylesheet" href="plugins/morris/morris.css">
<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-
jvectormap-1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker.css">
<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="plugins/bootstrap-
wysihtml5/bootstrap3-wysihtml5.min.css">
<!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the
page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.mi
n.js"></script>
```

```
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js
"></script>
<![endif]-->
```

Halaman Utama Admin

Source Code

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Sistem Pakar</title>
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<meta name="description" content="">
<meta name="author" content="">
<!-- Le styles -->
<link href="css/bootstrap.css" rel="stylesheet">
<link href="css/bootstrap-responsive.css"
rel="stylesheet">
<style type="text/css">
body {
padding-top: 60px;
padding-bottom: 15px;
}
.hero-unit{
background-image:url(img/header.png);
background-size: 100% 100%;
min-height: 175px;
}
</style>
</head>
<body>
<div class="navbar navbar-inverse navbar-fixed-top">
<div class="navbar-inner">
<div class="container">
<a class="brand" href="index.php">Sistem Pakar</a>
<div class="nav-collapse collapse">
<ul class="nav">
<li><a href="index.php">Home</a></li>
<li><a href="konsultasi.php">Konsultasi</a></li>
<li class="active"><a href="#">Profil</a></li>
<li><a href="kontak.php">Kontak</a></li>
<li><a href="login/login.php">Admin</a></li>
<!--
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-
toggle="dropdown">Dropdown <b class="caret"></b></a>
```

```

<ul class="dropdown-menu">
<li><a href="#">Action</a></li>
<li><a href="#">Another action</a></li>
<li><a href="#">Something else here</a></li>
<li class="divider"></li>
<li class="nav-header">Nav header</li>
<li><a href="#">Separated link</a></li>
<li><a href="#">One more separated link</a></li>
</ul>
</li>
-->
</ul>
<a href="login/login.php">
<button class="navbar-Halaman pull-right btn btn-
primary">Log in</button>
</a>
</div><!--/.nav-collapse -->
</div>
</div>
</div>

```

Halaman Penyakit

Source Code

```

<?php
include_once('../login/config.php');
include('../login/cek-login.php');
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8" />
<title>Halaman Admin</title>
<link rel="stylesheet" href="css/screen.css"
type="text/css" media="screen" title="default" />
<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js"
type="text/javascript"></script>
</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">
<!-- Start: page-top -->
<div id="page-top">
<!-- start logo -->
<div id="logo">
<a href=""><h1>Administrator</h1></a>

```

```

</div>
<!-- end logo -->
</div>
<!-- End: page-top -->
</div>
<!-- End: page-top-outer -->
<div class="clear">&nbsp;&nbsp;&nbsp;</div>
<!-- start nav-outer-repeat START -->
<div class="nav-outer-repeat">
<!-- start nav-outer -->
<div class="nav-outer">
<!-- start nav-right -->
<div id="nav-right">
<div class="nav-divider">&nbsp;&nbsp;&nbsp;</div>
<a href="../../login/logout.php" id="logout"></a>
<div class="clear">&nbsp;&nbsp;&nbsp;</div>
</div>
<!-- end nav-right -->
<!-- start nav -->
<div class="nav">
<ul class="current">
<li><a href="#"><b>Dashboard</b></a>
</ul>
<a href="login/login.php">
<button class="navbar-Halaman pull-right btn btn-
primary">Log in</button>
</a>
</div><!--/.nav-collapse -->
</div>
</div>
</div>

```

Halaman Daftar Gejala

Source Code

```

<?php
require 'koneksi.php';
include('../../login/cek-login.php');
koneksi_buka();
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>

```



```

<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8" />
<title>Halaman Admin</title>
<link rel="stylesheet" href="css/screen.css"
type="text/css" media="screen" title="default" />
<link href="css/bootstrap.min.css" rel="stylesheet"
media="screen">
<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js"
type="text/javascript"></script>
</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">
<!-- Start: page-top -->
<div id="page-top">
<!-- start logo -->
<div id="logo">
<a href=""><h1>Administrator</h1></a>
</div>
<!-- end logo -->
</div>
<!-- End: page-top -->
</div>
<!-- End: page-top-outer -->
<div class="clear">&nbsp;</div>
<!-- start nav-outer-repeat START -->
<div class="nav-outer-repeat">
<!-- start nav-outer -->
<div class="nav-outer">
<!-- start nav-right -->
<div id="nav-right">
<div class="nav-divider">&nbsp;</div>
<a href="../../login/logout.php" id="logout"></a>
<div class="clear">&nbsp;</div>
</div>
<!-- end nav-right -->
<!-- start nav -->
<div class="nav">
<ul class="select">
<li><a href="index.php"><b>Dashboard</b></a>
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="current">
<li><a href="#"><b>Pertanyaan</b></a>
</li>
</ul>
</div>

```

Halaman Aturan

Source Code

```
?php
include "session.php";
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Admin | Aturan</title>
<!-- Tell the browser to be responsive to screen width -
-->
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet"
href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.
0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the
load. -->
<link rel="stylesheet" href="dist/css/skins/_all-
skins.min.css">
<!-- iCheck -->
<link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
<!-- Morris chart -->
<link rel="stylesheet" href="plugins/morris/morris.css">
<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-
jvectormap-1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker.css">
```

```
<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="plugins/bootstrap-
wysihtml5/bootstrap3-wysihtml5.min.css">
<!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the
page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.mi
n.js"></script>
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js
"></script>
<![endif]-->
</head>
```

Halaman Tambah Penyakit

Source Code

```
<?php
include('koneksi.php');
if(isset($_SESSION['login_user'])){
header("location: about.php");
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Admin | Detail Penyakit</title>
<!-- Tell the browser to be responsive to screen width -
->
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet"
href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
```

```

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.
0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the
load. -->
<link rel="stylesheet" href="dist/css/skins/_all-
skins.min.css">
<!-- iCheck -->
<link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
<!-- Morris chart -->
<link rel="stylesheet" href="plugins/morris/morris.css">
<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-
jvectormap-1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker.css">
<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="plugins/bootstrap-
wysihtml5/bootstrap3-wysihtml5.min.css">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the
page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.mi
n.js"></script>
<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js
"></script>
<![endif]-->
</head>
<body class="hold-transition skin-blue sidebar-mini">

```

Halaman Tambah Gejala

Source Code

```

<?php
include('koneksi.php');
if(isset($_SESSION['login_user'])) {
header("location: about.php");
}

```

```
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Admin | Input Data Gejala</title>
<!-- Tell the browser to be responsive to screen width -
-->
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no" name="viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet"
href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.
0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the
load. -->
<link rel="stylesheet" href="dist/css/skins/_all-
skins.min.css">
<!-- iCheck -->
<link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
<!-- Morris chart -->
<link rel="stylesheet" href="plugins/morris/morris.css">
<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-
jvectormap-1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker.css">
<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="plugins/bootstrap-
wysihtml5/bootstrap3-wysihtml5.min.css">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5
elements and media queries -->
```

```
<!-- WARNING: Respond.js doesn't work if you view the
page via file:// -->
<!--[if lt IE 9]>
<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.mi
n.js"></script>
<script

src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"
></script>
```

