

LAMPIRAN

1. Halaman Login

Sourcecode :

```
<div class="login-wrapper">
    <form id="form-login" name="form-login"
action="#" method="post">

        <h3>Login</h3>
        <hr/>
        <div class="control-group">
            <div class="controls">
                <input type="text"
placeholder="Username" id="login_name"
name="login_name" class="input-block-level" />
            </div>
        </div>
        <div class="control-group">
            <div class="controls">
                <input type="password"
placeholder="Password" id="login_password"
name="login_password" class="input-block-level" />
            </div>
        </div>
        <div class="control-group">
            <div class="controls">
                <button type="submit"
id="sendButton" class="btn btn-primary input-
block-level">Sign In</button>
            </div>
        </div>
```

2. Halaman Utama Admin

Source code :

```
<div class="row-fluid">
<?php $this->factory->Skins->Workers->container-
>boxOpen("Quick
Info", "12", false, false, "0", $color = "", $icon = "icon-
home"); ?>
<ul class="things-to-do">
    <li>
```

```

<p><i class="icon-bell"></i>
<span class="value"><?php echo
date('Y') ?></span>
Tahun

</p>
</li>
<li>
<p><i class="icon-calendar"></i><span
class="value"><?php echo number_format($this-
>factory->Models->spdstatistik-
>results["spdaktif"],0,",",".") ?></span>

SPPD Aktif
</p>
</li>
<li>
<p><i class="icon-calendar-
empty"></i><span class="value"><?php echo
number_format($this->factory->Models-
>spdstatistik-
>results["spdrampung"],0,',','.') ?></span>
SPPD Rampung
</p>
</li>
<li>
<p><i class="icon-group"></i><span
class="value"><?php echo number_format($this-
>factory->Models->spdstatistik-
>results["spdpegawai"],0,',','.') ?></span>
Pegawai SPPD
</p>
</li>
<li>

```

3. Halaman Daftar SPPD

Source code :

```

<div class="row-fluid">
<?php
    $bt = '<button class="btn btn-primary" id="bt-
refresh"><i class="icon-
refresh"></i>&nbsp;refresh</button>';

```

```

        $this->factory->Skins->Workers->container-
>boxOpen("Daftar
SPD", "12", $closeButton=false, $collapse=false, $heig
ht="0", $color="", $icon="icon-credit-card", $bt);
?>
<div id="dg"></div>

<?php $this->factory->Skins->Workers->container-
>boxClose();?>
</div>

```

4. Halaman Rekap

Source code :

```

<div class="row-fluid">
<?php
    $this->factory->Skins->Workers->container-
>boxOpen("Rekap", "12", $closeButton=false, $collapse
=false, $height="0", $color="", $icon="icon-
external-link");
?>
<div class="row-fluid">
    <form action="#" id="form-rekap" class="form-
horizontal" >
        <?php
            $this->factory->Skins->Workers-
>form->inputSelect("Jenis
Rekap", "id_rekap", $this->factory-
>jenisRekap, "", "span6", "Pilih ...", 'data-rule-
required="true'");
        ?>
        <div class="control-group">
            <input type="hidden" nama="idk"
id="idk">
            <label class="control-label">No.
Kegiatan</label>
            <div class="controls">
                <div class="input-append">
                    <input id="no_kegiatan"
name="no_kegiatan" type="text" class="span12"
placeholder="Pilih kegiatan" disabled>

```

```
                                <button class="btn btn-
primary" type="button" id="bt-
browse">Browse</button>
                            </div>
                        </div>
                    </div>
```

5. Output Rekap

Source code :

```
<?php
class rekap {
    var $factory;
    public function __construct() {
        $this-
>factory=mainFactory::getInstance();
    }
    protected function setupMenudetail() {
        $this->factory->Models->load("spdmenu");
        $this->factory->Utils->load("html");
        $this->factory->Utils->html->activeMenu
= $this->factory->Utils->general-
>getCurrentURL();
        $this->factory->menu=$this->factory-
>Utils->html->getChild($this->factory->Models-
>spdmenu->getMenu());
        return true;
    }
    protected function defaultInterface() {
        $this->factory->setupUI();
        $this->setupMenudetail();
        $this->factory->Skins->Workers-
>load("container,form");
        $this->factory->Skins-
>addJSPlugins("bootbox/bootbox.min.js,colorbox/co
lorbox.min.js,chosen-
bootstrap/chosen.jquery.min.js");
        $this->factory->Skins-
>addCSSPlugins("chosen-
bootstrap/chosen.min,colorbox/colorbox");
        return true;
    }
    public function index() {
        $this->disp("rekkegiatan");
    }
}
```

```

public function disp($dispname="") {
    if ($dispname=="") {
        $dispname=$this->factory->Utils-
>general->getManagerName ();
    }
    if ($dispname=="") die();
    $this->factory->Units
}
?>

```

6. Halaman Kegiatan

Source code :



```

<div class="row-fluid">
<?php
    $bt='<button class="btn btn-primary" id="bt-
refresh"><i class="icon-
refresh"></i>&ampnbsprefresh</button>';
    $bt .='&ampnbsp<button class="btn btn-primary"
id="bt-new"><i class="icon-pencil"></i>&ampnbspnew
</button>';
    $this->factory->Skins->Workers->container-
>boxOpen("Daftar
Kegiatan","12",$closeButton=false,$collapse=false,
$height="0",$color="",$icon="icon-keyboard",$bt);
?>

    <div id="dg"></div>

<?php $this->factory->Skins->Workers->container-
>boxClose();?>
</div>
<div id="popupWindow" class="row-fluid">
<div>New Data</div>

<div style="overflow: hidden;">
    <form action="#" method="post" id="entri"
name="form-nilai" class="form-horizontal">
        <?php $this->factory->Skins->Workers->form-
>inputText("No.
Kegiatan","","no_kegiatan","span8",'data-rule-
required="true"');?>
        <?php $this->factory->Skins->Workers->form-
>inputText("Nama

```

```

Kegiatan","","nama_kegiatan","span12",'data-rule-
required="true"');?>
    <?php $this->factory->Skins->Workers->form-
>inputText("Tahun
Anggaran","","tahun_anggaran","span4");?>
    <?php $this->factory->Skins->Workers->form-
>inputText("Akun
Anggaran","","akun_anggaran","span12");?>
    <?php $this->factory->Skins->Workers->form-
>inputText("Tgl
Mulai","","tgl_mulai","span4",'data-rule-
required="true" data-
mask="99/99/9999'", "tgl/bln/tahun");?>
    <?php $this->factory->Skins->Workers->form-
>inputText("Tgl
Akhir","","tgl_akhir","span4",'data-rule-
required="true" data-
mask="99/99/9999'", "tgl/bln/tahun");?>
    <?php $this->factory->Skins->Workers->form-
</div>

```

7. Halaman Tambah Kegiatan

Source code:

```

<?php
class kegiatan extends ent {
    var $factory;
    public function __construct() {
        $this-
>factory=mainFactory::getInstance();
    }
    public function index() {
        $mt= $this->factory->Utils->general-
>getManagerMethod();
        if ($mt=="") $mt="view";
        if (method_exists($this,$mt)) $this-
>$mt();
    }
    protected function view() {
        $this->factory->pageTitle="Entri
Kegiatan SPD";
        $this->factory->pageDesc="";
        $this->defaultInterface();

        $this->factory->Skins->Workers-
>load("form");

```

```

        $this->factory->Component-
>load("jqwidgets"); //widgets
        $this->factory->Component-
>load("jqgrid"); //widgets

        $this->factory->Component->jqwidgets-
>setThemes($this->THEMES);
        $this->factory->Component->jqwidgets-
>load("data,buttons,scrollbar,menu,checkbox,listb
ox,dropdownlist,grid,combobox,window,numberinput,
calendar,datetimeinput");
        //{$this->factory->Component->jqwidgets-
>addGlobalization();
        $this->factory->Skins-
>addJSPlugins("jquery-
validation/dist/jquery.validate.min.js,jquery-
validation/dist/additional-methods.min.js");
        $this->factory->Skins-
>addJSPlugins("bootstrap-inputmask/bootstrap-
inputmask.min.js");
        $this->factory->Units-
>loadJSVar("kegiatan");
        $this->factory->Units-
>loadUI("kegiatan");
        $this->factory->Skins-
>load("spd",false);
    }
    protected function get() {
        $this->factory->Component-
>load("jqgrid");
        $menu='<div class="btn-group">
            <a class="btn btn-small btn-
danger" href="'.$id_kegiatan.'" id="l_delete" ><i
class="icon-trash"></i>&ampnbspDelete</a>
        </div>';

```

8. Halaman Surat Tugas

Source code:

```

<div class="row-fluid">
<?php
    $bt='<button class="btn btn-primary" id="bt-
browse"><i class="icon-folder-
open"></i>&ampnbspbrowse kegiatan</button>';
    $bt .='&ampnbsp<button class="btn btn-primary"
id="bt-refresh"><i class="icon-
refresh"></i>&ampnbsprefresh</button>';

```

```

$bt .= ' <button class="btn btn-primary"
id="bt-new"><i class="icon-pencil"></i>&ampnbspnew
</button>';
    $this->factory->Skins->Workers->container-
>boxOpen("Daftar Surat
Tugas", "12", $closeButton=false, $collapse=false, $he
ight="0", $color="", $icon="icon-keyboard", $bt);
?>

<div class="span12" id="keg">
    <pre><?php echo ($this->factory-
>namakegiatan != "") ? $this->factory->namakegiatan
: "Pilih Kegiatan dengan mengklik <small>browse
kegiatan</small>"?></pre>
    </div>

```

9. Halaman Biaya

Source code :

```

<div class="row-fluid">
    <button class="btn btn-success pull-right"
id="bt-hitung"><i class="icon-
money"></i>&ampnbspHitung</button>
    <form action="#" method="post" id="entri"
name="form-nilai" class="form-horizontal">
        <input type="hidden" id="id_pelaksana"
name="id_pelaksana" value="<?php echo
$_GET['p']?>">
        <input type="hidden" id="status" name="status"
value="1">
        <table class="table table-striped table-hover
fill-head">
            <thead>
                <tr>
                    <th>Item Biaya</th>
                    <th>Qty</th>
                    <th>Harga</th>
                    <th>Jumlah</th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td width="20%">Uang Harian</td>
                    <td><div id="jml_harian"
class="qty harian"></td>
                        <td><div id="harga_harian"
class="cur harian"></div></td>

```



```

<td><div id="total_harian"
class="cur total"></div></td>
</tr>
<tr>
    <td width="20%">Penginapan</td>
    <td><div id="jml_inap" class="qty
inap"></div>
        <td><div id="harga_inap"
class="cur inap"></div></td>
            <td><div id="total_inap"
class="cur total"></div></td>
        </tr>
        <tr>
            <td width="20%" colspan="2">Tiket
Pergi</td>
            <td><div id="tiket_pergi"
class="cur trans"></div></td>
            <td></td>
        </tr>
        <tr>
            <td width="20%" colspan="2">Tiket
Pulang</td>
            <td><div id="tiket_pulang"
class="cur trans"></div></td>
            <td></td>
        </tr>
        <tr>
    
```

10. Halaman Tambah Biaya

Source code :

```

var dur=<?php echo $this->factory-
>formData["durasi"]?>;
var u_harian=<?php echo $this->factory-
>refData["u_harian"]?>;
var u_inap=<?php echo $this->factory-
>refData["u_inap"]?>;
$(document).ready(function () {
    var h_transport=function() {
        $('#total_transport').val($('#tiket_pergi').v
al() + $('#tiket_pulang').val()
        + $('#tax_asal').val() +
        $('#tax_tujuan').val() +
        $('#transport_asal').val() +
        $('#transport_tujuan').val());
    };

```

```

var h_harian=function() {
    $('#total_harian').val($('#jml_harian').val()*$('#harga_harian').val());
};

var h_inap=function() {
    $('#total_inap').val($('#jml_inap').val()*$('#harga_inap').val());
};

var h_total=function() {
    $('#total_biaya').val($('#total_harian').val() + $('#total_inap').val() + $('#total_transport').val());
    $('#sisa_bayar').val($('#total_biaya').val() - $('#total_kasbon').val());
};

$(".cur").jqxNumberInput({ digits: 10, decimalDigits : 0 , width:'150px',height: '30px', min: -9999999999, max: 9999999999, symbol: 'Rp. ', groupSeparator: '.',theme: "<?php echo WIDGET_THEMES?>"});
$(".qty").jqxNumberInput({ digits: 3,decimalDigits : 0 , width:'50px',height: '30px', min: 0, max: 999, spinButtons:true,symbol: '', groupSeparator: '.',theme: "<?php echo WIDGET_THEMES?>"});

<?php
$fd=array("jml_inap","harga_inap","total_inap",
,"jml_harian","harga_harian","total_harian",
,"tiket_pergi","tiket_pulang","tax_asal","tax_tujuan",
,"transport_asal",
,"transport_tujuan","total_transport","total_biaya",
,"total_kasbon","sisa_bayar");
$c=count($fd);
for ($i=0;$i<$c;$i++) {
    echo "#".$fd[$i]."").val()."$.this->factory->formData[$fd[$i]].";
}
?>

$('.harian').on('valuechanged', function (event)
{
    h_harian();
});

$('.inap').on('valuechanged', function (event) {

```


```

        h_inap();
    });
    $('.trans').on('valuechanged', function (event)
{
    h_transport();
});
$('.total').on('valuechanged', function (event)
{
    h_total();
});

```

11. Halaman Golongan

Source code :



```

<div class="row-fluid">
    <div class="span7">
        <h4>Petunjuk</h4><p></p>
        <p>Klik New untuk menambah data</p>
        <p>Untuk mengedit data, klik pada kolom yang akan diedit, ketikkan data yang diinginkan kemudian tekan enter</p>
        <p>Klik Refresh untuk merefresh tampilan data</p>
    </div>
    <div class="span5"><div id="dg"></div></div>
</div>
<?php $this->factory->Skins->Workers->container->boxClose();?>
</div>
<div id="popupWindow" class="row-fluid">
    <div>New Data</div>

    <div style="overflow: hidden;">
        <form action="#" method="post" id="entri" name="form-nilai" class="form-horizontal">
            <?php $this->factory->Skins->Workers->form->inputText("Golongan","","gol","span12",'data-rule-required="true"');?>
            <?php $this->factory->Skins->Workers->form->inputText("Nama Golongan","","nama_gol","span12",'data-rule-required="true"');?>
    </form>
</div>

```


```

<?php $this->factory->Skins->Workers->form-
>inputText ("Tingkat
Biaya","","tingkat_biaya","span12",'data-rule-
required="true"');?>
<div class="form-actions">
    <input type="submit"
    class="btn btn-primary" value="Save">
    <input class="btn btn-
cancel" id="Cancel" type="button" value="Cancel"
/>
</div>
</form>
</div>

```

12. Halaman Pejabat

Source code :



```

<div class="row-fluid">
    <div class="span3">
        <h4>Petunjuk</h4><p></p>
        <p>Klik New untuk menambah
        data</p>
        <p>Untuk mengedit data, klik
        pada kolom yang akan diedit, ketikkan data yang
        diinginkan kemudian tekan enter</p>
        <p>Klik Refresh untuk
        merefresh tampilan data</p>
    </div>
    <div class="span9"><div id="dg"></div></div>
</div>
<?php $this->factory->Skins->Workers->container-
>boxClose();?>
</div>
<div id="popupWindow" class="row-fluid">
    <div>New Data</div>

    <div style="overflow: hidden;">
        <form action="#" method="post" id="entri"
        name="form-nilai" class="form-horizontal">
            <?php $this->factory->Skins->Workers->form-
            >inputText ("Jabatan","","jabatan","span12",'data-
            rule-required="true"');?>

```

```
<?php $this->factory->Skins->Workers->form-
>inputText ("Nama","","nama","span12",'data-rule-
required="true"');?>
<?php $this->factory->Skins->Workers->form-
>inputText ("NIP","","nip","span12",'data-rule-
required="true" ' );?>

<div class="form-actions">
    <input type="submit"
    class="btn btn-primary" value="Save">
    <input class="btn btn-
cancel" id="Cancel" type="button" value="Cancel"
/>
</div>
</form>
</div>
</div>
```

