

## LAMPIRAN

Lampiran source code pada Aplikasi :

Berikut adalah penggalan *source code* Login :

```
private void btn_loginActionPerformed(java.awt.event.ActionEvent evt) {
    db.dbConnection();
    try{
        String sql = "SELECT * FROM bendahara WHERE username = '" +
            txt_user.getText()+"'AND password= '"+txt_pass.
            getText()+"'";
        String sip = "SELECT * FROM tamu WHERE username = '" +
            txt_user.getText()+"'AND password= '"+txt_pass.
            getText()+"'";
        Statement st = db.getConnection().createStatement();
        Statement sp = db.getConnection().createStatement();
        ResultSet rsLogin = st.executeQuery(sql);
        ResultSet Login = sp.executeQuery(sip);

        rsLogin.next();
        rsLogin.last();
        Login.next();
        Login.last();
        if(rsLogin.getRow()==1 ){
            new form_tentang().show();
            dispose();
        }else if(txt_user.getText().equals("")){
            JOptionPane.showMessageDialog(this, "Maaf, Username Belum
                Diisi","informasi",JOptionPane.INFORMATION_MESSAGE);
        }else if(txt_pass.getText().equals("")){
            JOptionPane.showMessageDialog(this, "Maaf, Password Belum
                Diisi","informasi",JOptionPane.INFORMATION_MESSAGE);
        }else if(Login.getRow()==1){
            new form_tentang().show();
            dispose();
        }else{
            JOptionPane.showMessageDialog(null, "Maaf, Username atau
                Password salah");
            txt_user.setText("");
            txt_pass.setText("");
            txt_pass.requestFocus();
        }
    }
```

Berikut adalah penggalan *source code* dari form struktur :

```
public void tampil_tb_jabatan(){
    Object []baris = {"No_SK","Nama","Jabatan","Alamat"};
    tabmode = new DefaultTableModel(null, baris);
    tb_jabatan.setModel(tabmode);
    Connection con = new koneksi_2().getConnection();
    try {
```

```

String sql = "select * from tb_jabatan order by no_sk asc";
java.sql.Statement stat = con.createStatement();
java.sql.ResultSet hasil = stat.executeQuery(sql);
while (hasil.next()){
    String no_sk = hasil.getString("no_sk");
    String nama = hasil.getString("nama");
    String jabatan = hasil.getString("jabatan");
    String alamat = hasil.getString("alamat");
    String[] data = {no_sk, nama, jabatan, alamat};
    tabmode.addRow(data);
}
} catch (Exception e) {
    JOptionPane.showMessageDialog(null, "Menampilkan data GAGAL", "Informasi", JOptionPane.INFORMATION_MESSAGE);
}
}

```

Berikut adalah penggalan *source code* dari button cetak :

```

private void button_cetakActionPerformed(java.awt.event.ActionEvent evt) {
JasperReport jasRep;
JasperPrint jasPri;
Map<String, Object> nim = new HashMap<String, Object>();
JasperDesign jasDes;

try{
    Class.forName("com.mysql.jdbc.Driver");
    Connection con = DriverManager.getConnection("jdbc:mysql://localhost:3306/keuangan", "root", "");
    File report = new File("C:/Users/Deddy/Videos/Project_SKD/Skripsi/Sistem_Keuangan_Desa/src/laporan/buku_apbdes.jrxml");
    jasDes = JRXmlLoader.load(report);
    jasRep = JasperCompileManager.compileReport(jasDes);
    Map<String, Object> no = null;
    jasPri = JasperFillManager.fillReport(jasRep, no, con);
    JasperViewer.viewReport(jasPri, false);
}
}

```

Penggalan *source code* dari button *backup* sebagai berikut :

```

private void btn_backupActionPerformed(java.awt.event.ActionEvent evt) {
try {
    if (txtLokasiBackup.getText().isEmpty()) {
        JOptionPane.showMessageDialog(null, "Pilih lokasi Backup terlebih dahulu");
    }else {
        String targetFile = null;
        if (txtLokasiBackup.getText().contains(".sql")) {

```

```

        targetFile = txtLokasiBackup.getText();
    }else {
        targetFile = txtLokasiBackup.getText() + ".sql";
    }
String perintah = "C:\\xampp\\mysql\\bin\\mysqldump.exe -u
root keuangan -r " + "\"" + targetFile + "\"";

Process runtimeProcess = Runtime.getRuntime().exec
(perintah);
int prosesSukses = runtimeProcess.waitFor();
if (prosesSukses == 0) {
    JOptionPane.showMessageDialog(null, "sukses");
} else {
    JOptionPane.showMessageDialog(null, "gagal");
}
txtLokasiBackup.setText("");
}
} catch (Exception e) {
JOptionPane.showMessageDialog(null, "Periksa kembali");
txtLokasiBackup.setText("");
}
}

```

Penggalan *source code* dari button tentang sebagai berikut :

```

private void bnt_tentangActionPerformed(java.awt.event.
ActionEvent evt) {
    new form_tentang().show();
    dispose();
}
private void btn_gantipasswordActionPerformed(java.awt.event.
ActionEvent evt) {
    Connection con = new koneksi_2().getConnection();
    String nik="", nama="", jabatan="", username"",
           password="";
    nik = txt_nik.getText();
    nama = txt_nama.getText();
    jabatan = txt_jabatan.getText();
    username = txt_user.getText();
    password = txt_pass.getText();
    if (nik==null){
        JOptionPane.showMessageDialog(null, "NIK belum diisi
        !!!", "Informasi", JOptionPane.INFORMATION_MESSAGE);
    }
    else {
        String sql="update tamu set nik=?, nama=?, jabatan=?,
                   username=?, password=? where nik='"+nik+"'";
        java.sql.PreparedStatement stat = null;
        try {
            stat = con.prepareStatement(sql);
            stat.setString(1, nik);
            stat.setString(2, nama);
            stat.setString(3, jabatan);
            stat.setString(4, username);
            stat.setString(5, password);
            stat.executeUpdate();
            JOptionPane.showMessageDialog(null, "Password anda

```

```
        berhasil diganti","Informasi", JOptionPane.  
        INFORMATION_MESSAGE);  
    } catch (Exception e) {  
        JOptionPane.showMessageDialog(null, "Password gagal  
        diganti","Informasi", JOptionPane.INFORMATION_  
        MESSAGE);  
    }  
}
```

Penggalan *source code* dari button tentang sebagai berikut :

```
private void bnt_tentangActionPerformed(java.awt.event.  
ActionEvent evt) {  
    new form_tentang().show();  
    dispose();  
}
```