

LAMPIRAN

A. Foto Bengkel Yang Digunakan Dalam Penelitian





B. Source Code

1. Homepage.php

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <link rel="shortcut icon" href="<?= base_url('assets/img/' . $home-
>logo); ?>">
  <title><?= $home->nama_website ?></title>
  <meta name="viewport" content="width=device-width, initial-
scale=1">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="description" content="<?= $home->deskripsi ?>">
  <!-- <meta name="keywords" content="Pelican HTML Template,
Pelican Startup Business Template, Startup Template"> -->
  <link href="<?= base_url();
?>assets/homepage/css/bootstrap.min.css" rel="stylesheet"
type="text/css" media="all" />
  <link
href="https://fonts.googleapis.com/css?family=Montserrat:300,400,50
0,600,700,900%7COpen+Sans:400" rel="stylesheet">
  <link rel="stylesheet" href="<?= base_url();
?>assets/homepage/css/animate.css"> <!-- Resource style -->
  <link rel="stylesheet" href="<?= base_url();
?>assets/homepage/css/owl.carousel.css">
  <link rel="stylesheet" href="<?= base_url();
?>assets/homepage/css/owl.theme.css">
  <link rel="stylesheet" href="<?= base_url();
?>assets/homepage/css/ionicons.min.css"> <!-- Resource style -->
```

```

<link href="<?= base_url(); ?>assets/homepage/css/style.css"
rel="stylesheet" type="text/css" media="all" />
</head>

<body>
  <div class="wrapper">
    <!-- Navbar Section -->
    <nav class="navbar navbar-expand-md navbar-light bg-light
fixed-top">
      <div class="container container">
        <a class="navbar-brand" href="#"><?= $home-
>nama_website ?></a>
        
        <button class=" navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse"
id="navbarSupportedContent">
          <ul class="navbar-nav ml-auto navbar-right">
            <li class="nav-item"><a class="nav-link js-scroll-
trigger" href="#main">Home</a></li>
            <li class="nav-item"><a class="nav-link js-scroll-
trigger" href="<?= base_url('login') ?>">Sign in</a></li>
          </ul>
        </div>
      </div>
    </nav><!-- Navbar End -->

```

```

<div id="main" class="main">
  <div class="hero">
    <div class="container">
      <div class="row align-center">
        <div class="col-md-12 col-lg-5">
          <div class="hero-content">
            <h2 class="d-none d-sm-block">Apa itu <?=
$home->nama_website ?> ?</h2>
            <p><?= $home->deskripsi ?></p>
            <div class="form-note">
            </div>
          </div>
        </div>
      </div>
      <div class="col-md-12 col-lg-6 offset-lg-1">
        
      </div>
    </div>
  </div>
</div>
<!-- Pelican Footer Section -->
<div class="footer-sm">
  <div class="container-m">
    <div class="row">
      <div class="col-md-4">
        <a class="footer-logo" href="#"><?= $home-
>nama_website ?></a>
      </div>
      <div class="col-md-4">

```

```

        <h6>&copy; <?=$home->nama_website ?> 2021
Rights Reserved</h6>
    </div>
    <div class="col-md-4">
        <!-- <ul>
            <li><a href="#">Facebook</a></li>
            <li><a href="#">Twitter</a></li>
            <li><a href="#">Linkedin</a></li>
        </ul> -->
    </div>
</div>
</div>
</div>
</div>
<!-- Scroll To Top -->
<div id="back-top" class="bk-top">
    <div class="bk-top-txt">
        <a class="back-to-top js-scroll-trigger"
href="#main">Up</a>
    </div>
</div>
<!-- Scroll To Top Ends-->

</div> <!-- Main -->
</div><!-- Wrapper -->

<!-- JQuery and Js Plugins -->
<script type="text/javascript" src="<?= base_url();
?>assets/homepage/js/jquery-2.1.1.js"></script>

```



```
<script type="text/javascript" src="<?= base_url();
?>assets/homepage/js/popper.min.js"></script>
<script type="text/javascript" src="<?= base_url();
?>assets/homepage/js/bootstrap.min.js"></script>
<script type="text/javascript" src="<?= base_url();
?>assets/homepage/js/jquery.validate.min.js"></script>
<script type="text/javascript" src="<?= base_url();
?>assets/homepage/js/plugins.js"></script>
<script type="text/javascript" src="<?= base_url();
?>assets/homepage/js/custom.js"></script>
<!-- <script type="text/javascript"
src="http://localhost:35729/livereload.js"></script> -->
</body>
</html>
```



2. Login.php

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">

  <title>EmBel - Login</title>

  <!-- Custom fonts for this template-->
  <link href="<?= base_url();
?>assets/sb_admin/vendor/fontawesome-free/css/all.min.css"
rel="stylesheet" type="text/css">
  <link
href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,3
00i,400,400i,600,600i,700,700i,800,800i,900,900i" rel="stylesheet">

  <!-- Custom styles for this template-->
  <link href="<?= base_url(); ?>assets/sb_admin/css/sb-admin-
2.min.css" rel="stylesheet">

</head>

<body class="bg-gradient-primary">

  <div class="container">
```



```

<!-- Outer Row -->
<div class="row justify-content-center">

    <div class="col-xl-10 col-lg-12 col-md-9">


        <div class="card o-hidden border-0 shadow-lg my-5">
            <div class="card-body p-0">
                <!-- Nested Row within Card Body -->
                <div class="row">
                    <div class="col-lg-6 d-none d-lg-block">
                        
                    </div>
                    <div class="col-lg-6">
                        <div class="p-5">
                            <div class="text-center">
                                <h1 class="h4 text-gray-900 mb-
4">Welcome Back!</h1>
                            </div>
                            <form class="user" method="post"
enctype="multipart/form-data" action="<?php echo base_url('login')
?>">
                                <?php echo $this->session-
>flashdata('message'); ?>
                                <div class="form-group">
                                    <input type="text" name="username"
class="form-control form-control-user" placeholder="Enter
Username...">
                                </div>
                                <div class="form-group">

```

```

        <input type="password" name="password"
class="form-control form-control-user" placeholder="Password">
    </div>
    <div class="form-group">
        <div class="custom-control custom-
checkbox small">
            <input type="checkbox" class="custom-
control-input" id="customCheck">
                <label class="custom-control-label"
for="customCheck">Remember Me</label>
        </div>
    </div>
        <button class="btn btn-primary btn-user btn-
block" type="submit"> Login</button>
        <hr>
    </form>
    <div class="text-center">
        <a class="small" href="{?=
base_url('register') ?}">Belum punya akun?</a>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

```



```
<!-- Bootstrap core JavaScript-->
<script src="<?= base_url();
?>assets/sb_admin/vendor/jquery/jquery.min.js"></script>
<script src="<?= base_url();
?>assets/sb_admin/vendor/bootstrap/js/bootstrap.bundle.min.js"></scri
pt>
```

```
<!-- Core plugin JavaScript-->
<script src="<?= base_url(); ?>assets/sb_admin/vendor/jquery-
easing/jquery.easing.min.js"></script>
```

```
<!-- Custom scripts for all pages-->
<script src="<?= base_url(); ?>assets/sb_admin/js/sb-admin-
2.min.js"></script>
```

```
</body>
```

```
</html>
```



3. Bengkel_route.php

```
<?php if (isset($map['js'])) echo $map['js']; ?>
<script type="text/javascript">
    var centreGot = false;
</script>

<!-- Begin Page Content -->
<div class="container-fluid">
    <div class="row">
        <div class="col-lg-12">
            <?php echo $this->session->flashdata('message'); ?>
            <div class="card shadow mb-4">
                <div class="card card-danger">
                    <div class="card-header">
                        <h6 class="m-0 font-weight-bold text-
primary">Sekilas Informasi</h6>
                    </div>
                    <div class="card-body">
                        <div class="row">
                            <div class="col-3">
                                <p class="m-0 font-weight-bold text-info"><?=
$get_costumer_detail->nama_costumer ?></p>
                            </div>
                            <div class="col-4">
                                <p class="text-muted"><i class="fas fa-map-
marker-alt mr-1"> <?= $get_costumer_detail->alamat ?></i></p>
                            </div>
                            <div class="col-2">
                                <strong class="text-muted"><i class="fas fa-
phone"> <?= $get_costumer_detail->no_telp ?></i></strong>
                            </div>
                            <div class="col-3">
```

```

        <form role="form" method="post"
action="<?php echo base_url('user/aksi_user/get_route/' .
$get_costumer_detail->id_costumer) ?>">
        <a href="<?=
base_url('user/aksi_user/view_costumer') ?>" class="btn btn-danger
btn-icon-split btn-sm">
            <span class="icon text-white-50">
                <i class="fas fa-arrow-left"></i>
            </span>
            <span class="text">Kembali</span>
        </a>
        <input hidden type="text" class="form-
control" name="latitude" placeholder="Geser Kursor Map.." id="lat"
value="<?php echo set_value('latitude') ?>" readonly required>
        <input hidden type="text" class="form-
control" name="longitude" placeholder="Geser Kursor Map.."
id="long" value="<?php echo set_value('longitude') ?>" readonly
required>
        <button class="btn btn-info btn-icon-split btn-
sm" type="submit">
            <span class="icon text-white-50">
                <i class="fas fa-map-marker"></i>
            </span>
            <span class="text">Cari Rute..</span>
        </button>
    </form>
</div>
</div>
</div>
</div>
<!-- /.card-body -->
</div>

```

```

</div>
</div>
<div class="col-lg-4">
  <div class="card shadow mb-4">
    <div class="card-header py-3">
      <h6 class="m-0 font-weight-bold text-
primary">Informasi Rute</h6>
    </div>
    <div class="card-body">
      <div id="directionsDiv"></div>
    </div>
  </div>
</div>
</div>
<div class="col-lg-8">
  <div class="card shadow mb-4">
    <div class="card-header py-3">
      <h6 class="m-0 font-weight-bold text-
primary">Informasi Peta</h6>
    </div>
    <div class="card-body">
      <?php echo $map['html'] ?>
    </div>
  </div>
</div>
</div>
</div>
</div>
<script>
  let markerPositionUser; // global new marker
  // klik peta
  function mapClicked(markerOptions) {
    createMarker(markerOptions);
    $("#myPlaceTextBox").val("");
  }
</script>

```

```
}  
  
// buat marker  
function createMarker(markerOptions) {  
    var markerPosition = markerOptions.position;  
  
    if (!markerPositionUser) {  
        markerPositionUser = new  
google.maps.Marker(markerOptions);  
    } else {  
        markerPositionUser.setPosition(markerPosition);  
    }  
    latLngPositionUser = markerPosition;  
    map.panTo(markerPosition);  
    // cari marker terdekat  
    return false;  
}  
</script>
```



4. Dashboard.php

```
<?php echo $map['js']; ?>
<!-- Begin Page Content -->
<div class="container-fluid">

    <!-- Page Heading -->
    <div class="d-sm-flex align-items-center justify-content-between
mb-4">
        <h1 class="h3 mb-0 text-gray-800">Dashboard</h1>
    </div>

    <!-- Content Row -->
    <div class="row">


        <!-- Earnings (Monthly) Card Example -->
        <div class="col-xl-3 col-md-6 mb-4">
            <div class="card border-left-primary shadow h-100 py-2">
                <div class="card-body">
                    <div class="row no-gutters align-items-center">
                        <div class="col mr-2">
                            <div class="text-xs font-weight-bold text-primary
text-uppercase mb-1">Total Bengkel</div>
                            <div class="h5 mb-0 font-weight-bold text-gray-
800"><?= $total_costumer ?></div>
                        </div>
                        <div class="col-auto">
                            <i class="fas fa-calendar fa-2x text-gray-300"></i>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```

<!-- Earnings (Monthly) Card Example -->
<div class="col-xl-3 col-md-6 mb-4">
  <div class="card border-left-success shadow h-100 py-2">
    <div class="card-body">
      <div class="row no-gutters align-items-center">
        <div class="col mr-2">
          <div class="text-xs font-weight-bold text-success
text-uppercase mb-1">Bengkel Basic</div>
          <div class="h5 mb-0 font-weight-bold text-gray-
800"><?= $basic ?></div>
        </div>
        <div class="col-auto">
          <i class="fas fa-tv fa-2x text-gray-300"></i>
        </div>
      </div>
    </div>
  </div>
</div>
<!-- Earnings (Monthly) Card Example -->
<div class="col-xl-3 col-md-6 mb-4">
  <div class="card border-left-info shadow h-100 py-2">
    <div class="card-body">
      <div class="row no-gutters align-items-center">
        <div class="col mr-2">
          <div class="text-xs font-weight-bold text-info text-
uppercase mb-1">Bengkel Medium</div>
          <div class="row no-gutters align-items-center">
            <div class="col-auto">
              <div class="h5 mb-0 mr-3 font-weight-bold
text-gray-800"><?= $medium ?></div>

```



```
</div>  
<div class="col">  
  <div class="progress progress-sm mr-2">  
    <div class="progress-bar bg-info"  
  role="progressbar" style="width: 50%" aria-valuenow="50" aria-  
  valuemin="0" aria-valuemax="100"></div>  
  </div>  
</div>  
</div>  
</div>  
<div class="col-auto">  
  <i class="fas fa-tv fa-2x text-gray-300"></i>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
<!-- Pending Requests Card Example -->  
<div class="col-xl-3 col-md-6 mb-4">  
  <div class="card border-left-warning shadow h-100 py-2">  
    <div class="card-body">  
      <div class="row no-gutters align-items-center">  
        <div class="col mr-2">  
          <div class="text-xs font-weight-bold text-warning  
text-uppercase mb-1">Bengkel Advanced</div>  
          <div class="h5 mb-0 font-weight-bold text-gray-  
800"><?= $advanced ?></div>  
        </div>  
      </div>  
</div>  
<div class="col-auto">  
  <i class="fas fa-tv fa-2x text-gray-300"></i>  
</div>
```

```

        </div>
    </div>
</div>
</div>
</div>

<!-- Content Row -->

<div class="row">

    <!-- Area Chart -->
    <div class="col-xl-8 col-lg-7">
        <div class="card shadow mb-4">
            <!-- Card Header - Dropdown -->
            <div class="card-header py-3 d-flex flex-row align-items-
center justify-content-between">
                <h6 class="m-0 font-weight-bold text-
primary">Persebaran Bengkel</h6>
            </div>
            <!-- Card Body -->
            <div class="card-body">
                <?php echo $map['html'] ?>
            </div>
        </div>
    </div>
</div>
</div>
<div class="col-xl-4 col-lg-5">
    <div class="card shadow mb-4">
        <!-- Card Header - Dropdown -->
        <div class="card-header py-3 d-flex flex-row align-items-
center justify-content-between">

```

```

        <h6 class="m-0 font-weight-bold text-primary">Jenis
        Bengkel</h6>
    </div>
    <!-- Card Body -->
    <div class="card-body">
        <div class="chart-pie pt-4 pb-2">
            <canvas id="myPieChart"></canvas>
        </div>
        <div class="mt-4 text-center small">
            <span class="mr-2">
                <i class="fas fa-circle text-primary"></i> Bengkel
            </span>
            <span class="mr-2">
                <i class="fas fa-circle text-success"></i> Basic
            </span>
            <span class="mr-2">
                <i class="fas fa-circle text-info"></i> Medium
            </span>
            <span class="mr-2">
                <i class="fas fa-circle text-warning"></i> Advanced
            </span>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
<div class="col-xl-7 col-lg-7">
    <div class="card shadow mb-4">
        <!-- Card Header - Dropdown -->
        <div class="card-header py-3 d-flex flex-row align-items-
        center justify-content-between">

```

```
<h6 class="m-0 font-weight-bold text-primary">Log
Aktivitas</h6>
```

```
</div>
```

```
<!-- Card Body -->
```

```
<div class="card-body">
```

```
<div class="card-body table-responsive p-0"
style="height: 300px;">
```

```
<table class="table table-head-fixed text-nowrap">
```

```
<thead>
```

```
<tr>
```

```
<th>Tanggal</th>
```

```
<th>Tipe</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
$i = 0;
```

```
foreach ($get_aktivitas_user as $user) {
```

```
$i++;
```

```
?>
```

```
<tr>
```

```
<td><?= tgl_jam_indo($user->log_time)
```

```
?></td>
```

```
<td class="m-0 font-weight-bold text-
primary"><?= aktivitas($user->log_tipe) ?></td>
```

```
</tr>
```

```
<?php } ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```

</div>
</div>

<div class="col-xl-5 col-lg-5">
  <div class="card shadow mb-4">
    <!-- Card Header - Dropdown -->
    <div class="card-header py-3 d-flex flex-row align-items-
center justify-content-between">
      <h6 class="m-0 font-weight-bold text-primary">Jenis
Bengkel</h6>
    </div>
    <!-- Card Body -->
    <div class="card-body">
      <!-- /.card-header -->
      <div class="card-body table-responsive p-0"
style="height: 300px;">
        <table class="table table-head-fixed text-nowrap"
style="color: darkblue;">
          <thead>
            <tr>
              <th>Nama</th>
              <th>Deskripsi</th>
            </tr>
          </thead>
          <tbody>
            <?php
              $i = 0;
              foreach ($get_jenisBerlangganan as $tv) {
                $i++;
              ?>
            <tr>
              <td><?=$tv->jenis ?></td>

```

```

        <td><?= $tv->deskripsi ?></td>
    </tr>
</tbody>
</table>
</div>
</div>
<!-- Pie Chart -->

</div>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->
<script src="<?= base_url();
?>assets/sb_admin/vendor/chart.js/Chart.min.js"></script>

<!-- Page level custom scripts -->
<script>
// Pie Chart Example
var ctx = document.getElementById("myPieChart");
var myPieChart = new Chart(ctx, {
    type: 'doughnut',
    data: {
        labels: ["Total Bengkel", "Bengkel Basic", "Bengkel
Medium", "Bengkel Advanced"],
        datasets: [{
            data: [
                <?= $total_costumer ?>, <?= $basic ?>, <?=
$medium ?>, <?= $advanced ?>
            ],
        }],
    }
});

```

```

        backgroundColor: ['#4e73df', '#1cc88a', '#36b9cc',
'#f6c23e'],
        hoverBackgroundColor: ['#2e59d9', '#17a673',
'#2c9faf', '#c49929'],
        hoverBorderColor: "rgba(234, 236, 244, 1)",
    }],
    },
    options: {
        maintainAspectRatio: false,
        tooltips: {
            backgroundColor: "rgb(255,255,255)",
            bodyFontColor: "#858796",
            borderColor: '#dddfeb',
            borderWidth: 1,
            xPadding: 15,
            yPadding: 15,
            displayColors: false,
            caretPadding: 10,
        },
        legend: {
            display: false
        },
        cutoutPercentage: 80,
    },
    });
</script>

```

