

LAMPIRAN

Source Code

Penduduk.php

```
<?php
    include("header.php");
?>
<div class="card">
    <h5 class="card-header">Data Penduduk</h5>
    <div class="card-body table-responsive">
        <div class="form-group">
            <div class="float-right">
                <form method="POST" class="form-
inline" action="<?php echo $_SERVER['PHP_SELF']?>">
                    <div class="form-group mx-sm-3 mb-2">
                        <input type="text" class="form-
control" name="kata_kunci" placeholder="Pencarian">
                    </div>
                    <button name="pencarian" type="submit" class="bt
n btn-primary mb-2">Cari</button>
                </form>
            </div>
        </div>
        <table class="table table-hover table-striped">
            <thead class="thead-dark">
                <tr>
                    <th scope="col">No</th>
                    <th scope="col">NIK</th>
                    <th scope="col">Nama</th>
                    <th scope="col">Jenis Kelamin</th>
                    <th scope="col">Agama</th>
                    <th scope="col">Alamat</th>
                    <th scope="col" width="21%">Aksi</th>
                </tr>
            </thead>
            <tbody>
                <?php
                    $page = isset($_GET['page']) ? $_GET['page'] : 1;
                    $limit = 10;
                    $offset = ($page - 1) * $limit;
                    if (isset($_POST['pencarian'])) {
                        $query = mysqli_query($config, "SELECT * FRO
M penduduk");
                        $array = array();
                        while ($row=mysqli_fetch_assoc($query))
```

```

        {
        $array[] = $row;
        }
        $xs = $_POST['kata_kunci'];
        $data = explode(" ", $xs);
        $jumlah_kata = (integer)count($data);
        for ($j=0; $j <count($data); $j++) {
            for ($i=0; $i <=count($array); $i++) {
                }
            }
        }
    }else{
        $query=mysqli_query($config,"select * from p
enduduk");
    }

    $total_data = mysqli_num_rows($query);
    $total_pages = ceil($total_data/$limit);
    $start_number = ($page > $total_pages) ? $page -
$total_pages : 1;
    $end_number = ($page < ($total_pages - $total_pa
ges)) ? $page + $total_pages : $total_pages;

    $nomer=1;
    while ($ambil_data=mysqli_fetch_array($query)){
        ?>
        <tr>
        <th scope="row">
            <?php echo $nomer++; ?>
        </th>
        <td>
            <?php echo $ambil_data['nik']; ?>
        </td>
        <td>
            <?php echo $ambil_data['nama']; ?>
        </td>
        <td>
            <?php echo $ambil_data['jk']; ?>
        </td>
        <td>
            <?php echo $ambil_data['agama']; ?>
        </td>
        <td>
            <?php echo $ambil_data['alamat']; ?>
        </td>
        <td>
            <div class="row">

```

```

        <div class="col">
        <a href="detail_data_pen.php?nik=?php echo
$ambil_data['nik'];?>">
        <i class="icofont-search-2"> Lihat</i>
        </a>
        <a href="edit_data_pen.php?nik=?php echo $a
mbil_data['nik'];?>">
        <i class="icofont-edit-alt"> Edit</i>
        </a>
        <a href="proses_data_pen.php?nik=?php echo
$ambil_data['nik'];?>" onclick="return confirm ('Data akan dihapus?'
)">
        <i class="icofont-ui-delete"> Hapus</i>
        </a>
        </div>
        </div>
        </td>
    </tr>
    <?php
    }
    ?>
</tbody>
</table>
<?php if(!isset($_POST['pencarian'])){ ?>
<div class="float-right">
<nav aria-label="Page navigation example">
<ul class="pagination">
<li class="page-item">
<a class="page-
link" href="<?php echo 'data_penduduk.php?page=1'; ?>">First</a>
</li>
<?php
for($start_number ; $start_number <= $end_nu
mber ; $start_number++){
        echo "<li class='page-
item'><a class='page-
link' href='data_penduduk.php?page=$start_number'>$start_number</a><
/li>";
    }
    ?>
    <li class="page-item ">
    <a class="page-
link" href="<?php echo " data_penduduk.php?page=$total_pages "; ?>">
Last</a>
    </li>
</ul>
</nav>

```



```

        </div>
        <div>
            <a href="tambah_data_pen.php" class="btn btn-
primary">Tambah Data Penduduk</a>
            <a href="laporan_data_pen.php" class="btn btn-
secondary" target="_blank">Cetak Laporan</a>
            <?php } ?>
        </div>
    </div>
</div>
<?php
    include("footer.php");
?>

```

Form_Surat.php

```

<?php
    include("header.php");
?>
    <div class="card" style="margin-bottom:10px;">
    <h5 class="card-header">Form Surat Keterangan Tidak Mampu</h5>
    <div class="card-body">
        <form action="surat_sktm1.php">
            <table>
                <tr><td class="col-sm-
2">No Surat</td><td class="col-sm-
10"><input type="text" id="no_surat" name="no_surat" class="form-
control" required="required" autofocus="autofocus"></td></tr>
                <tr><td class="col-sm-2">NIK</td><td class="col-sm-
10"><input type="text" class="form-
control" onkeyup="isi_otomatis()" id="nik" name="nik"></td></tr>
                <tr><td class="col-sm-2">Nama</td><td class="col-sm-
10"><input type="text" id="nama" name="nama" class="form-
control"></td></tr>
                <tr><td class="col-sm-
2">Jenis Kelamin</td><td class="col-sm-
10"><input type="text" id="jk" name="jk" class="form-
control" ></td></tr>
                <tr><td class="col-sm-2">Alamat</td><td class="col-
sm-10"><input type="text" id="alamat" name="alamat" class="form-
control"></td></tr>
                <tr><td class="col-sm-2">Agama</td><td class="col-
sm-10"><input type="text" id="agama" name="agama" class="form-
control"></td></tr>
                <tr><td class="col-sm-
2">Tempat Lahir</td><td class="col-sm-
10"><input type="text" id="tempat_lhr" name="tempat_lhr" class="form-
-control"></td></tr>
            </table>
        </form>
    </div>
    </div>

```

```

                <tr><td class="col-sm-2">Tgl Tahir</td><td class="col-sm-10"><input type="text" id="tgl_lahir" name="tgl_lahir" class="form-control"></td></tr>
                <tr><td class="col-sm-2">Pendidikan</td><td class="col-sm-10"><input type="text" id="pendidikan" name="pendidikan" class="form-control"></td></tr>
                <tr><td class="col-sm-2">Pekerjaan</td><td class="col-sm-10"><input type="text" id="pekerjaan" name="pekerjaan" class="form-control"></td></tr>
                <tr><td class="col-sm-2">Status</td><td class="col-sm-10"><input type="text" id="status" name="status" class="form-control"></td></tr>
                <tr><td class="col-sm-2">Bangsa</td><td class="col-sm-10"><input type="text" id="bangsa" name="bangsa" class="form-control"></td></tr>
                <tr><td class="col-sm-2">Keperluan</td><td class="col-sm-10"><input type="text" id="keperluan" name="keperluan" class="form-control" required="required"></td></tr>
                <tr><td class="col-sm-2">Tanggal</td><td class="col-sm-10"><input type="text" id="tanggal" name="tanggal" class="form-control" value="<?php echo date('m-d-Y')?>" /></td></tr>
            </table>
            <div class="form-group row">
                <div class="col" align="right">
                    <button type="submit" class="btn btn-primary" target="_blank">Cetak</button>
                    <a href="surat.php"><button type="button" class="btn btn-outline-secondary">Batal</button></a>
                </div>
            </div>
        </form>
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>
        <script type="text/javascript">
            function isi_otomatis(){
                var nik = $("#nik").val();
                $.ajax({
                    url: 'ajax.php',
                    data:"nik="+nik ,
                }).success(function (data) {
                    var json = data,
                    obj = JSON.parse(json);
                    $('#nama').val(obj.nama);
                });
            }
        </script>
    </body>
</html>

```

```
$('#jk').val(obj.jk);
$('#alamat').val(obj.alamat);
$('#agama').val(obj.agama);
$('#tempat_lhr').val(obj.tempat_lhr);
$('#tgl_lahir').val(obj.tgl_lahir);
$('#pendidikan').val(obj.pendidikan);
$('#pekerjaan').val(obj.pekerjaan);
$('#status').val(obj.status);
$('#bangsa').val(obj.bangsa);

});
}
</script>
</body>
</html>
<!-- <?php
    include("footer.php");
?> -->
```

