



LAMPIRAN

1. Index.php

```
<?php
ob_start();
session_start();
include('../data/koneksi.php');
// cek apakah yang mengakses halaman ini sudah login
if($_SESSION['uid']== "")
{
    header("location:login.html");
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Monitoring Suhu Badan | Dashboard</title>

    <!-- Google Font: Source Sans Pro -->
    <link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700&display=fallback">
    <!-- Font Awesome Icons -->
    <link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
    <!-- DataTables -->
    <link rel="stylesheet" href="plugins/datatables-bs4/css/dataTables.bootstrap4.min.css">
    <link rel="stylesheet" href="plugins/datatables-responsive/css/responsive.bootstrap4.min.css">
    <link rel="stylesheet" href="plugins/datatables-buttons/css/buttons.bootstrap4.min.css">
    <!-- overlayScrollbars -->
    <link rel="stylesheet"
href="plugins/overlayScrollbars/css/OverlayScrollbars.min.css">
    <!-- Theme style -->
    <link rel="stylesheet" href="dist/css/adminlte.min.css">
</head>
```


```

<body class="hold-transition sidebar-mini layout-fixed layout-navbar-fixed
layout-footer-fixed ">
<div class="wrapper">
  <!-- Navbar -->
  <nav class="main-header navbar navbar-expand navbar-lime navbar-
light">
    <!-- Left navbar links -->
    <ul class="navbar-nav">
      <li class="nav-item">
        <a class="nav-link" data-widget="pushmenu" href="#"
role="button"><i class="fas fa-bars"></i></a>
      </li>
      <li class="nav-item">
        <a class="nav-link">Dashboard</a>
      </li>
    </ul>
  </nav>
  <!-- /.navbar -->

  <!-- Main Sidebar Container -->
  <aside class="main-sidebar sidebar-light-lime elevation-4" >
    <!-- Brand Logo -->
    <a href="#" class="brand-link">
      <h5 >Monitoring Suhu Badan</h5>
    </a>

    <!-- Sidebar -->
    <div class="sidebar">
      <!-- Sidebar user panel (optional) -->
      <div class="user-panel mt-3 pb-3 mb-3 d-flex">
        <div class="image">
          
        </div>
        <div class="info">
          <a href="#" class="d-block"><?=$_SESSION['name']?></a>

```




```

</div>
</div>

<!-- Sidebar Menu -->
<nav class="mt-2">
  <ul class="nav nav-pills nav-sidebar flex-column" data-
widget="treeview" role="menu" data-accordion="false">
    <!-- Add icons to the links using the .nav-icon class
with font-awesome or any other icon font library -->
    <li class="nav-item menu-open">
      <a href="#" class="nav-link active">
        <i class="nav-icon fas fa-tachometer-alt"></i>
        <p>
          Dashboard
        </p>
      </a>
    </li>
    <li class="nav-item">
      <a href="logout.php" class="nav-link">
        <i class="nav-icon fas fa-power-off"></i>
        <p>
          Log Out
        </p>
      </a>
    </li>
  </ul>
</nav>
<!-- /.sidebar-menu -->
</div>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <div class="content-header">
    <div class="container-fluid">
      <div class="row mb-2">
        <div class="col-sm-6">

```



```

        </div><!-- /.col -->
    </div><!-- /.row -->
</div><!-- /.container-fluid -->
</div>
<!-- /.content-header -->


<!-- Main content -->
<section class="content">
    <div class="container-fluid">
        <!-- Info boxes -->
        <div class="row">
            <!-- /.col -->
            <div class="col-12 col-sm-6 col-md-4">
                <div class="info-box mb-3">
                    <span class="info-box-icon bg-warning elevation-1"><i
class="fas fa-thermometer-half"></i></span>
                    <div class="info-box-content">
                        <span class="info-box-text">Suhu</span>
                        <div id="suhuValue"></div>
                    </div>
                    <!-- /.info-box-content -->
                </div>
                <!-- /.info-box -->
            </div>
            <!-- /.col -->

            <!-- fix for small devices only -->
            <div class="clearfix hidden-md-up"></div>

            <div class="col-12 col-sm-6 col-md-4">
                <div class="info-box mb-3">
                    <span class="info-box-icon bg-navy elevation-1"><i
class="fas fa-water"></i></span>

                    <div class="info-box-content">
                        <span class="info-box-text">Status</span>
                        <div id="statusValue"></div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```




```

        <!-- /.info-box-content -->
    </div>
    <!-- /.info-box -->
</div>
<!-- /.col -->
<div class="col-12 col-sm-6 col-md-4">
    <div class="info-box mb-3">
        <span class="info-box-icon bg-success elevation-1"><i
class="fas fa-clock"></i></span>

        <div class="info-box-content">
            <span class="info-box-text">Last Checked</span>
            <div id="dateValue"></div>
        </div>
    <!-- /.info-box-content -->
</div>
<!-- /.info-box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->

<!-- Main row -->
<div class="row">
    <div class="col-md-12">
        <div class="card">
            <div class="card-header">
                <h3 class="card-title">Rekap Suhu Badan</h3>
            </div>
            <!-- /.card-header -->
            <div class="card-body">
                <?php
                    $sql = mysqli_query($sambung, "SELECT * FROM
tb_datasuhu WHERE uid_card= ''.$_SESSION['uid'].'' ORDER BY id");
                    ?>
                <table id="example1" class="table table-bordered table-
striped">

```



```

<thead>
<tr>
  <th>No.</th>
  <th>Suhu</th>
  <th>Status</th>
  <th>Date</th>
  <th>Time</th>
</tr>
</thead>
<tbody>
  <?php
  $no = 1;
  while($row = mysqli_fetch_array($sql))
  {
  ?>
  <tr>
    <td><?= $no;?></td>
    <td><?= $row['suhu'];?></td>
    <td><?= $row['status'];?></td>
    <td><?= $row['date_at'];?></td>
    <td><?= $row['time_at'];?></td>
  </tr>
  <?php
  $no++;
  }
  ?>
</tbody>
</table>
</div>
<!-- /.card-body -->
</div>
<!-- /.card -->
</div>

```

```

</div>
<!-- /.row -->

```

```

        </div><!-- /.container-fluid -->
    </section>
    <!-- /.content -->
</div>
<!-- /.content-wrapper -->

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Control sidebar content goes here -->
</aside>
<!-- /.control-sidebar -->

<!-- Main Footer -->
<footer class="main-footer">
    <strong>Copyright &copy; 2021 <a href="">Monitoring-Suhu-
Badan.com</a>.</strong>
    All rights reserved.
    <div class="float-right d-none d-sm-inline-block">
        <b>Version</b> 1.0.0
    </div>
</footer>
</div>
<!-- /.wrapper -->

<!-- REQUIRED SCRIPTS -->
<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- overlayScrollbars -->
<script
src="plugins/overlayScrollbars/js/jquery.overlayScrollbars.min.js"></script
>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.js"></script>

<!-- PAGE PLUGINS -->
<!-- jQuery Mapael -->
<script src="plugins/jquery-mousewheel/jquery.mousewheel.js"></script>

```



```

<script src="plugins/raphael/raphael.min.js"></script>
<script src="plugins/jquery-mapael/jquery.mapael.min.js"></script>
<script src="plugins/jquery-mapael/maps/usa_states.min.js"></script>
<!-- DataTables & Plugins -->
<script src="plugins/datatables/jquery.dataTables.min.js"></script>
<script src="plugins/datatables-
bs4/js/dataTables.bootstrap4.min.js"></script>
<script src="plugins/datatables-
responsive/js/dataTables.responsive.min.js"></script>
<script src="plugins/datatables-
responsive/js/responsive.bootstrap4.min.js"></script>
<script src="plugins/datatables-
buttons/js/dataTables.buttons.min.js"></script>
<script src="plugins/datatables-
buttons/js/buttons.bootstrap4.min.js"></script>
<script src="plugins/jszip/jszip.min.js"></script>
<script src="plugins/pdfmake/pdfmake.min.js"></script>
<script src="plugins/pdfmake/vfs_fonts.js"></script>
<script src="plugins/datatables-buttons/js/buttons.html5.min.js"></script>
<script src="plugins/datatables-buttons/js/buttons.print.min.js"></script>
<script src="plugins/datatables-buttons/js/buttons.colVis.min.js"></script>
<!-- ChartJS -->
<script src="plugins/chart.js/Chart.min.js"></script>

<!-- AdminLTE for demo purposes -->
<script src="dist/js/demo.js"></script>
<!-- AdminLTE dashboard demo (This is only for demo purposes) -->
<script src="dist/js/pages/dashboard2.js"></script>
<script type="text/javascript">
    var get_suhuValue = setInterval(function ()
    {
        $('#suhuValue').load('suhuValue.php').fadeIn("slow");
    },
    1000);
    var get_statusValue = setInterval(function ()
    {
        $('#statusValue').load('statusValue.php').fadeIn("slow");
    },
    1000);

```

```

var get_dateValue = setInterval(function ()
{
    $('#dateValue').load('dateValue.php').fadeIn("slow");
},
1000);
</script>
<script>
$(function () {
    $('#example1').DataTable({
        "responsive": true, "lengthChange": false, "autoWidth": false,
        "buttons": ["copy", "csv", "excel", "pdf", "print", "colvis"]
    }).buttons().container().appendTo('#example1_wrapper .col-md-6:eq(0)');
});
</script>
</body>
</html>

```



2. Login.php

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Monitoring Suhu Badan | Log in</title>

    <!-- Google Font: Source Sans Pro -->
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700" rel="stylesheet"

```

```

0&display=fallback">
  <!-- Font Awesome -->
  <link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
  <!-- icheck bootstrap -->
  <link rel="stylesheet" href="plugins/icheck-bootstrap/icheck-bootstrap.min.css">
  <!-- Theme style -->
  <link rel="stylesheet" href="dist/css/adminlte.min.css">
</head>
<body class="hold-transition login-page" style="background-image:
url(dist/img/photo2.png); background-size: cover; background-blend-mode:
luminosity;">
<div class="login-box">
  <div class="login-logo">
    
  </div>
  <!-- /.login-logo -->
  <div class="card">
    <div class="card-body login-card-body">
      <p class="login-box-msg">Welcome<br>Please Log In or Register</p>

      <form action="akses.php" method="post">
        <div class="input-group mb-3">
          <input type="text" class="form-control" placeholder="Username"
name="username">
          <div class="input-group-append">
            <div class="input-group-text">
              <span class="fas fa-user"></span>


```



```

        </div>
    </div>
</div>
<div class="input-group mb-3">
    <input type="password" class="form-control"
placeholder="Password" name="pass">
    <div class="input-group-append">
        <div class="input-group-text">
            <span class="fas fa-lock"></span>
        </div>
    </div>
</div>
</div>
<div class="row">
<!-- /.col -->
<div class="col-12">
    <button type="submit" class="btn btn-primary btn-block"
name="submit">Log In</button>
</div>
<!-- /.col -->
</div>
</form>

```



```

<!-- /.social-auth-links -->

```

```

</div>

```

```

<!-- /.login-card-body -->

```

```

    </div>
</div>
<!-- /.login-box -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>

<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>
</body>
</html>

```

3. Logout.php

```

<?php
ob_start();
include '../data/koneksi.php';
session_start();

session_destroy();

header("location: login.html");
?>

```

