

DAFTAR PUSTAKA

- Alfian, R. (2015). Korelasi Antara Kepatuhan Minum Obat dengan Kadar Gula Darah pada Pasien Diabetes Melitus. *alfian Riza*, 2(2), 15–23. <https://ppjp.ulm.ac.id/journal/index.php/pharmascience/article/view/5818/4874>
- Almira, N. (2019). Faktor-faktor yang Berhubungan dengan Perilaku Kepatuhan Minum Obat Anti Diabetes pada Penderita *Diabetes mellitus* Tipe 2 di Puskesmas Teluk Dalam Banjarmasin. *Jurnal Ilmu Kesehatan Universitas Lambung Amangkurat*, 2(1), 1–12.
- Aprilia, and N., & Rachmah. (2022). Prinsip Tujuh Benar Pemberian Obat : Suatu Studi Kasus. *JIM FKep, I*, 1–8.
- Ariana, R. (2019). Kepatuhan Kontrol Dengan Tingkat Kadar Gula Darah Pasien *Diabetes mellitus* Di Rumah Sakit Baptis Kediri. *Jurnal Stikes*, 5(2), 213–222.
- Aydin, H., Deyneli, O., Yavuz, D., Tarçin, Ö., & Akalin, S. (2005). Does the frequency of the self-monitoring of blood glucose influence glycemic control in type 2 diabetic patients? *Marmara Medical Journal*, 18(1), 13 – 16. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-33846828564&partnerID=40&md5=9f3ae0f24bd586e47ba7c1dc38df5682>
- Ayobami, A., & Abidemi, F. (2018). A GENDER PERSPECTIVE TO DRUG THERAPY NON-COMPLIANCE AMONG DIABETIC PATIENTS. *International Journal of Social Sciences and Humanities Review*, 8. <https://consensus.app/papers/a-gender-perspective-to-drug-therapy-noncompliance-among-ayobami-abidemi/5cabf2a1ca075bf8bda0e45a0f223b90/>
- Baedlawi, A., Hardika, R., & Hustra, T. D. (2023). Kepatuhan Pasien Diabetes Melitus dalam Menjalani Pengobatan: Determinan Faktor yang Berhubungan. *ASJN (Aisyiyah Surakarta Journal of Nursing)*, 4(1), 7–14. <https://doi.org/10.30787/asjn.v4i1.1026>
- Barua, S., Wierzechowska-mcnew, R. A., Deutz, N. E. P., & Sabharwal, A. (2022). Discordance between postprandial plasma glucose measurement and continuous glucose monitoring. *The American Journal of Clinical Nutrition*, 116(4), 1059–1069. <https://doi.org/10.1093/ajcn/nqac181>
- Boyoh, M. E., Kaawoan, A., & Bidjuni, H. (2015). Hubungan Pengetahuan Dengan Kepatuhan Minum Obat Pada Pasien Diabetes Melitus Tipe 2 Di Poliklinik Endokrin Rumah Sakit Prof. Dr. R. D. Kandou Manado. *Jurnal Keperawatan UNSRAT*, 3(3), 1–6.
- Cui, J. (2005). Association of educational level and behavior of medical compliance with the level of blood glucose in diabetic patients. *Chinese Journal of Clinical Rehabilitation*, 9(36), 44 – 45. <https://www.scopus.com/inward/record.uri?eid=2-s2.0->

- 31544454152&partnerID=40&md5=55f9194a40d7f098120c01691f018bdf
- Elhassan, A., Abreu, M., Tumyan, A., Papacostea, O., Peicher, K., Dimachkie, P., Siddiqui, M., Adams-Huet, B., Li, X., Pop, L., & Lingvay, I. (2018). Medication Compliance on Glycemic Control in Patients with Elevated HbA1c. *Diabetes*. <https://doi.org/10.2337/DB18-1077-P>
- Eli, I., & Soraya, A. (2022). Pengaruh Kepatuhan Minum Obat Terhadap Keseimbangan Kadar Gula Darah Pasien Diabetes Melitus Tipe 2 di Puskesmas Kecamatan Cipayung. *Jurnal Pendidikan dan Konseling*, 4(4), 657. <https://core.ac.uk/download/pdf/322599509.pdf>
- Enricho Nkhoma, D., Jenya Soko, C., Joseph Banda, K., Greenfield, D., Li, Y. C., & Iqbal, U. (2021). Impact of DSMES app interventions on medication adherence in type 2 *diabetes mellitus*: Systematic review and meta-analysis. *BMJ Health and Care Informatics*, 28(1), 1–9. <https://doi.org/10.1136/bmjhci-2020-100291>
- Fitriyani. (2012). Universitas Indonesia Faktor Risiko Diabetes Melitus Tipe 2 Di Puskesmas Kecamatan Citangkil Dan Puskesmas Kecamatan Pulo Merak , Kota Cilegon Universitas Indonesia Faktor Risiko Diabetes Melitus Tipe 2 Di Puskesmas Kecamatan Pulo Merak ,. *Faktor Resiko Diabetes Melitus TIPE 2 DI Puskesmas*, 1–102.
- Garay-Sevilla, M., Nava, L., Malacara, J., Huerta, R., León, J., Mena, A., & Fajardo, M. (1995). Adherence to treatment and social support in patients with non-insulin dependent *diabetes mellitus*. *Journal of diabetes and its complications*, 9 2, 81–86. [https://doi.org/10.1016/1056-8727\(94\)00021-F](https://doi.org/10.1016/1056-8727(94)00021-F)
- Hackett, R. A., Kivimäki, M., Kumari, M., & Steptoe, A. (2016). Diurnal cortisol patterns, future diabetes, and impaired glucose metabolism in the whitehall II cohort study. *Journal of Clinical Endocrinology and Metabolism*, 101(2), 619–625. <https://doi.org/10.1210/jc.2015-2853>
- Hirsch, J. D., Kong, N., Nguyen, K. T., Cadiz, C. L., Zhou, C., Bajorek, S. A., Bounthavong, M., & Morello, C. M. (2021). Improved patient-reported medication adherence, patient satisfaction, and glycemic control in a collaborative care pharmacist-led diabetes “tune-up” clinic. *International Journal of Environmental Research and Public Health*, 18(17). <https://doi.org/10.3390/ijerph18179242>
- Horii, T., Momo, K., Yasu, T., Kabeya, Y., & Atsuda, K. (2019). Determination of factors affecting medication adherence in type 2 *diabetes mellitus* patients using a nationwide claim-based database in Japan. *PLoS ONE*, 14. <https://doi.org/10.1371/journal.pone.0223431>
- Hu, X.-R., Li, X.-Y., Xu, J., & Wu, Q.-Q. (2021). Effect of empowerment education model on patients with poor blood glucose control in *diabetes mellitus*. *Chinese Journal of General Practice*, 19(8), 1339 – 1342. <https://doi.org/10.16766/j.cnki.issn.1674-4152.002055>
- Huang, Y.-M., Shiyanbola, O. O., & Chan, H.-Y. (2018). A path model linking

- health literacy, medication self-efficacy, medication adherence, and glycemic control. *Patient Education and Counseling*, 101(11), 1906 – 1913. <https://doi.org/10.1016/j.pec.2018.06.010>
- IDF. (2022). *Annual Report*. www.moh.gov.my
- Jarvis, P. R. E., Cardin, J. L., Nisevich-Bede, P. M., & McCarter, J. P. (2023). Continuous glucose monitoring in a healthy population: understanding the post-prandial glycemic response in individuals without *diabetes mellitus*. *Metabolism: Clinical and Experimental*, 146(June), 155640. <https://doi.org/10.1016/j.metabol.2023.155640>
- Jasmine, N. S., Wahyuningsih, S., & Thadeus, M. S. (2020). Analisis Faktor Tingkat Kepatuhan Minum Obat Pasien Diabetes Melitus di Puskesmas Pancoran Mas Periode Maret – April 2019. *Jurnal Kedokteran UPN*, 8(April), 61–66.
- Julaiha, S. (2019). Analisis Faktor Kepatuhan Berobat Berdasarkan Skor MMAS-8 pada Pasien *Diabetes mellitus* Tipe 2. *Jurnal Kesehatan*, 10(2), 203. <https://doi.org/10.26630/jk.v10i2.1267>
- Kanwal, S., Haris Zaman, M., & Irfan, A. (2018). Relation between duration of healing of diabetic carbuncle to WBC count and blood sugar level at time of presentation in surgical emergency of Mayo Hospital, Lahore. *Pakistan Journal of Medical and Health Sciences*, 12(2), 853 – 854. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85053211239&partnerID=40&md5=c8ae6cd81100becb36e49942c215aa90>
- Kasteleyn, M. J., de Vries, L., van Puffelen, A. L., Schellevis, F. G., Rijken, M., Vos, R. C., Rutten, G. E. H. M., Gorter, K. J., Heijmans, M. J. W. M., van der Heijden, A. A. W. A., Baan, C. A., & Nijpels, G. (2015). Diabetes-related distress over the course of illness: Results from the Diacourse study. *Diabetic Medicine*, 32(12), 1617 – 1624. <https://doi.org/10.1111/dme.12743>
- Khamseh, M. E., Ansari, M., Malek, M., Shafiee, G., & Baradaran, H. (2011). Effects of a structured self-monitoring of blood glucose method on patient self-management behavior and metabolic outcomes in type 2 *diabetes mellitus*. *Journal of Diabetes Science and Technology*, 5(2), 388 – 393. <https://doi.org/10.1177/193229681100500228>
- Kjellsson, M. C. (2023). *Evaluation of postprandial total triglycerides within the TIGG model for characterizing postprandial response of glucose , insulin , and GLP- . August*, 1529–1540. <https://doi.org/10.1002/psp4.13030>
- Knowler, W. C., Barrett-Connor, E., Fowler, S. E., Hamman, R. F., Lachin, J. M., Walker, E. A., & Nathan, D. M. (2002). Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *New England Journal of Medicine*, 346(6), 393 – 403. <https://doi.org/10.1056/NEJMoa012512>
- Larger, É. (2018). The glucose load: Memories of the past years in diabetic lives; [Charge glycémique : la mémoire du passé des diabétiques]. *Medecine des Maladies Metaboliques*, 12(8), 683 – 688. <https://doi.org/10.1016/S1957->

2557(18)30179-2

- Luo, M., Liang, X., & Lyu, P. (2020). Effect Evaluation of Intensive Blood Glucose Monitoring by Family Doctors on Blood Glucose Control in Type 2 Diabetes mellitus; [家庭医生强化血糖监测对2型糖尿病患者血糖控制的效果评估]. *Chinese General Practice*, 23(9), 1181 – 1184. <https://doi.org/10.12114/j.issn.1007-9572.2019.00.796>
- Made, I. A. (2021). Pedoman Pemantauan Glukosa Darah Mandiri. *PB Perkeni*, 49.
- Madsbad, S. (2015). Impact of postprandial glucose control on diabetes-related complications: how is the evidence evolving? *Journal of Diabetes and Its Complications*. <https://doi.org/10.1016/j.jdiacomp.2015.09.019>
- Maguolo, A., Mazzuca, G., Smart, C. E., & Maffei, C. (2023). Postprandial glucose metabolism in children and adolescents with type 1 diabetes mellitus: potential targets for improvement. *March*. <https://doi.org/10.1038/s41430-023-01359-8>
- Martinez-Perez, P., Orozco-Beltrán, D., Pomares-Gomez, F., Hernández-Rizo, J. L., Borrás-Gallén, A., Gil-Guillén, V. F., Quesada, J. A., Lopez-Pineda, A., & Carratala-Munuera, C. (2021). Validation and psychometric properties of the 8-item Morisky Medication Adherence Scale (MMAS-8) in type 2 diabetes patients in Spain. *Atencion Primaria*, 53(2), 101942. <https://doi.org/10.1016/j.aprim.2020.09.007>
- Masruroh, N. L., Pangastuti, A. F., Melizza, N., & Kurnia, A. D. (2021). Level of knowledge and family support toward medication adherence among patient with diabetes mellitus in malang, indonesia. *Indian Journal of Forensic Medicine and Toxicology*, 15(1), 1406 – 1413. <https://doi.org/10.37506/ijfmt.v15i1.13610>
- Meece, J. (2014). Improving medication adherence among patients with type 2 diabetes. *Journal of Pharmacy Practice*, 27(2), 187–194. <https://doi.org/10.1177/0897190013513803>
- Nazriati, E., Pratiwi, D., & Restuastuti, T. (2018). Pengetahuan pasien diabetes melitus tipe 2 dan hubungannya dengan kepatuhan minum obat di Puskesmas Mandau Kabupaten Bengkalis. *Majalah Kedokteran Andalas*, 41(2), 59. <https://doi.org/10.25077/mka.v41.i2.p59-68.2018>
- Ningrum, D. K. (2020). HIGEIA JOURNAL OF PUBLIC HEALTH. *Higea Journal of Public Health Reserch Development*, 4(Special 3), 492–505.
- Oliveira, H. C., Hayashi, D., Carvalho, S. D. L., Barros, R. de C. L. de, Neves, M. L. dos S., Andrechuk, C. R. S., Alexandre, N. M. C., Ribeiro, P. A. B., & Rodrigues, R. C. M. (2023). Quality of measurement properties of medication adherence instruments in cardiovascular diseases and type 2 diabetes mellitus: a systematic review and meta-analysis. *Systematic*

- Reviews*, 12(1). <https://doi.org/10.1186/s13643-023-02340-z>
- Park, C., Pagnini, F., Reece, A., Phillips, D., & Langer, E. (2016). Blood sugar level follows perceived time rather than actual time in people with type 2 diabetes. *Proceedings of the National Academy of Sciences of the United States of America*, 113(29), 8168 – 8170. <https://doi.org/10.1073/pnas.1603444113>
- Ratnasari, P. M. D., Andayani, T. M., & Endarti, D. (2019). Analisis Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Berdasarkan Pola Peresepan Antidiabetik dan Komplikasi. *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, 9(4), 260. <https://doi.org/10.22146/jmpf.45862>
- Rismawan, M., Handayani, N. M. T., & Rahayuni, I. G. A. R. (2023). Hubungan Kepatuhan Minum Obat Terhadap Kadar Gula Darah Sewaktu Pada Penderita *Diabetes mellitus* Tipe 2. *Jurnal Riset Media Keperawatan*, 6(1), 23–30. <https://doi.org/10.51851/jrmk.v6i1.373>
- Scarton, L., Nelson, T.-N., Yao, Y., DeVaughan-Circles, A., Legaspi, A., Donahoo, W., Segal, R., Goins, R., Manson, S., & Wilkie, D. (2023). Association of Medication Adherence With HbA1c Control Among American Indian Adults With Type 2 Diabetes Using Tribal Health Services. *Diabetes care*. <https://doi.org/10.2337/dc22-1885>
- Setoodeh, A., Mostafavi, F., & Hedayat, T. (2012). Glycemic control in iranian children with type 1 *diabetes mellitus*: Effect of gender. *Indian Journal of Pediatrics*, 79(7), 896 – 900. <https://doi.org/10.1007/s12098-011-0613-8>
- Setoodeh, A., Mostafavi, F., Rabbani, A., & Hedayat, T. (2011). Female sex as a risk factor for glycemic control and complications in Iranian patients with type one *diabetes mellitus*. *Iranian Journal of Pediatrics*, 21(3), 373 – 378. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-80052881512&partnerID=40&md5=bc658d23580950f0a00b72a7a622da57>
- Shiomi, M., Takada, T., Otori, K., & Shibuya, K. (2024). Frequency of missed doses and its effects on the regulation of glucose levels in patients with type 2 diabetes: A retrospective analysis. *Medicine (United States)*, 103(15), E37711. <https://doi.org/10.1097/MD.00000000000037711>
- Soraya, I. A., Sauriasari, R., Prawiroharjo, P., & Risni, H. (2022). The Association between Adherence to Oral Antihyperglycemic Agent and HbA1c Level. *Pharmaceutical Sciences and Research*. <https://doi.org/10.7454/psr.v9i2.1260>
- Srichompoo, C., Potarin, W., Noo-In, S., Phuwilert, P., & Khiewkhern, S. (2022). The Clinical and Biochemical Parameter Data: Effect of High Blood Glucose on Diabetic Nephropathy among Non-Insulin-Dependent *Diabetes mellitus* (NIDDM), Thailand. *Studies in Health Technology and Informatics*, 289, 53 – 56. <https://doi.org/10.3233/SHTI210857>
- Srikartika, V. M., Cahya, A. D., Suci, R., Hardiati, W., & Srikartika, V. M.

- (2016). Analisis Faktor Yang Memengaruhi Kepatuhan Penggunaan Obat Pasien Diabetes Melitus Tipe 2. *Jurnal Manajemen dan Pelayanan Farmasi*, 6(3), 205–212.
- Su, L.-Z., Zhu, H.-D., Zhao, L.-B., Wang, Q.-Q., Chen, Y.-H., Lu, L., Chen, Q.-D., Zhao, H.-Y., Wang, A.-D., Zhou, Y.-X., & Ning, G. (2004). Effect of education level on blood glucose control in patients with diabetes. *Chinese Journal of Clinical Rehabilitation*, 8(6), 1006 – 1007. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-2442545327&partnerID=40&md5=02d69e4ee69bc18da0b5a41563b4bad9>
- Sucipto, A. (2017). Efektivitas Konseling DM dalam Meningkatkan Kepatuhan dan Pengendalian Gula Darah pada Diabetes Melitus Tipe 2. *Efektivitas Konseling DM dalam Meningkatkan Kepatuhan dan Pengendalian Gula Darah pada Diabetes Melitus Tipe 2*, 10–18. <http://repository.umy.ac.id/bitstream/handle/123456789/1246/PNLT1875.pdf?sequence=1&isAllowed=y>
- Tombakan, V., Rattu, A. J. M., & Tilaar, C. R. et al. (2020). Faktor-faktor yang Berhubungan dengan Kepatuhan Berobat Pasien Diabetes Melitus pada Praktek Dokter Keluarga di Kota Tomohon. *Jurnal Kesehatan Masyarakat UNSRAT*, 5(2), 260–269.
- Vlachos, D., Malisova, S., Lindberg, F. A., & Karaniki, G. (2020). Dietary Interventions for Optimizing Postprandial Hypearglycemia in Patients with T2 Diabetes : A Review. *Nutrients*, 12(1561), 1–13.
- Wahyudi, J. T. (2024). Self-Care Management of Type II *Diabetes mellitus* Patients at Siti Fatimah Az-Zahra Hospital, South Sumatra Province. *Masker Medika*. <https://doi.org/10.52523/maskermedika.v12i1.627>
- Wakui, N., Ozawa, M., Yanagiya, T., Endo, S., Togawa, C., Matsuoka, R., Shirozu, S., Machida, Y., & Kikuchi, M. (2022). Factors Associated With Medication Compliance in Elderly Patients With Type 2 *Diabetes mellitus*: A Cross-Sectional Study. *Frontiers in Public Health*, 9. <https://doi.org/10.3389/fpubh.2021.771593>
- Wang, S., Zhang, X., Zhang, Q., Zhang, B., & Zhao, L. (2023). Is non-alcoholic fatty liver disease a sign of left ventricular diastolic dysfunction in patients with type 2 *diabetes mellitus*? A systematic review and meta-analysis. *BMJ Open Diabetes Research and Care*, 11(1), 1–9. <https://doi.org/10.1136/bmjdr-2022-003198>
- Yang, G.-R., Yuan, S.-Y., Fu, H.-J., Wan, G., Zhu, L.-X., Yuan, M.-X., Lv, Y.-J., Zhang, J.-D., Du, X.-P., Li, Y.-L., Ji, Y., Zhou, L., & Li, Y. (2015). Influence of educational attainments on long term glucose control and morbid events in patients with type 2 diabetes receiving integrated care from 15 China urban communities: The Beijing Community Diabetes Study 11. *Primary Care Diabetes*, 9(6), 473 – 481. <https://doi.org/10.1016/j.pcd.2015.03.005>