

DAFTAR PUSTAKA

- [1] R. I. Setiawan and S. Ramadhani, "Pengaplikasian Material Aluminium Composite Panel pada Perancangan Apartemen dan Soho di Kota Surabaya," *J. Lingkung. Karya Arsit.*, vol. 2, no. 2, pp. 67–73, 2023, doi: 10.37477/lkr.v2i2.464.
- [2] M. N. A. Putra, N. A. Zahrani, T. A. Zahra, B. C. Bella, A. G. Hariyadi, D. S. Fadhila, S. A. Al Abiyyu, R. R. K. Firdausi, M. N. Justicio, A. K. Albar, and P. Firmansyah, "Sampah Plastik sebagai Ancaman terhadap Lingkungan," *Aktivisme: Jurnal Ilmu Pendidikan, Politik dan Sosial Indonesia*, vol. 2, no. 1, pp. 154–165, 2025, doi: 10.62383/aktivisme.v2i1.725.
- [3] S. Saha, "A Comprehensive Review of Aluminium Composite Panels : Current Research , Challenges , and Future Research Direction," vol. 9, no. Figure 1, 2025, doi: 10.3390/jcs9070319.
- [4] S. D. P. Pamungkas, T. D. Belinda, and P. M. I. Ramadhani, "Transparansi Informasi Kebijakan Pengelolaan Limbah Industri Guna Mewujudkan Ekonomi Hijau Menuju Indonesia Emas 2045," *J. Pemerintah. dan Kebijak.*, vol. 6, no. 2, pp. 68–82, 2025, doi: 10.18196/jpk.v6i2.22223.
- [5] R. P. Astutik, P. D. Septian, I. N. Andini, N. I. Fitriya, and D. O. Radianto, "Pengembangan Teknologi Ramah Lingkungan Untuk Pengolahan Limbah Padat Menuju Produksi Bebas Limbah," *Venus J. Publ. Rumpun Ilmu Tek.*, vol. 2, no. 2, pp. 83–96, 2024, doi: 10.61132/venus.V2i2.250.
- [6] S. Bahri, "Pemanfaatan Limbah Serbuk Besi Sebagai Agregat Halus Pada Campuran Aspal Panas," *Inersia, J. Tek. Sipil*, vol. 9, no. 2, pp. 39–46, 2019, doi: 10.33369/ijts.9.2.39-46.
- [7] N. Utomo, I. Wahjudijanto, and F. S. R. Yasin, "Penggunaan Limbah Serbuk Besi Sebagai Material Pengisi (Filler) Pada Campuran Struktur Perkerasan Jalan Kolektor Ponco – Jatirogo (Sta.130+200 – Sta.138+700)," *J. Envirotek*, vol. 12, no. 2, pp. 64–74, 2020, doi: 10.33005/envirotek.v12i2.78.

- [8] Tiwan, "Kemampuan Mahasiswa Dalam Memilih Material Pada," *J. Pendidik. Teknol. dan Kejuru.*, vol. 22, no. 1, pp. 99–107, 2014.
- [9] G. Nugroho and M. S. R. R. Wantogia, "Proses Fabrikasi dan Sifat Mekanik Komposit Polimer dengan Metode Bladder Compression Moulding," *J. Mech. Des. Test.*, vol. 1, no. 2, p. 95, 2019, doi: 10.22146/jmdt.53047.
- [10] J. Fajrin, M. Eniarti, P. Pathurahman, A. Akmaluddin, and D. Murdiman, "Kuat Tarik Dan Lentur Komposit Epoksi/Serat Bambu Yang Dibuat Dengan Metode Hot-Press," *Pros. SAINTEK*, vol. 7, pp. 194–201, 2025, doi: 10.29303/saintek.v7i1.3440.
- [11] F. Pierron, "Material Testing 2.0: A brief review," vol. 59, pp. 1–20, 2023, doi: 10.1111/str.12434.
- [12] I. Randi Siregar, M. Fa'iz Alfatih, and S. Alimi, "Eksperimen Uji Kekuatan Tarik Komposit Dengan Resin Epoxy Dan Penguat Serat Kulit Singkong Menggunakan Metode Hand Lay Up," *Tek. STTKD J. Tek. Elektron. Engine*, vol. 8, no. 2, pp. 220–226, 2022, doi: 10.56521/teknika.v8i2.610.
- [13] S. Syafii, "Uji Kekerasan (Hardness Test) Kayulapis Jenis Floorbase dengan Tiga Komposisi Finir dari Jenis Kayu Berbeda: Hardness Test of Floorbase Type Plywood with Three Finir Compositions from Different Wood Species," *Bul. Loupe*, vol. 18, no. 02, pp. 169–175, 2022, doi: 1051967/buletinloupe.v18i02.1817.
- [14] A. Paktiawal and M. Alam, "An experimental study on effect of aluminum composite panel waste on performance of cement concrete," *Ain Shams Eng. J.*, vol. 12, no. 1, pp. 83–98, 2021, doi: 10.1016/j.asej.2020.07.024.
- [15] Y. K. J. Randa, F. Phengkarsa, and D. Sandy, "Pengaruh Serbuk Besi Dan Natrium Silika Serta Natrium Hidroksida Terhadap Beton," *Paulus Civ. Eng. J.*, vol. 5, no. 1, pp. 151–160, 2023, doi: 10.52722/pcej.v5i1.609.
- [16] A. D. Maram, A. M. Khairuddin, M. F. Hidayat, M. F. Syarif, A. F. Naufal, and A. H. Ramadhan, "Effect of Iron Powder Waste Addition on Mechanical Properties of Concrete," *ARTESIS: Jurnal Teknik Sipil dan Arsitektur*, vol.

- 5, no. 1, pp. 53–63, 2025, doi: 10.24853/artesis.5.1.53-63.
- [17] U. C. Devi and N. A. Affandy, “Penggunaan Limbah Serbuk Besi Sebagai Campuran Agregat Halus Pada Asphalt Concrete-Wearing Course (Ac-Wc),” *JMTS J. Mitra Tek. Sipil*, vol. 4, no. 3, p. 533, 2021, doi: 10.24912/jmts.v0i0.11851.
- [18] E. Widodo, “Buku Ajar Mekanika Komposit dan Bio-Komposit,” *Umsida Press*, hlm. 1–111, 2022, doi: 10.21070/2022/978-623-464-042-7.
- [19] S. Srou, P. Tipboonsri, S. Pramoonmak, and W. Poomchalit, “Composites Part C : Open Access Recycling multi-layer plastic packaging waste as core material for aluminum composite panels in sustainable building applications,” *Compos. Part C Open Access*, vol. 18, p. 100666, 2025, doi: 10.1016/j.jcomc.2025.100666.
- [20] A. G. D. and N. Pratiwi, “Kinerja Thermal Fasad Ganda Berlubang Berbahan Aluminium,” vol. 03, no. 1, pp. 25–32, 2021, doi: 10.37905/jjoa.v3i2.11119.
- [21] M. Sukkee and P. Kongphan, “HighTech and Innovation Innovative Metal Powder Production Using CFD with Convergent-Divergent Nozzles in Wire Arc Atomization,” vol. 5, no. 3, pp. 551–571, 2024, doi: 1028991/HIJ-2024-05-03-02.
- [22] Basma Yahya Alashwal, Mohamed Saad Bala, Arun Gupta, and Triveni Soubam, “Strategies using of Design of Experiments (DOE) techniques: In view of a Review,” *Maejo Int. J. Energy Environ. Commun.*, vol. 3, no. 3, pp. 1–5, 2021, doi: 10.54279/mijeec.v3i3.246173.
- [23] M. Reji and R. Kumar, “Response surface methodology (RSM): An overview to analyze multivariate data,” *Indian J. Microbiol. Res.*, vol. 9, no. 4, pp. 241–248, 2022, doi: 10.18231/j.ijmr.2022.042.
- [24] T. Arif, S. Nanang, D. Cahyono, I. K. Astana, and W. Febi, “Analisa Pengaruh Variasi Penambahan Fly Ash Terhadap Kekuatan Impact Pada Material Komposit Resin Polyester Berpenguat Serat Kulit Jagung Analysis of the Effect of Variations in the Addition of Fly Ash to the Strength of the

- Impact on Polyester Resin Comp,” no. 1, pp. 1–9, 2023, doi: 10.31289/jmemme.v7i1.7553.
- [25] J. Pratama and A. Z. Adib, “Pengaruh Parameter Cetak Pada Nilai Kekerasan Serta Akurasi Dimensi Material Thermoplastic Elastomer (TPE) Hasil 3D Printing,” vol. 25, no. 1, pp. 35–44, 2022, doi: 1047313/jig.v25i1.1712.
- [26] P. A. Palacios, A. Velazquez, R. Zelaya, and A. E. Patterson, “Submitted Version to Materials Today : Communications Please see the final version of this article at DOI: Shore hardness of as-printed and dehydrated thermoplastic materials made using fused filament fabrication (FFF),” vol. 37, no. 105971, 2023, doi: 10.1016/j.mtcomm.2023.105971.
- [27] A. F. Osman and M. Mariatti, “Properties of Aluminum Filled Polypropylene Composites,” vol. 45, no. 6, pp. 623–633, 2006, doi: 10.1080/03602550600553244.
- [28] V. Kuklin, S. Karandashov, E. Bobina, S. Drobyshv, A. Smirnova, O. Morozov, and M. Danilaev, “Analysis of Aluminum Oxides Submicron Particle Agglomeration in Polymethyl Methacrylate Composites,” *International Journal of Molecular Sciences*, vol. 24, no. 3, Art. no. 2515, 2023, doi: 10.3390/ijms24032515.
- [29] A. G. Adeniyi, J. O. Ighalo, and S. A. Abdulkareem, “Al, Fe and Cu Waste Metallic Particles in Conductive Polystyrene Composites,” *International Journal of Sustainable Engineering*, vol. 14, no. 2, pp. 162–167, 2021, doi: 10.1080/19397038.2020.1793426.
- [30] C. Harito, D. V Bavykin, B. Yuliarto, H. K. Dipojono, and F. C. Walsh, “1,2,3 ,” vol. 1, no. 11, pp. 4653–4682, 2019, doi: 10.1039/C9NR00117D.
- [31] E. B. Herbold, V. F. Nesterenko, and D. J. Benson, “Particle size effect on strength , failure and shock behavior in Polytetrafluoroethylene-Al-W granular composites,” vol. 104, no. 10, pp. 1–35, 2008, doi: 10.1063/1.3000.631.
- [32] R. N. Oosterbeek, X. C. Zhang, S. M. Best, and R. E. Cameron, “A technique

- for improving dispersion within polymer-glass composites using polymer precipitation,” vol. 123, pp. 1–12, 2021, doi: 10.1016/j.jmbbm.2021.104767.
- [33] H. I. Jaafar and R. N. Fadhil, “The Effect of Utilization Aluminum Powder at the Mechanical Properties for Epoxy Resin,” vol. 6, no. 8, pp. 1847–1850, 2017, doi: 10.21275/ART20176426.
- [34] B. Aravinth, G. Vivek, S. Gokulakrishnan, and D. Manikandan, “Synthesis and Mechanical Analysis of on iron powder of mixed glass fiber reinforced polymer composite Material,” vol. 02, no. 11, pp. 26–29, 2020.
- [35] H. Abushammala, “Waste Iron Filings to Improve the Mechanical and Electrical Properties of Glass Fiber-Reinforced Epoxy (GFRE) Composites,” vol. 7, no. 3, pp. 1–12, 2023, doi: 10.3390/jcs7030090.
- [36] B. S. K. Glogowska, P. paczkowski, “Study on the Properties and Structure of Rotationally Moulded Linear Low-Density Polyethylene Filled with Quartz Flour,” vol. 15, no. 6, 2022, doi: 10.3390/ma13051242.
- [37] O. Mysiukiewicz, P. Kosmela, and M. Barczewski, “Mechanical , Thermal and Rheological Properties of Polyethylene-Based Composites Filled with Micrometric Aluminum Powder,” vol. 13, no. 5, 2020, doi: 10.3390/ma13051242.
- [38] H. A. Rodríguez, W. M. Kriven, and H. Casanova, “Materials Science & Engineering C Development of mechanical properties in dental resin composite : Effect of filler size and filler aggregation state,” *Mater. Sci. Eng. C*, vol. 101, no. 52, pp. 274–282, 2019, doi: 10.1016/j.msec.2019.03.090.
- [39] U. Suhas, K. N. Shashidhara, and L. Bharath, “Mechanical Characterization of Copper and Aluminium Powder Reinforced Epoxy Polymer Composites,” vol. 12, no. 03, pp. 101–104, 2024, doi: 10.22214/ijraset.2024.58777.
- [40] Q. H. Mohammed and A. A. Hamid, “Revue des Composites et des Matériaux Avancés-Journal of Composite and Advanced Materials The Influence of Aluminum Oxide Nanoparticles on the Characterizations and Mechanical Performance of Epoxy Matrix Composite,” vol. 36, no. 2, pp.

375–384, 2026, doi: 10.18280/rcma.360213.

- [41] M. N. Khalaf, “Mechanical properties of filled high density polyethylene,” vol. 19, no. 1, pp. 88–91, 2015, doi: 10.1016/j.jscs.2011.12.024.

