

DAFTAR PUSTAKA

- [1] M. E. Wicaksono, P. H. Tjahjanti, M. I. Mauliana, Dan E. Widodo, “Simulasi Numerik Aluminium Composite Panel (Acp) Dengan Variasi Material Inti,” *Pros. Semin. Sos. Polit. Bisnis Akunt. Dan Tek.*, Vol. 6, Hlm. 189–196, Feb 2025, Doi: 10.32897/Sobat.2024.6.1.4182.
- [2] M. R. Hasnat, M. K. Hassan, Dan S. Saha, “A Comprehensive Review Of Aluminium Composite Panels: Current Research, Challenges, And Future Research Direction,” *J. Compos. Sci.*, Vol. 9, No. 7, Hlm. 319, Jun 2025, Doi: 10.3390/Jcs9070319.
- [3] O. A. Ganilova, M. P. Cartmell, dan A. Kiley, “Application of a dynamic thermoelastic coupled model for an aerospace aluminium composite panel,” *Compos. Struct.*, vol. 288, hlm. 115423, Mei 2022, doi: 10.1016/j.compstruct.2022.115423.
- [4] P. H. Tjahjanti, Mulyadi, and M. E. Wicaksono, “Analysis of PolyTetraFluoroEthylene (PTFE) fire resistance as core material for Aluminium Composite Panel (ACP),” *Journal of Energy, Mechanical, Material, and Manufacturing Engineering*, vol. 10, no. 1, pp. 1–12, 2025, doi: 10.22219/jemmmme.v10i1.40552
- [5] Y. A. Hariyanto, M. H. Hakim, R. S. A. Ananingtyas, dan A. B. Monica, “Sintesis dan Karakterisasi Nanokomposit Hidroksiapatit/Tembaga Oksida Sebagai Antibakteri Escherchia coli,” *Briliant J. Ris. Dan Konseptual*, vol. 7, no. 2, hlm. 480, Mei 2022, doi: 10.28926/briliant.v7i2.885.
- [6] A. Burhanudin, N. R. Ismail, D. Hermawan, Dan A. Farid, “Identifikasi Penambahan Serbuk Tembaga Pada Pelat Penyerap Mortar Untuk Meningkatkan Kinerja Solar Water Heater,” *Sci. J. Mech. Eng. Kinemat.*, Vol. 10, No. 1, Hlm. 91–102, Apr 2025, Doi: 10.20527/Sjmekinematika.V10i1.690.
- [7] R. C. Susila, A. Supriyanto, Dan Muh. V. Hermawan, “Sifat Mekanik Dan Struktur Mikro Komposit Alumunium Tembaga (Al-Cu) Dengan Variasi Komposisi,” *Teknika*, Vol. 7, No. 4, Hlm. 228–235, Okt 2022, Doi: 10.52561/Teknika.V7i4.216.
- [8] A. Syarief, T. I. Sofian, A. G. Budianto, dan A. Nugraha, “Pengaruh fraksi volume dan orientasi sudut serat komposit polyester-serbuk kayu ulin

- (*eusideroxylon zwageri*)-kawat kasa terhadap kekuatan bending,” *Turbo J. Program Studi Tek. Mesin*, vol. 11, no. 2, Des 2022, doi: 10.24127/trb.v11i2.2163.
- [9] Institut Teknologi Kalimantan, A. D. Laksono, M. N. Rozikin, N. A. S. Pattara, dan I. Cahyadi, “Potensi Serbuk Kayu Ulin dan Serbuk Bambu Sebagai Aplikasi Papan Partikel Ramah Lingkungan - Review,” *J. Rekayasa Mesin*, vol. 12, no. 2, hlm. 267–274, Agu 2021, doi: 10.21776/ub.jrm.2021.012.02.4.
- [10] Fajrin, J., Eniarti, M., Pathurahman, Akmaluddin, dan Murdiman, D., “Kuat tarik dan lentur komposit epoksi/serat bambu yang dibuat dengan metode *hot-press*,” *Prosiding SAINTEK*, vol. 7, no. 1, pp. 194–201, 2025, doi: 10.29303/saintek.v7i1.3440.
- [11] D. Saro, “Evolusi material komposit dalam desain dan penerapan komponen mesin: Tinjauan pustaka,” *Journal of Engineering and Technology Innovation (JETI)*, vol. 2, no. 01, 2025, doi: 10.66084/jeti.v2i01.418.
- [12] S. Srou, P. Tipboonsri, S. Pramoonmak, W. Poomchalit, dan A. Memon, “*Recycling multi-layer plastic packaging waste as core material for aluminum composite panels in sustainable building applications*,” *Compos. Part C Open Access*, vol. 18, hlm. 100666, Okt 2025, doi: 10.1016/j.jcomc.2025.100666.
- [13] A. Asmeati, M. Y. Ali, I. Purnama, and M. Paloboran, “Analisis uji mekanik dan struktur makro dan mikro terhadap material komposit dengan arah acak serat ampas tebu,” *Jurnal MEKOM: Media Komunikasi Pendidikan Kejuruan*, vol. 9, no. 2, pp. 91–102, Aug. 2022, doi: 10.26858/mekom.v9i2.40411.
- [14] A. Paktiawal dan M. Alam, “*An experimental study on effect of aluminum composite panel waste on performance of cement concrete*,” *Ain Shams Eng. J.*, vol. 12, no. 1, hlm. 83–98, Mar 2021, doi: 10.1016/j.asej.2020.07.024.
- [15] B. Ya dkk., “*Fabrication of Copper Matrix Composites Reinforced with Carbon Nanotubes Using an Innovational Self-Reduction Molecular-Level-Mixing Method*,” *Materials*, vol. 15, no. 18, hlm. 6488, Sep 2022, doi: 10.3390/ma15186488.
- [16] P. Purwanto, E. Sutanty, H. Kiswanto, K. Nafillah, R. A. Wiguna, Dan A. R. Suharso, “Optimalisasi Sifat Mekanik Serat Alam Dari Serbuk Kayu Ulin Melalui Teknik Pengeringan Sebagai Penguat Material Biokomposit Anjungan

- Kapal,” *Constr. Mater. J.*, Vol. 5, No. 2, Hlm. 107–116, Jul 2023, Doi: 10.32722/Cmj.V5i2.5699.
- [17] Institut Teknologi Kalimantan, A. D. Laksono, M. N. Rozikin, N. A. S. Pattara, Dan I. Cahyadi, “Potensi Serbuk Kayu Ulin Dan Serbuk Bambu Sebagai Aplikasi Papan Partikel Ramah Lingkungan - Review,” *J. Rekayasa Mesin*, vol.12, No.2, Hlm.267–274, Agu2021, Doi: 10.21776/Ub.Jrm.2021.012.02.4.
- [18] R. B. Widianoro and Y. R. Fauzi, “Analisis komparatif metode pengujian kekerasan: Rockwell dan Vickers pada *heat-treated high-speed steel* (baja kecepatan tinggi yang diolah panas),” *Proceedings of National Colloquium Research and Community Service*, vol. 8, pp. 67–71, Dec. 2024, doi: 10.33019/snppm.v8i0.6004.
- [19] Ricco Zulvikal, “Analisis Kekuatan Tarik dan Impak Material Komposit Serat Rami dengan Menggunakan Metode Hand Lay Up,” *Mars J. Tek. Mesin Ind. Elektro Dan Ilmu Komput.*, vol. 3, no. 3, hlm. 01–17, Mei 2025, doi: 10.61132/mars.v3i3.773.
- [20] A. A. Khan, S. Lin, X. Huang, dan A. Usmani, “*Facade Fire Hazards of Bench-Scale Aluminum Composite Panel with Flame-Retardant Core*,” *Fire Technol.*, vol. 59, no. 1, hlm. 5–28, Jan 2023, doi: 10.1007/s10694-020-01089-4.
- [21] A. S. Ahcene, B. Kamel, dan M. Hocine, “*Mechanical Fatigue Test of Aluminium Composite Panel (ACP) with Aramid Nida-Core Under Cyclic Bending*,” *Strojnícky Časopis - J. Mech. Eng.*, vol. 70, no. 2, hlm. 1–10, Nov 2020, doi: 10.2478/scjme-2020-0015.
- [22] R. I. Setiawan dan S. Ramadhani, “Pengaplikasian Material Aluminium Composite Panel pada Perancangan Apartemen dan Soho di Kota Surabaya,” *J. Lingkung. Karya Arsit.*, vol. 2, no. 2, hlm. 67–73, Sep 2023, doi: 10.37477/lkr.v2i2.464.
- [23] Y. Atescan-Yukse, A. Mills, D. Ayre, K. Koziol, dan K. Salonitis, “*Comparative life cycle assessment of aluminium and CFRP composites: the case of aerospace manufacturing*,” *Int. J. Adv. Manuf. Technol.*, vol. 131, no. 7–8, hlm. 4345–4357, Apr 2024, doi: 10.1007/s00170-024-13241-3.

- [24]P. Harmi Tjahjanti, A. Fahrudin, M. Mulyadi, S. Hardy Sujiatanti, M. Eryandrie Wicaksono, dan R. Bamban Jakaria, “*Core Material Manufacturing Study On Aluminum Composite Panel (ACP)*,” *J. Improsci*, vol. 2, no. 3, hlm. 186–196, Des 2024, doi: 10.62885/improsci.v2i3.579.
- [25]A. Z. Mahdi dan O. S. Abdullah, “*Screw Hole Fatigue in Aluminum Composite Panels: Safe Wind Speed Thresholds Using Hybrid Analysis*,” *Iraqi J. Ind. Res.*, vol. 12, no. 2, hlm. 14–26, Des 2025, doi: 10.53523/ijoirVol12I2ID589.
- [26]D. D. Phuong, P. Van Trinh, P. N. Minh, A. A. Shtertser, dan V. Y. Ulianitsky, “*Effect of Powder Preparation Techniques on Microstructure, Mechanical Properties, and Wear Behaviors of Graphene-Reinforced Copper Matrix Composites*,” *Crystals*, vol. 14, no. 11, hlm. 1000, Nov 2024, doi: 10.3390/cryst14111000.
- [27]] M.Y.R. Siahian, R.A. Siregar, F.A. Tanjung, dan A. Saktiawan “Analisis Karakteristik Bahan Tembaga Akibat Pengaruh Proses Penempaan Terhadap Kekuatan Impak,” *J. Rekayasa Mater. Manufaktur Dan Energi*, vol. 6, no. 1, Mar 2023, doi: 10.30596/rmme.v6i1.13709.
- [28]M. R. F. Putra, H. Isworo, M. N. Yasin, dan R. Subagyo, “*Friction Modeling of Composite Brake Pads with Ulin Wood Powder (Eusideroxylon zwageri)*,” *J. Mech. Eng. Sci. Technol. JMEST*, vol. 8, no. 2, hlm. 520, Nov 2024, doi: 10.17977/um016v8i22024p520.
- [29] R. Kartini, H. Darmasetiawan, A. Karo Karo, and Sudirman, “Pembuatan dan karakterisasi komposit polimer berpenguat serat alam,” *Jurnal Sains Materi Indonesia*, vol. 3, no. 3, pp. 30–38, Jun. 2022, doi: 10.17146/jsmi.2002.3.3.5069.
- [30]Z. Ranjbarha, P. Aberoomand-Azar, J. Mokhtari-Aliabad, S. A. Mirmohammadi, dan M. Saber-Tehrani, “*High density polyethylene/wood flour composite: Optimization of processing temperature, processing time and coupling agent concentration*,” *Polym. Polym. Compos.*, vol. 29, no. 9_suppl, hlm. S106–S116, Nov 2021, doi: 10.1177/0967391120987338.
- [31]M. H. Alamsyah dan G. Gundara, “Analisis Sifat Mekanik Komposit Bahan Kampas Rem Dengan Penguat Serbuk Kayu Jati Dan Serbuk Kuningan,” *REM Rekayasa Energi Manufaktur J.*, vol. 5, no. 1, hlm. 9–13, Jan 2021, doi: 10.21070/r.e.m.v5i1.870.

- [32] M. R. Adam and M. C. Munanjar, "Potensi Kayu Ulin (*Eusideroxylon zwageri*) sebagai Material Konstruksi Berkelanjutan untuk Infrastruktur Jembatan Kayu: Kajian Literatur Sistematis," *Journal of Infrastructural in Civil Engineering (JICE)*, vol. 6, no. 2, pp. 139–149, Jul. 2025, doi: 10.33365/jice.v6i02.693.
- [33] X. Wang, Y. Yu, K. Zhong, Z. Jiang, dan G. Gao, "Effects of impact velocity on the dynamic fragmentation of rigid-brittle projectiles and ceramic composite armors," *Lat. Am. J. Solids Struct.*, vol. 18, no. 8, hlm. e410, 2021, doi: 10.1590/1679-78256701.
- [34] M. R. F. Putra, H. Isworo, M. N. Yasin, dan R. Subagyo, "Friction Modeling of Composite Brake Pads with Ulin Wood Powder (*Eusideroxylon zwageri*)," *J. Mech. Eng. Sci. Technol. JMEST*, vol. 8, no. 2, hlm. 520, Nov 2024, doi: 10.17977/um016v8i22024p520.
- [35] I. K. A. Widi, Tito Arif Sutrisno, dan M. I. F. Rochim, "Analisa Kekuatan Tarik dan Foto Makro Patahan Komposit Serat Eceng Gondok Berpenguat ZnO," *J. FLYWHEEL*, vol. 13, no. 2, hlm. 35–40, Sep 2022, doi: 10.36040/flywheel.v13i2.5561.
- [36] M. E. Golmakani, T. Wiczenbach, M. Malikan, R. Aliakbari, dan V. A. Eremeyev, "Investigation of Wood Flour Size, Aspect Ratios, and Injection Molding Temperature on Mechanical Properties of Wood Flour/Polyethylene Composites," *Materials*, vol. 14, no. 12, hlm. 3406, Jun 2021, doi: 10.3390/ma14123406.
- [37] R. S. Ferreira, G. A. M. Jesus, J. P. Monteiro, A. F. Martins, R. K. Tessari, dan E. G. Bonafé, "Eco-Friendly and Cost-Effective High-Density Polyethylene-Based Composites: Optimizing Wood–Plastic Composites for Enhanced Performance," *ACS Omega*, vol. 10, no. 7, hlm. 6437–6445, Feb 2025, doi: 10.1021/acsomega.4c06422.
- [38] G. Pokhrel, D. J. Gardner, dan Y. Han, "Properties of Wood–Plastic Composites Manufactured from Two Different Wood Feedstocks: Wood Flour and Wood Pellets," *Polymers*, vol. 13, no. 16, hlm. 2769, Agu 2021, doi: 10.3390/polym13162769.
- [39] E. Birinci dan A. Kaymakci, "Effect of Processing Technology, Nanomaterial and Coupling Agent Ratio on Some Physical, Mechanical, and Thermal

Properties of Wood Polymer Nanocomposites,” Forests, vol. 14, no. 5, hlm. 1036, Mei 2023, doi: 10.3390/f14051036.

- [40]A. Syarief, A. F. Hidayat, Dan A. Nugraha, “Pengaruh Fraksi Volume Terhadap Kuat Tekan Dan Lentur Komposit Berpenguat Serbuk Kayu Ulin (Eusideroxylon Zwageri) Bermatrik Polyester,” *Elem. J. Tek. Mesin*, Vol. 8, No. 2, Hlm. 132–140, Agu 2022, Doi: 10.34128/Je.V8i2.168.

