

DAFTAR PUSTAKA

- [1] R. W. Lubis, S. Dharma, R. Rahmawaty, R. Sebayang, N. Bahri, and M. A. Aditya, "Analisis Pengaruh Variasi Logam Pengisi (Filler) pada Proses Pengelasan GTAW Paduan Aluminium terhadap Uji Kekerasan dan Struktur Mikro," *SINERGI Polmed: Jurnal Ilmiah Teknik Mesin*, vol. 5, no. 2, pp. 42–51, Sep. 2024, doi: 10.51510/sinergipolmed.v5i2.1581.
- [2] A. A. Fakhri, B. Basyirun, and A. Fikrie, "Analysis of tensile strength and microstructure on GTAW- Aluminum 6061 welding results," *Journal of Engineering and Applied Technology*, vol. 3, no. 2, pp. 94–100, Sep. 2022, doi: 10.21831/jeatech.v3i2.53149.
- [3] S. Sirohi, S. M. Pandey, A. Świerczyńska, G. Rogalski, N. Kumar, M. Landowski, D. Fydrych, and C. Pandey, "Microstructure and Mechanical Properties of Combined GTAW and SMAW Dissimilar Welded Joints between Inconel 718 and 304L Austenitic Stainless Steel," *Metals*, vol. 13, no. 1, Art. no. 14, 2023, doi: 10.3390/met13010014.
- [4] A. Widodo and M. N. Iman, "Pengaruh Frekuensi Getaran Terhadap Sifat Fisis Dan Mekanik Pada sambungan Las MIG Aluminium Paduan AA 6061-T6," *Jurnal Rekayasa Mesin*, vol. 13, no. 1, pp. 171–178, Jun. 2022, doi: 10.21776/ub.jrm.2022.013.01.17.
- [5] R. A. Fouad, M. M. El-Sayed, A. M. Rashad, et al., "The influence of various welding wires on microstructure and mechanical properties of AA7075-T6 TIG welded joints," *Scientific Reports*, vol. 14, 2024, doi: 10.1038/s41598-024-69227-4.
- [6] S. Suherman, I. Abdullah, Suprianto, Surya dharm, and Hendri Budi Kurniyanto, "Effect of Welding Current on Mechanical Properties and Microstructure of Aluminium AA1135 Alloys by Gas Tungsten Arc Welding (GTAW)," *DINAMIS*, vol. 11, no. 2, pp. 24–31, Dec. 2023, doi: 10.32734/dinamis.v11i2.14334.
- [7] R. Aarthi, K. S. Vijay Sekar, and M. Subbaiah, "Effect of filler metals on mechanical and corrosion behaviour of tig welded AA5083-F," *Mater. Today Proc.*, Jun. 2024, doi: 10.1016/j.matpr.2024.05.141.
- [8] B. Alzahrani, M. M. Z. Ahmed, M. I. A. Habba, R. A. Fouad, Y. G. Y. Elshaghoul, and E. A. Gadallah, "TIG Welding of EN AW-6082 Al Alloy: A Comparative Analysis of Filler Rods on Microstructural and Mechanical

- Performance,” *Journal of Manufacturing and Materials Processing*, vol. 9, no. 1, Art. no. 21, 2025, doi: 10.3390/jmmp9010021.
- [9] B. Yelamasetti, G. Venkat Ramana, and T. Vishnu Vardhan, “Weldability and Mechanical Properties of AA5052 and AA7075 Dissimilar Joints Developed by GTAW Process,” *Materials Today: Proceedings*, vol. 47, pp. 4162–4166, 2021, doi: 10.1016/j.matpr.2021.04.446.
- [10] J. Simaremare, “Studi Karakteristik Lasan Aluminium 6061-T6 Dengan Berbagai Metode Pengelasan,” vol. 10, no. 2, pp. 314–323, 2025, doi: 10.20527/sjmekinematika.v10i2.751.
- [11] G. Xian, Y. Wang, Z. Li, and H. Zhang, “Effect of CMT Welding Heat Input on Microstructure and Mechanical Properties of 6061-T6 Aluminum with Different Groove Angles,” *Metals*, vol. 15, no. 12, p. 1290, 2025, doi: 10.3390/met15121290.
- [12] V. Singh, M. S. Niranjana, and Q. Murtaza, “Effect of Al-Si and Al-Mg filler wires on microstructure and mechanical properties of bead-on-plate weld on AA6061-T6 using CMT welding,” *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, vol. 240, no. 1, 2024, doi: 10.1177/09544089241241046.
- [13] S. Bahri, “Analisa ketangguhan dan kekerasan pada pengelasan GTAW pelat baja AISI 1050 terhadap pengaruh sudut keruncingan elektroda tungsten,” Lhokseumawe, 2021. doi: <http://dx.doi.org/10.30811/jowt.v3i2.2523>.
- [14] S. Sutjipto, N. Pratomo Program Studi Proses Manufaktur, and P. Negeri Bandung, “Pengaruh Variasi Arus Proses Pengelasan GTAW Pada Material AISI 1015,” 2021. doi: <https://doi.org/10.35313/sigmamu.v13i1.3647>.
- [15] S. Bredemann, “Skip to content Primary Menu Locating Pins • Manual Stages Guide • Motorized Stages Guide,” May 2025. Accessed: Nov. 23, 2025.
- [16] T. Juwandi, J. Syarif, and Zulkifli, “Analisa Pengaruh Variasi Arus Pengelasan GTAW pada Baja AISI 1050 terhadap Sifat Fisik dan Mekanis,” *Journal of Welding Technology*, vol. 3, no. 1, pp. 1–8, Jun. 2021, doi: 10.30811/jowt.v3i1.2026.
- [17] P. Shah and C. Agrawal, “A Review on Twin Tungsten Inert Gas Welding Process Accompanied by Hot Wire Pulsed Power Source,” *Journal of Welding and Joining*, vol. 37, no. 2, pp. 41–51, 2019, doi: 10.5781/JWJ.2019.37.2.7.

- [18] D. G. . Altenpohl, *Aluminum: Technology, Applications and Environment : A Profile of a Modern Metal Aluminum from Within*. John Wiley & Sons, 2010.
- [19] A. Kareem, J. A. Qudeiri, A. Abdudeen, T. Ahammed, and A. Ziout, “A review on aa 6061 metal matrix composites produced by stir casting,” *Materials*, vol. 14, no. 1, pp. 1–22, Jan. 2021, doi: 10.3390/ma14010175.
- [20] ASTM International, *ASTM B221-20: Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes*. West Conshohocken, PA, USA: ASTM International, 2020.
- [21] M. Wieczorowski, A. Pereira, D. Carou, B. Gapinski, and I. Ramírez, “Characterization of 5356 Aluminum Walls Produced by Wire Arc Additive Manufacturing (WAAM),” *Materials*, vol. 16, no. 7, Apr. 2023, doi: 10.3390/ma16072570.
- [22] D. A. Prabu, S. P. Jani, and K. Sravanthi, “Enhancing weld joint performance of dissimilar aluminium alloy joints through filler rod selection,” *Interactions*, vol. 245, no. 1, Dec. 2024, doi: 10.1007/s10751-024-02210-7.
- [23] S. Vaishnavan, K. Jayakumar, P. Naveen Kumar, and T. Suresh, “Effect of ER5183 filler rod on the metallurgical and mechanical properties of TIG-welded AA5083 and AA5754 joints,” vol. 72, pp. 2251–2254, 2023, doi: 10.1016/j.matpr.2022.09.212Get.
- [24] A. Işitan, S. Aytekin, and V. Onar, “Enhancing the Microstructure and Mechanical Properties of Cast Aluminum Matrix Composites Through Nano-Al₂O₃ Reinforcement via CMT and PMC Welding,” *International Journal of Metalcasting*, vol. 18, no. 4, pp. 3166–3179, Oct. 2024, doi: 10.1007/s40962-023-01234-z.
- [25] P. Kumar, S. Uppalapati, O. B., R. Kumar, H. Vemanaboina, P. Paramasivam, and A. G. Ayanie, “Mechanical and Metallurgical Behavior of ER4043-AlN Composite by Wire Arc Additive Manufactured,” *AIP Advances*, vol. 15, no. 5, Art. no. 055228, 2025, doi: 10.1063/5.0255700.
- [26] M. Ahmed, M. Javidani, A. Maltais, and X. G. Chen, “Microstructure and Mechanical Properties of High-Strength AA6011 Aluminum Alloy Welding with Novel 4xxx Filler Metals,” *Materials*, vol. 17, no. 2, Jan. 2024, doi: 10.3390/ma17020380.
- [27] H. Isworo and N. Rahman, “Effect of Variations in Heating Temperature and Cooling Media on the Hardness and Microstructure of Steel ST 41 Hardening

- Method,” *Scientific Journal of Mechanical Engineering Kinematika*, vol. 5, no. 1, pp. 37–50, Jun. 2020, doi: 10.20527/sjmekinematika.v5i1.136.
- [28] W. D. Callister, Jr. and D. G. Rethwisch, *Materials Science and Engineering: An Introduction*, 10th ed. Hoboken, NJ, USA: John Wiley & Sons, 2018.
- [29] J. D. Polanco, C. Jacanamejoy-Jamioy, C. L. Mambuscay, J. F. Piamba, and M. G. Forero, “Automatic Method for Vickers Hardness Estimation by Image Processing,” *J. Imaging*, vol. 9, no. 1, Jan. 2023, doi: 10.3390/jimaging9010008.
- [30] . Lubis, M. Pohan, R. R. Aulia, R. M. Ali, I. Abdullah, A. W. Hamzah, and Suherman, “Analysis of Mechanical Properties, Microstructure, and Distortion of Al6061-T6 Alloy Plate Using GTA and GMA Welding Process,” *Disseminating Information on the Research of Mechanical Engineering–Jurnal Polimesin*, vol. 23, no. 2, pp. 225–232, Apr. 2025, doi: 10.30811/polimesin.v23i2.6261.
- [31] R. Wanty Lubis, F. Wahyudianto, G. Lipan, S. Keledang, K. Samarinda, and K. Timur, “Corrosion Behavior of Al6061-T6 by GTAW with Different Filler Metals,” Dec. 2025. doi: DOI:10.32497/jrm.v20i3.6496.
- [32] K. P. and Y. S. all authors and affiliations Rajesh P Verma, “Effect of ER4043 and ER5356 filler wire on mechanical properties and microstructure of dissimilar aluminium alloys, 5083-O and 6061-T6 joint, welded by the metal inert gas welding,” *Journal of Engineering Manufacture*, vol. 229, no. 6, pp. 1021–1028, Jun. 2014, doi: <https://doi.org/10.1177/0954405414535771>.
- [33] Y. Lubis, M. Pohan, R. R. Aulia, R. M. Ali, and W. Azmi, “Analysis of mechanical properties, microstructure, and distortion of Al6061-T6 alloy plate using GTA and GMA welding process,” *Disseminating Information on the Research of Mechanical Engineering–Jurnal Polimesin*, vol. 23, no. 2, 2025, doi: doi:10.30811/jpl.v23i2.6261.
- [34] W. Dianlong, D. Guangyun, and L. Zhimin, “Comparison of Al-Zn-Mg Alloy P-MIG Welded Joints Filled with Different Wires,” *High Temperature Materials and Processes*, vol. 38, no. 2019, pp. 516–524, Jan. 2019, doi: 10.1515/htmp-2017-0146.
- [35] N. Subeki, M. I. Mamungkas, and R. Arbi, “Effect of current variation and welding speed in Tungsten Inert Gas (TIG) welding on hardness and defects in aluminium alloy 6061 material A R T I C L E I N F O,” 2025, doi: 10.22219/jemmm.

- [36] R. Bintarto, T. D. Wibowo, R. R. Ramadhan, M. S. A. F. G. Utomo, and D. G. D. Prasetyo, “Analisa Struktur Mikro dan Kekuatan Bending Sambungan Las TIG dengan Perbedaan Kuat Arus Listrik pada Logam Tak Sejenis Aluminium Paduan 5052–Baja Galvanis dengan Filler Al-Si 4043,” *Jurnal Rekayasa Mesin*, vol. 11, no. 1, pp. 129–138, 2020, doi: 10.21776/ub.jrm.2020.011.01.14.
- [37] N. K. Othman, S. R. S. Bakar, A. Jalar, J. Syarif, and M. Y. Ahmad, “The effect of filler metals on mechanical properties of 6 mm AA 6061-T6 welded joints,” in *Advanced Materials Research*, 2011, pp. 873–876. doi: 10.4028/www.scientific.net/AMR.154-155.873.
- [38] A. Ahsanul Fakhri, A. Fikrie, and P. Kusdiyarto, “Analysis of tensile strength and microstructure on GTAW-6061 Aluminium welding results,” *Journal of Engineering and Applied Technology Online*, vol. 3, no. 2, pp. 94–100, 2022, doi: doi:10.21831/jeatech.v3i2.53149.

