

DAFTAR PUSTAKA

- [1] Md. Nuruzzaman, Asma Shafiq Shathi, Abu Yousuf¹, Md. Jahirul Islam, Md. Shohel Rana, Md. Sha Alam, Pradip Kumar Biswas, Md. Aminur Rahman¹ and Md. Ibrahim H¹ “Composite materials from waste plastics : A sustainable approach for waste management and resource utilization,” vol. 33, no. Immm, pp. 1–22, 2025, doi: 10.1177/09673911251318542.
- [2] C. Oliveros-gaviria, E. Cumbalaza, J. H. Mina-hernandez, M. E. Valencia-zapata, J. N. Suarez-bonilla, and N. Martinez-mera, “Wood Plastic Composite Based on Recycled High-Density Polyethylene and Wood Waste (Sawdust),” pp. 1–21, 2024, doi.org/10.3390/polym16223136.
- [3] M. N. Ahmad and M. N. Puasa, “Mechanical and Thermal Properties of Coconut (Cocos nucifera) -Reinforced Polypropylene Composite,” pp. 1–13, 2025, doi.org/10.3390/eng6110299.
- [4] B. A. Alshammari, A. M. Alenad, F. S. Al-mubaddel, and A. G. Alharbi, “Impact of Hybrid Fillers on the Properties of High Density,” pp. 1–15, 2022., doi.org/10.3390/polym14163427,.
- [5] H. C. Obasi, U. C. Mark, and U. Mark, “Improving the mechanical properties of polypropylene composites with coconut shell particles,” 2021, doi: 10.1177/26349833211007497.
- [6] Daramola, O O, Akinwande, A A, Adediran, A A, Balogun, O A, Olajide, J L, Adedoyin, K J, Adewuyi, B O, and Jen, T C., “Optimization of the mechanical properties of polyester / coconut shell ash (CSA) composite for light - weight engineering applications,” *Sci. Rep.*, pp. 1–17, 2023, doi: 10.1038/s41598-022-26632.
- [7] L. Natrayan, N. D. Chinta, B. Gogulamudi, V. S. Nadh, and G. Muthu, “Investigation on mechanical properties of the green synthesis bamboo fi ber / eggshell / coconut shell powder-based hybrid biocomposites under NaOH conditions,” pp. 1–11, 2024, doi/10.1515/gps-2023-0185 .

- [8] P. D. Babatunde, O. A., Omale, P. E. and Iorver, "Mechanical and Viscoelastic Properties of Coconut Coir Fibre Reinforced High-Density Polyethylene Composite for Application as Wall Tile," vol. 9, no. 1, pp. 211–217, 2025., doi.org/10.33003/fjs-2025-0901-3032.
- [9] A. F. Johari and D. T. Santoso, "Pengaruh Temperatur terhadap Pembuatan Papan Komposit Sekam Padi Berbasis Limbah HDPE menggunakan Metode Hot Press "vol. 16, no. 1, pp. 17–24, 2021. doi: 10.32497/jrm.v16i1.2036.
- [10] W. T. Putra, N. S. Akhmad, K. Winangun, A. M. Aji, and C. D. Dwiprasetya, "Analisis Kekuatan Tarik dan Mikrostruktur Komposit Berbasis Limbah Plastik HDPE dan PP dengan Filler Ampas Singkong," vol. 10, no. 1, 2025., doi.org/10.21070/rem.v10i1.1713.
- [11] F. M. Al-oqla, H. Faris, M. Habib, and P. A. Castillo-valdivieso, "Evolving Genetic Programming Tree Models for Predicting the Mechanical Properties of Green Fibers for Better Biocomposite Materials," pp. 1–21., doi.org/10.48550/arXiv.2404.07213.
- [12] O. H. Obianuju, "Sustainability of coconut shell residue as a filler with polystyrene on mechanical and morphology properties and elemental composition of the compisite," vol. 192, no. April, pp. 175–187, 2024., doi.org/10.3390/pr10122735.
- [13] C. M. F. Velasco, D. C. R., Lopes, F. P. D., Souza, D., Lopera, H. A. C., Monteiro, S. N., & Vieira, "Evaluation of Composites Reinforced by Processed and Unprocessed Coconut Husk Powder," 2023. doi.org/10.3390/polym15051195.
- [14] A. Chaudhary, R. Srivastava, and A. Shrivastava, "A Review of Coconut Shell Powder as a Reinforcement Composite for Sustainable Abrasive," no. September, 2025., doi.org/10.1177/08927057209308.

- [15] R. Anjana, A. K. Krishnan, T. S. Goerge, and K. E. George, "Design of experiments for thermo-mechanical behavior of polypropylene/high-density polyethylene/ nanokaolinite clay composites," pp. 315–335, 2014, doi: 10.1007/s00289-013-1063-4.
- [16] G. E. Pramono, I. A. Saputro, R. Waluyo, and A. R. Ahmad, "Pengaruh Variasi Jenis Plastik Terhadap Sifat Fisik Dan Mekanik Wood Plastic Composite (Wpc)," vol. 8, no. 1, pp. 9–16, 2022. doi.org/10.32487/jtt.v12i2.2289.
- [17] M. H. (2020) Hakim, J., Joharwan, J. W., & Palmiyanto, "The Effect Of Mixed Recycled Plastics Pp , Hdpe , And Ldpe On The Mechanical Properties Of Plastic Block Processed," vol. 17, no. 1, 2025, doi: 10.53893/austenit.v17i1.10589.
- [18] R. E. (2024). pd. Czakaj, J., Pakuła, D., Głowacka, J., Sztorch, B., & Przekop, "Mechanical and Thermal Properties of Polypropylene, Polyoxymethylene and Poly (Methyl Methacrylate) Modified with Adhesive Resins." J. Compos. Sci. 2024, 8(10), 384., doi.org/10.3390/jcs8100384 .
- [19] S. Fibre, F. Fibre, P. Diwahar, K. Prakalathan, and K. P. Bhuvana, "Examining the Mechanical and Thermal Properties of a Novel Hybrid Thermoplastic Rubber Composite Made with," pp. 1–18, 2024., doi.org/10.3390/polym16243599.
- [20] E. Melyna, I. Wulansari, Z. Fauziyah, E. Sari, P. Studi, and T. Kimia, "Pengaruh Penambahan Zinc Oxide (ZnO) terhadap Kuat Tarik , Kuat Impak , dan Kristalinitas Komposit PP Daur Ulang / Serat Rami," vol. 2, no. 1, 2024, doi: 10.52330/jpcet.v2i1.346.
- [21] W. Ginting, D., Syahputra, R. F., & Jannah, "Biokomposit Papan Partikel Diperkuat Serat Alam Sabut kelapa dan Tempurung kelapa dengan Matrik Epoksi," vol. 7, no. 1, pp. 53–62, 2023. doi.org/10.18196/jmpm.v7i1.18375.

- [22] S. Mazumder and N. Zhang, "Cellulose – Hemicellulose – Lignin Interaction in the Secondary Cell Wall of Coconut Endocarp," 2023., doi.org/10.3390/biomimetics8020188.
- [23] U. H. Hasyim, N. A. Yansah, and M. F. Nuris, "Sebagai Matriks Komposit Serat Alam Dengan Perbandingan Alkalisasi Naoh Dan Koh," pp. 1–7, 2018., doi.org/10.21107/rekayasa.v15i3.16713.
- [24] AgenAryanti, F. I. & Santoso, "Tensile Strength and Thermal Properties of Polypropylene/Nano-Bentonite Composites with Maleic Anhydride Coupling Agen.", doi.org/10.1002/app.12830.
- [25] Diana, L., Safitra, A. G., & Ariansyah, "Analisis Kekuatan Tarik pada Material Komposit dengan Serat Penguat Polimer.". Vol. 4, No. 2, 2024 doi.org/10.30588/jeemm.v4i2.754.
- [26] Nugraha, M. P., Minan Nurrohman, I. F., Ardianto, H., & Setiawan, "Tensile Test Of Carbon Cloth Composite With Matrix Polypropylene Recycling With Working Temperature Parameter Of 600 °C With Metal And Ceramic Press Media." Vol 8, No. 1, Juli 2022., doi.org/10.1039/c9ta03416a.