

DAFTAR PUSTAKA

- [1] S. L. and X. C. Zhen Xu , Sixue Wang , Hongbin Wang , Hua Song, “Effect of Cooling Rate on Microstructure and Properties of Twin-Roll Casting 6061 Aluminum Alloy Sheet,” *Metals (Basel)*., vol. 10, no. 9, pp. 1–11, 2020, doi: doi:10.3390/met10091168.
- [2] Z. Arhumah and X. T. Pham, “Microstructure and Thermal Mechanical Behavior of Arc-Welded Aluminum Alloy 6061-T6,” *J. Manuf. Mater. Process.*, vol. 8, no. 3, 2024, doi: 10.3390/jmmp8030110.
- [3] R. Wicaksono, Suharno, B. Harjanto, and U. sebelas maret surakarta, “Pengaruh kuat arus pada pengelasan paduan aluminium 6061 dengan menggunakan metode las tig terhadap kekerasan dan struktur mikro,” *NOZEL J. Pendidik. Tek. mesin uns*, vol. 1, no. 1, pp. 29–36, 2019, doi: <https://doi.org/10.20961/nozel.v1i1.28484>.
- [4] R. Kastanto, U. Budiarto, and S. Jokosisworo, “Perbandingan Kekuatan Impak, Tarik, dan Mikrografi Sambungan Las MIG dan TIG pada Aluminium 6061 dengan Variasi Media Pendingin Udara dan Air Tawar,” *J. Tek. Perkapalan*, vol. 8, no. 4, pp. 560–570, 2020.
- [5] J. L. and G. X. S. Guanjun Gao, Yong Li *, Zhaodong Wang, Hongshuang Di, “Effects of the Quenching Rate on the Microstructure , Mechanical Properties and Paint Bake-Hardening,” *Materials (Basel)*., vol. 12, no. 21, pp. 1–18, 2019, doi: doi:10.3390/ma12213587.
- [6] K. Wakchaure, and J. V. 2 , Rakesh Chaudhari , Ajaykumar Thakur , Kishan Fuse , Luis Norberto Lopez de Lacalle, and Citation:, “The Effect of Cooling Temperature on Microstructure and Mechanical Properties of Al 6061-T6 Aluminum Alloy during Submerged Friction Stir Welding,” *Metals (Basel)*., vol. 13, no. 7, 2023, doi: 10.3390/met13071159.
- [7] A. Soni, A. Samuel, and K. Narayan Prabhu, “Experimental investigation of heat transfer characteristics of polyethylene glycol (PEG) based quench media for industrial heat treatment,” *Exp. Therm. Fluid Sci.*, vol. 144, p. 110865, 2023, doi: <https://doi.org/10.1016/j.expthermflusci.2023.110865>.

- [8] Y. W. Arohmada Putra Nugraha*, Fadelan, "Pengaruh Media Pendingin Pada Pengelasan Dissimilar Baja AISI 1045 Dengan SS 202 Menggunakan Pengelasan SMAW," vol. 4, no. 1, pp. 27–36, 2020, doi: <https://doi.org/10.24269/jkt.v4i1.348>.
- [9] P. Y. H. Sinaga, U. Budiarto, and S. Jokosisworo, "Pengaruh Pemberian Media Pendingin Pasca Pengelasan dan Kuat Arus Listrik Terhadap Kekuatan Tarik, Kekuatan Tekuk dan Struktur Mikro Pada Sambungan Las Aluminium 5083 dengan Pengelasan Tig (tungsten inert gas)," *J. Tek. Perkapalan*, vol. 12, no. 3, pp. 1–12, 2024.
- [10] H. Ji, Y. Hu, R. Yu, S. Liu, W. Pei, and B. Wang, "Experimental study on TIG full welding and single pass welding quality of 6061-T6 aluminum alloy sheet," *J. Mater. Res. Technol.*, vol. 27, pp. 5965–5976, 2023, doi: [10.1016/j.jmrt.2023.11.043](https://doi.org/10.1016/j.jmrt.2023.11.043).
- [11] A. Isworo, U. Budiarto, and A. W. Budi, "Analisis Perbandingan Kekuatan Impak, Tarik, Tekuk dan Mikrogafi Pada Alumunium 606," *Tek. Perkapalan*, vol. 8, no. 3, pp. 320–329, 2020.
- [12] A. I. L. Darojad and Y. Yunus, "Analisis Pengaruh Media Pendingin Air Laut, Oli Dan Coolant Pada Hasil Pengelasan Gmaw Material Aluminium 6061 Terhadap nilai kekerasan dan laju korosi," *J. Tek. Mesin*, vol. 12, no. 2, pp. 61–68, 2024.
- [13] D. G. WILLIAM D. CALLISTER, JR, *Book Review: Materials Science and Engineering, an Introduction*, vol. 22, no. 1. 1994. doi: [10.1177/030641909402200102](https://doi.org/10.1177/030641909402200102).
- [14] K. J. Gilbert, "Aluminum Alloy and Temper Designation Systems of the Aluminum Association," *Introd. to Alum. Alloy. Tempers*, pp. 9–22, 2000, doi: [10.1361/iaat2000p009](https://doi.org/10.1361/iaat2000p009).
- [15] V. 9 ASM Handbook, *Metallography and Microstructures*, vol. 9, no. 5. 2004. doi: [10.1088/1748-6041/5/5/054108](https://doi.org/10.1088/1748-6041/5/5/054108).
- [16] K. Anderson, J. Weritz, J. G. Kaufman, J. G. Kaufman, and K. Associates, *Significance of Mechanical Properties in Design and Application*, vol. 2. 2019. doi: [10.31399/asm.hb.v02b.a0006544](https://doi.org/10.31399/asm.hb.v02b.a0006544).

- [17] T. Hidayatullah, "Pengaruh Variasi Kampuh Dan Media Pendingin Air Kelapa Tua Terhadap Kekuatan Tarik Baja St 41 Pada Pengelasan Smaw," *Edutech*, vol. 24, no. 2, pp. 1079–1086, 2025, doi: 10.17509/e.v24i2.83347.
- [18] A. O. E. Cynthia L. Jenney, *Welding Handbook*, vol. 1. 2001. doi: 10.1007/978-1-349-04961-5.
- [19] E. A. Gadallah, M. Ibrahim, A. El, A. Y. Mohamed, H. Hemdan, and E. Fahhar, "Effects of filler on the microstructure and corrosion of similar and dissimilar gas inert tungsten arc welding aluminum alloys joints," *Sci. Rep.*, pp. 1–18, 2023, doi: 10.1038/s41598-023-44421-y.
- [20] A. American and N. Standard, "Welding Consumables — Wire Electrodes , Wires and Rods for Welding of Aluminum and Aluminum Alloys — Classification," 2017.
- [21] E. Santoso and M. Nafi, "Analisa Pengaruh Variasi Penambahan Cu dan Waktu Aging Pada Hasil Pengecoran AlCu Terhadap Struktur Mikro," *Mekanika*, vol. 5, no. 02, pp. 6–11, 2019.
- [22] G. E. Totten and D. S. Mackenzie, "Principles of Heat Treating of Nonferrous Alloys," *ASM Handbook, Vol. 4E*, vol. 4, pp. 3–31, 2018, doi: 10.31399/asm.hb.v04e.a0006250.
- [23] B. Milkereit, M. J. Starink, P. A. Rometsch, C. Schick, and O. Kessler, "Review of the Quench Sensitivity of Aluminium Alloys: Analysis of the Kinetics and Nature of Quench-Induced Precipitation," *Materials (Basel)*, vol. 12, no. 24, pp. 1–92, 2019, doi: <https://doi.org/10.3390/ma12244083>.
- [24] H. I. Akbar, E. Surojo, D. Ariawan, and A. R. Prabowo, "Results in Engineering Experimental study of quenching agents on Al6061 – Al₂O₃ composite : Effects of quenching treatment to microstructure and hardness characteristics," *Results Eng.*, vol. 6, p. 100105, 2020, doi: 10.1016/j.rineng.2020.100105.
- [25] H. Wang, X. Liu, and L. Liu, "Research on laser-TIG hybrid welding of 6061-T6 aluminum alloys joint and post heat treatment," *Metals (Basel)*, vol. 10, no. 1, pp. 1–15, 2020, doi: 10.3390/met10010130.
- [26] ASTM E92-82, "Standard Test Method for Vickers Hardness of Metallic

- Materials,” *ASTM Int.*, vol. 82, pp. 1–9, 2004.
- [27] ASTM E190, “Standard Test Method for Guided Bend Test for Ductility of Welds,” *Annu. B. ASTM Stand.*, vol. 92, no. Reapproved, pp. 7–9, 1997.
- [28] E. Yılmaz and F. Findik, “Effect of shielding gas on microstructure and mechanical properties in AA6061-T6 alloy MIG welding,” vol. 10, no. 1, pp. 268–277, 2022.
- [29] P. Z. and Y. S. Senchang Chen , Yanhui Chi, “Mechanism to Reduce the Porosity during Argon Arc Welding of Aluminum Alloys by Changing the Arc Angle,” *mdpi.com/journal/metals*, vol. 10, pp. 1–12, 2020, doi: doi:10.3390/met10091121.
- [30] R. D. Ardika, T. Triyono, N. Muhayat, R. D. Ardika, T. Triyono, and N. Muhayat, “A review porosity in aluminum welding A review porosity in aluminum welding,” *Procedia Struct. Integr.*, vol. 33, pp. 171–180, 2021, doi: 10.1016/j.prostr.2021.10.021.
- [31] W. Guo, X. Zhao, Y. Zhao, Y. Liu, H. Li, and B. Han, “Research on optimal heat input parameter for TIG welding of thin plate 5083 aluminum alloy,” pp. 1–14, 2025, doi: <https://doi.org/10.1038/s41598-025-99836-6> 2.
- [32] D. Rakhman, W. N. Putra, C. A. Ramadhani, and S. Harjanto, “Polyethylene Glycol Addition as Non-ionic Surfactant in Water-based Carbon Microfluid for Quench Medium in Heat Treatment Process,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 622, no. 1, pp. 1–6, 2019, doi: 10.1088/1757-899X/622/1/012016.
- [33] I. Momoh, B. Bamike, A. Saliu, and O. Adeyemi, “Effects of Polyethylene Glycol on the Mechanical Properties of Medium Carbon Low Alloy Steel,” *Niger. J. Technol. Dev.*, vol. 12, no. 2, pp. 61–64, 2016, doi: 10.4314/njtd.v12i2.5.
- [34] Y. Y. Ragasantri, Firdaus Irba, “Pengaruh media pendingin terhadap kekuatan mekanik hasil pengelasan aluminium proses GTAW,” *J. JPTM*, vol. 08, pp. 1–8, 2019.